

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
12 July 2001 (12.07.2001)

PCT

(10) International Publication Number
WO 01/49728 A2

(51) International Patent Classification?: C07K 14/435

229-0014 (JP). KIMURA, Tomoko [JP/JP]; 715, 2-9-1, Kohoku, Tsuchiura-shi, Ibaraki 300-0032 (JP).

(21) International Application Number: PCT/JP00/09359

(74) Agents: AOYAMA, Tamotsu et al.; AOYAMA & PARTNERS, IMP Building, 3-7, Shiromi 1-chome, Chuo-ku, Osaka-shi, Osaka 540-0001 (JP).

(22) International Filing Date:
28 December 2000 (28.12.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2000-585 6 January 2000 (06.01.2000) JP
2000-588 6 January 2000 (06.01.2000) JP
2000-2299 11 January 2000 (11.01.2000) JP
2000-26862 3 February 2000 (03.02.2000) JP
2000-58367 3 March 2000 (03.03.2000) JP

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicants (*for all designated States except US*): PROTEGENE INC. [JP/JP]; 2-20-3, Naka-cho, Meguro-ku, Tokyo 153-0065 (JP). SAGAMI CHEMICAL RESEARCH CENTER [JP/JP]; 4-1, Nishi-Ohnuma 4-chome, Sagamihara-shi, Kanagawa 229-0012 (JP).

Published:

— Without international search report and to be republished upon receipt of that report.

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): KATO, Seishi [JP/JP]; 3-46-50, Wakamatsu, Sagamihara-shi, Kanagawa

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 01/49728 A2

(54) Title: HUMAN PROTEINS HAVING HYDROPHOBIC DOMAINS AND DNAs ENCODING THESE PROTEINS

(57) Abstract: The present invention provides human proteins having hydrophobic domains, DNAs encoding these proteins, expression vectors for these DNAs, transformed eukaryotic cells expressing these DNAs and antibodies directed to these proteins.

DESCRIPTION

Human Proteins Having Hydrophobic Domains and
DNAs Encoding These Proteins

5

TECHNICAL FIELD

The present invention relates to human proteins having hydrophobic domains, DNAs encoding these proteins, expression vectors for these DNAs, eukaryotic cells
10 expressing these DNAs and antibodies directed to these proteins. The proteins of the present invention can be employed as pharmaceuticals or as antigens for preparing antibodies directed to these proteins. The human cDNAs of the present invention can be utilized as probes for genetic
15 diagnosis and gene sources for gene therapy. Furthermore, the cDNAs can be utilized as gene sources for producing the proteins encoded by these cDNAs in large quantities. Cells into which these genes are introduced to express secretory proteins or membrane proteins in large quantities can be
20 utilized for detection of the corresponding receptors or ligands, screening of novel small molecule pharmaceuticals and the like. The antibodies of the present invention can be utilized for the detection, quantification, purification and the like of the proteins of the present invention.

25

BACKGROUND ART

Cells secrete many proteins extracellularly. These secretory proteins play important roles in the proliferation control, the differentiation induction, the material transport, the biophylaxis, and the like of the cells. Unlike intracellular proteins, the secretory proteins exert their actions outside the cells. Therefore, they can be administered in the intracorporeal manner such as the injection or the drip, and they possess hidden potentialities as pharmaceuticals. In fact, a number of human secretory proteins such as interferons, interleukins, erythropoietin, thrombolytic agents and the like are currently employed as pharmaceuticals. In addition, secretory proteins other than those described above are undergoing clinical trials for developing their use as pharmaceuticals. It is believed that the human cells produce many unknown secretory proteins. Availability of these secretory proteins as well as genes encoding them is expected to lead to development of novel pharmaceuticals utilizing them.

On the other hand, membrane proteins play important roles, as signal receptors, ion channels, transporters and the like, in the material transport and the signal transduction through the cell membrane. Examples thereof include receptors for various cytokines, ion

channels for the sodium ion, the potassium ion, the chloride ion and the like, transporters for saccharides, amino acids and the like. The genes for many of them have already been cloned. It has been clarified that abnormalities in these
5 membrane proteins are involved in a number of previously cryptogenic diseases. Therefore, discovery of a new membrane protein is expected to lead to elucidation of the causes of many diseases, and isolation of new genes encoding the membrane proteins has been desired.

10 Heretofore, due to difficulty in the purification from human cells, many of these secretory proteins and membrane proteins have been isolated by genetic approaches. A general method is the so-called expression cloning method, in which a cDNA library is introduced into eukaryotic cells
15 to express cDNAs, and the cells secreting, or expressing on the surface of membrane, the protein having the activity of interest are then screened. However, only genes for proteins with known functions can be cloned by using this method.

In general, a secretory protein or a membrane
20 protein possesses at least one hydrophobic domain within the protein. After synthesis on ribosomes, such domain works as a secretory signal or remains in the phospholipid membrane to be entrapped in the membrane. Accordingly, if the existence of a highly hydrophobic domain is observed in the
25 amino acid sequence of a protein encoded by a cDNA when the

whole base sequence of the full-length cDNA is determined, it is considered that the cDNA encodes a secretory protein or a membrane protein.

5 OBJECTS OF INVENTION

The main object of the present invention is to provide novel human proteins having hydrophobic domains, DNAs coding for these proteins, expression vectors for these DNAs, transformed eucaryotic cells that are capable of
10 expressing these DNAs and antibodies directed to these proteins.

SUMMARY OF INVENTION

As the result of intensive studies, the present
15 inventors have successfully cloned cDNAs encoding proteins having hydrophobic domains from the human full-length cDNA bank, thereby completing the present invention. Thus, the present invention provides a human protein having hydrophobic domain(s), namely a protein comprising any one
20 of amino acid sequences selected from the group consisting of SEQ ID NOS: 1 to 10, 31 to 40, 61 to 70, 91 to 100 and 121 to 130. Moreover, the present invention provides a DNA encoding said protein, exemplified by a cDNA comprising any one of base sequences selected from the group consisting of
25 SEQ ID NOS: 11 to 30, 41 to 60, 71 to 90, 101 to 120 and 131

to 150, an expression vector that is capable of expressing said DNA by in vitro translation or in eukaryotic cells, a transformed eukaryotic cell that is capable of expressing said DNA and of producing said protein, and an antibody
5 directed to said protein.

This object as well as other objects and advantages of the present invention will become apparent to those skilled in the art from the following description with reference to the accompanying drawings.

10

BRIEF DESCRIPTION OF DRAWINGS

Figure 1: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03613.

15 Figure 2: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03700.

Figure 3: A figure depicting the hydrophobicity/hydrophilicity profile of the protein
20 encoded by clone HP03935.

Figure 4: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10755.

25 Figure 5: A figure depicting the hydrophobicity/hydrophilicity profile of the protein

encoded by clone HP10760.

Figure 6: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10764.

5 Figure 7: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10768.

Figure 8: A figure depicting the hydrophobicity/hydrophilicity profile of the protein
10 encoded by clone HP10769.

Figure 9: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10784.

Figure 10:A figure depicting the hydrophobicity/hydrophilicity profile of the protein
15 encoded by clone HP10786.

Figure 11:A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03727.

20 Figure 12:A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03801.

Figure 13:A figure depicting the hydrophobicity/hydrophilicity profile of the protein
25 encoded by clone HP03883.

Figure 14: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03913.

5 Figure 15: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10753.

Figure 16: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10758.

10 Figure 17: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10771.

15 Figure 18: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10778.

Figure 19: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10781.

20 Figure 20:A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10785.

Figure 21:A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03878.

25 Figure 22:A figure depicting the

hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03884.

Figure 23:A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03934.

Figure 24: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03949.

Figure 25: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03959.

Figure 26: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03983.

Figure 27: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10745.

Figure 28: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10775.

Figure 29: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10782.

Figure 30:A figure depicting the hydrophobicity/hydrophilicity profile of the protein.

Figure 31:A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP03977.

5 Figure 32:A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10649.

Figure 33:A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10779.

10 Figure 34: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10790.

15 Figure 35: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10793.

Figure 36: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10794.

20 Figure 37: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10797.

Figure 38: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10798.

25 Figure 39: A figure depicting the

hydrophobicity/hydrophilicity profile of the protein
encoded by clone HP10800.

Figure 40:A figure depicting the
hydrophobicity/hydrophilicity profile of the protein
5 encoded by clone HP10801.

Figure 41:A figure depicting the
hydrophobicity/hydrophilicity profile of the protein
encoded by clone HP03596.

Figure 42:A figure depicting the
10 hydrophobicity/hydrophilicity profile of the protein
encoded by clone HP03882.

Figure 43:A figure depicting the
hydrophobicity/hydrophilicity profile of the protein
encoded by clone HP03903.

Figure 44: A figure depicting the
15 hydrophobicity/hydrophilicity profile of the protein
encoded by clone HP03974.

Figure 45: A figure depicting the
hydrophobicity/hydrophilicity profile of the protein
20 encoded by clone HP03978.

Figure 46: A figure depicting the
hydrophobicity/hydrophilicity profile of the protein
encoded by clone HP10735.

Figure 47: A figure depicting the
25 hydrophobicity/hydrophilicity profile of the protein

encoded by clone HP10750.

Figure 48: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10777.

5 Figure 49: A figure depicting the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10780.

Figure 50: A figure depicting the hydrophobicity/hydrophilicity profile of the protein
10 encoded by clone HP10795.

DETAILED DESCRIPTION OF THE INVENTION

The proteins of the present invention can be obtained, for example, by a method for isolating proteins
15 from human organs, cell lines or the like, a method for preparing peptides by the chemical synthesis based on the amino acid sequence of the present invention, or a method for producing proteins by the recombinant DNA technology using the DNAs encoding the hydrophobic domains of the
20 present invention. Among these, the method for producing proteins by the recombinant DNA technology is preferably employed. For example, the proteins can be expressed in vitro by preparing an RNA by in vitro transcription from a vector having the cDNA of the present invention, and then
25 carrying out in vitro translation using this RNA as a

template. Alternatively, incorporation of the translated region into a suitable expression vector by the method known in the art may lead to expression of the encoded protein in large quantities in prokaryotic cells such as *Escherichia coli* and *Bacillus subtilis*, or eukaryotic cells such as yeasts, insect cells and mammalian cells.

In the case where the protein of the present invention is produced by expressing the DNA by in vitro translation, the protein of the present invention can be produced in vitro by incorporating the translated region of this cDNA into a vector having an RNA polymerase promoter, and then adding the vector to an in vitro translation system such as a rabbit reticulocyte lysate or a wheat germ extract, which contains an RNA polymerase corresponding to the promoter. The RNA polymerase promoters are exemplified by T7, T3, SP6 and the like. The vectors containing promoters for these RNA polymerases are exemplified by pKA1, pCDM8, pT3/T7 18, pT7/3 19, pBluescript II and the like. Furthermore, the protein of the present invention can be expressed in the secreted form or the form incorporated in the microsome membrane when a canine pancreas microsome or the like is added to the reaction system.

In the case where the protein of the present invention is produced by expressing the DNA in a microorganism such as *Escherichia coli*, a recombinant

expression vector in which the translated region of the cDNA of the present invention is incorporated into an expression vector having an origin which is capable of replicating in the microorganism, a promoter, a ribosome-binding site, a cDNA-cloning site, a terminator and the like is constructed. After transformation of the host cells with this expression vector, the resulting transformant is cultured. Thus, the protein encoded by the cDNA can be produced in large quantities in the microorganism. In this case, a protein fragment containing any translated region can be obtained by adding an initiation codon and a termination codon in front of and behind the selected translated region and expressing the protein. Alternatively, the protein can be expressed as a fusion protein with another protein. Only the portion of the protein encoded by the cDNA can be obtained by cleaving this fusion protein with a suitable protease. The expression vectors for *Escherichia coli* are exemplified by the pUC series, pBluescript II, the pET expression system, the pGEX expression system and the like.

In the case where the protein of the present invention is produced by expressing the DNA in eukaryotic cells, the protein of the present invention can be produced as a secretory protein, or as a membrane protein on the surface of cell membrane, by incorporating the translated region of the cDNA into an expression vector for eukaryotic

cells that has a promoter, a splicing region, a poly(A) addition site and the like, and then introducing the vector into the eukaryotic cells. The expression vectors are exemplified by pKA1, pED6dpc2, pCDM8, pSVK3, pMSG, pSVL, pBK-CMV, pBK-RSV, EBV vectors, pRS, pYES2 and the like. Examples of eukaryotic cells to be used in general include mammalian cultured cells such as monkey kidney COS7 cells and Chinese hamster ovary CHO cells, budding yeasts, fission yeasts, silkworm cells, and Xenopus oocytes. Any eukaryotic cells may be used as long as they are capable of expressing the proteins of the present invention. The expression vector can be introduced into the eukaryotic cells by using a method known in the art such as the electroporation method, the calcium phosphate method, the liposome method and the DEAE-dextran method.

After the protein of the present invention is expressed in prokaryotic cells or eukaryotic cells, the protein of interest can be isolated and purified from the culture by a combination of separation procedures known in the art. Examples of the separation procedures include treatment with a denaturing agent such as urea or a detergent, sonication, enzymatic digestion, salting-out or solvent precipitation, dialysis, centrifugation, ultrafiltration, gel filtration, SDS-PAGE, isoelectric focusing, ion-exchange chromatography, hydrophobic

chromatography, affinity chromatography and reverse phase chromatography.

The proteins of the present invention also include peptide fragments (of 5 amino acid residues or more) containing any partial amino acid sequences in the amino acid sequences represented by SEQ ID NOS: 1 to 10, 31 to 40, 61 to 70, 91 to 100 and 121 to 130. These peptide fragments can be utilized as antigens for preparation of antibodies. Among the proteins of the present invention, those having the signal sequences are secreted in the form of mature proteins after the signal sequences are removed. Therefore, these mature proteins shall come within the scope of the protein of the present invention. The N-terminal amino acid sequences of the mature proteins can be easily determined by using the method for the determination of cleavage site of a signal sequence [JP-A 8-187100]. Furthermore, some membrane proteins undergo the processing on the cell surface to be converted to the secreted forms. Such proteins or peptides in the secreted forms shall also come within the scope of the protein of the present invention. In the case where sugar chain-binding sites are present in the amino acid sequences of the proteins, expression of the proteins in appropriate eukaryotic cells affords the proteins to which sugar chains are added. Accordingly, such proteins or peptides to which sugar chains are added shall also come

within the scope of the protein of the present invention.

The DNAs of the present invention include all the DNAs encoding the above-mentioned proteins. These DNAs can be obtained by using a method for chemical synthesis, a
5 method for cDNA cloning and the like.

The cDNAs of the present invention can be cloned, for example, from cDNA libraries derived from the human cells. The cDNAs are synthesized by using poly(A)⁺ RNAs extracted from human cells as templates. The human cells may
10 be cells delivered from the human body, for example, by the operation or may be the cultured cells. The cDNAs can be synthesized by using any method such as the Okayama-Berg method [Okayama, H. and Berg, P., Mol. Cell. Biol. 2: 161-170 (1982)], the Gubler-Hoffman method [Gubler, U. and
15 Hoffman, J., Gene 25: 263-269 (1983)] and the like. However, it is desirable to use the capping method [Kato, S. et al., Gene 150: 243-250 (1994)], as exemplified in Examples, in order to obtain a full-length clone in an effective manner. In addition, commercially available human cDNA libraries can
20 be utilized. The cDNAs of the present invention can be cloned from the cDNA libraries by synthesizing an oligonucleotide on the basis of base sequences of any portion in the cDNA of the present invention and screening the cDNA libraries using this oligonucleotide as a probe for
25 colony or plaque hybridization according to a method known

in the art. In addition, the cDNA fragments of the present invention can be prepared from an mRNA isolated from human cells by the RT-PCR method in which oligonucleotides which hybridize with both termini of the cDNA fragment of interest
5 are synthesized, which are then used as the primers.

The cDNAs of the present invention are characterized in that they comprise any one of the base sequences represented by SEQ ID NOS: 11 to 20, 41 to 50, 71 to 80, 101 to 110 and 131 to 140 or the base sequences
10 represented by SEQ ID NOS: 21 to 30, 51 to 60, 81 to 90, 111 to 120 and 141 to 150. Table 1 summarizes the clone number (HP number), the cells from which the cDNA clone was obtained, the total number of bases of the cDNA, and the number of the amino acid residues of the encoded protein,
15 for each of the cDNAs.

Table 1

Sequence No.			HP No.	Cell	Number of bases	Number of amino acids
1, 11, 21	HP03613	Kidney			2865	578
2, 12, 22	HP03700	Kidney			3323	243
3, 13, 23	HP03935	Kidney			1585	461
4, 14, 24	HP10755	Kidney			2122	647
5, 15, 25	HP10760	Kidney			1775	446
6, 16, 26	HP10764	Kidney			1372	197
7, 17, 27	HP10768	Kidney			2074	540
8, 18, 28	HP10769	Kidney			2252	442
9, 19, 29	HP10784	Kidney			1461	262
10, 20, 30	HP10786	Kidney			1122	152
31, 41, 51	HP03727	Kidney			1617	335
32, 42, 52	HP03801	Umbilical cord blood			1749	208
33, 43, 53	HP03883	Kidney			1402	406
34, 44, 54	HP03913	Kidney			2474	618
35, 45, 55	HP10753	Umbilical cord blood			3296	208
36, 46, 56	HP10758	Kidney			1818	502
37, 47, 57	HP10771	Kidney			1646	336
38, 48, 58	HP10778	Kidney			1416	340
39, 49, 59	HP10781	Kidney			1927	223
40, 50, 60	HP10785	Kidney			1419	309
61, 71, 81	HP03878	Kidney			2016	599
62, 72, 82	HP03884	Kidney			1446	81
63, 73, 83	HP03934	Kidney			2467	654
64, 74, 84	HP03949	Kidney			1450	390
65, 75, 85	HP03959	Kidney			1897	452

Table 1 (continued)

Sequence No.	HP No.	Cell	Number of bases	Number of amino acids
66, 76, 86	HP03983	Kidney	1856	490
67, 77, 87	HP10745	Umbilical cord blood	2173	392
68, 78, 88	HP10775	Kidney	1934	538
69, 79, 89	HP10782	Kidney	1880	102
70, 80, 90	HP10787	Kidney	2295	442
91, 101, 111	HP03977	Kidney	1894	227
92, 102, 112	HP10649	KB	2413	352
93, 103, 113	HP10779	Kidney	2376	130
94, 104, 114	HP10790	Kidney	1155	330
95, 105, 115	HP10793	Kidney	1329	350
96, 106, 116	HP10794	Kidney	1387	113
97, 107, 117	HP10797	Kidney	1158	189
98, 108, 118	HP10798	Kidney	1106	277
99, 109, 119	HP10800	Kidney	1907	274
100, 110, 120	HP10801	Kidney	1816	390
121, 131, 141	HP03696	Umbilical cord blood	1961	395
122, 132, 142	HP03882	Kidney	2194	550
123, 133, 143	HP03903	Kidney	2753	218
124, 134, 144	HP03974	Kidney	2085	596
125, 135, 145	HP03978	Kidney	2208	467
126, 136, 146	HP10735	Umbilical cord blood	2044	476
127, 137, 147	HP10750	Umbilical cord blood	2176	449
128, 138, 148	HP10777	Kidney	1363	105
129, 139, 149	HP10780	Kidney	1043	81
130, 140, 150	HP10795	Kidney	2435	552

The same clones as the cDNAs of the present

invention can be easily obtained by screening the cDNA libraries constructed from the human cell lines or human tissues utilized in the present invention using an oligonucleotide probe synthesized on the basis of the base
5 sequence of the cDNA provided in any one of SEQ ID NOS: 11 to 30, 41 to 60, 71 to 90, 101 to 120 and 131 to 150.

In general, the polymorphism due to the individual differences is frequently observed in human genes. Accordingly, any cDNA in which one or plural nucleotides are
10 added, deleted and/or substituted with other nucleotides in SEQ ID NOS: 11 to 30, 41 to 60, 71 to 90, 101 to 120 and 131 to 150 shall come within the scope of the present invention.

Similarly, any protein in which one or plural amino acids are added, deleted and/or substituted with other
15 amino acids resulting from the above-mentioned changes shall come within the scope of the present invention, as long as the protein possesses the activity of the protein having any one of the amino acid sequences represented by SEQ ID NOS: 1 to 10, 31 to 40, 61 to 70, 91 to 100 and 121 to 130.

20 The cDNAs of the present invention also include cDNA fragments (of 10 bp or more) containing any partial base sequence in the base sequences represented by SEQ ID NOS: 11 to 20, 41 to 50, 71 to 80, 101 to 110 and 131 to 140 or in the base sequences represented by SEQ ID NOS: 21 to 30,
25 51 to 60, 81 to 90, 111 to 120 and 141 to 150. Also, DNA

fragments each consisting of a sense strand and an anti-sense strand shall come within this scope. These DNA fragments can be utilized as the probes for the genetic diagnosis.

5 The antibody of the present invention can be obtained from a serum after immunizing an animal using the protein of the present invention as an antigen. A peptide that is chemically synthesized based on the amino acid sequence of the present invention and a protein expressed in
10 eukaryotic or prokaryotic cells can be used as an antigen. Alternatively, an antibody can be prepared by introducing the above-mentioned expression vector for eukaryotic cells into the muscle or the skin of an animal by injection or by using a gene gun and then collecting a serum therefrom [JP-A
15 7-313187]. Animals that can be used include a mouse, a rat, a rabbit, a goat, a chicken and the like. A monoclonal antibody directed to the protein of the present invention can be produced by fusing B cells collected from the spleen of the immunized animal with myelomas to generate hybridomas.

20 In addition to the activities and uses described above, the polynucleotides and proteins of the present invention may exhibit one or more of the uses or biological activities (including those associated with assays cited herein) identified below. Uses or activities described for
25 proteins of the present invention may be provided by

administration or use of such proteins or by administration or use of polynucleotides encoding such proteins (such as, for example, in gene therapies or vectors suitable for introduction of DNA).

5 Research Uses and Utilities

 The polynucleotides provided by the present invention can be used by the research community for various purposes. The polynucleotides can be used to express recombinant protein for analysis, characterization or
10 therapeutic use; as markers for tissues in which the corresponding protein is preferentially expressed (either constitutively or at a particular stage of tissue differentiation or development or in disease states); as molecular weight markers on Southern gels; as chromosome
15 markers or tags (when labeled) to identify chromosomes or to map related gene positions; to compare with endogenous DNA sequences in patients to identify potential genetic disorders; as probes to hybridize and thus discover novel, related DNA sequences; as a source of information to derive
20 PCR primers for genetic fingerprinting; as a probe to "subtract-out" known sequences in the process of discovering other novel polynucleotides; for selecting and making oligomers for attachment to a "gene chip" or other support, including for examination of expression patterns; to raise
25 anti-protein antibodies using DNA immunization techniques;

and as an antigen to raise anti-DNA antibodies or elicit another immune response. Where the polynucleotide encodes a protein which binds or potentially binds to another protein (such as, for example, in a receptor-ligand interaction),
5 the polynucleotide can also be used in interaction trap assays (such as, for example, that described in Gyuris et al., Cell 75:791-803 (1993)) to identify polynucleotides encoding the other protein with which binding occurs or to identify inhibitors of the binding interaction.

10 The proteins provided by the present invention can similarly be used in assay to determine biological activity, including in a panel of multiple proteins for high-throughput screening; to raise antibodies or to elicit another immune response; as a reagent (including the labeled
15 reagent) in assays designed to quantitatively determine levels of the protein (or its receptor) in biological fluids; as markers for tissues in which the corresponding protein is preferentially expressed (either constitutively or at a particular stage of tissue differentiation or
20 development or in a disease state); and, of course, to isolate correlative receptors or ligands. Where the protein binds or potentially binds to another protein (such as, for example, in a receptor-ligand interaction), the protein can be used to identify the other protein with which binding
25 occurs or to identify inhibitors of the binding interaction.

Proteins involved in these binding interactions can also be used to screen for peptide or small molecule inhibitors or agonists of the binding interaction.

Any or all of these research utilities are capable
5 of being developed into reagent grade or kit format for commercialization as research products.

Methods for performing the uses listed above are well known to those skilled in the art. References disclosing such methods include without limitation
10 "Molecular Cloning: A Laboratory Manual", 2d ed., Cold Spring Harbor Laboratory Press, Sambrook, J., E.F. Fritsch and T. Maniatis eds., 1989, and "Methods in Enzymology: Guide to Molecular Cloning Techniques", Academic Press, Berger, S.L. and A.R. Kimmel eds., 1987.

15 Nutritional Uses

Polynucleotides and proteins of the present invention can also be used as nutritional sources or supplements. Such uses include without limitation use as a protein or amino acid supplement, use as a carbon source,
20 use as a nitrogen source and use as a source of carbohydrate. In such cases the protein or polynucleotide of the invention can be added to the feed of a particular organism or can be administered as a separate solid or liquid preparation, such as in the form of powder, pills, solutions, suspensions or
25 capsules. In the case of microorganisms, the protein or

polynucleotide of the invention can be added to the medium in or on which the microorganism is cultured.

Cytokine and Cell Proliferation/Differentiation Activity

5 A protein of the present invention may exhibit cytokine, cell proliferation (either inducing or inhibiting) or cell differentiation (either inducing or inhibiting) activity or may induce production of other cytokines in certain cell populations. Many protein factors discovered to
10 date, including all known cytokines, have exhibited activity in one or more factor dependent cell proliferation assays, and hence the assays serve as a convenient confirmation of cytokine activity. The activity of a protein of the present invention is evidenced by any one of a number of routine
15 factor dependent cell proliferation assays for cell lines including, without limitation, 32D, DA2, DA1G, T10, B9, B9/11, BaF3, MC9/G, M+ (preB M+), 2E8, RB5, DA1, 123, T1165, HT2, CTLL2, TF-1, Mo7e and CMK.

 The activity of a protein of the invention may,
20 among other means, be measured by the following methods:

 Assays for T-cell or thymocyte proliferation include without limitation those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A.M. Kruisbeek, D.H. Margulies, E.M. Shevach, W Strober, Pub. Greene
25 Publishing Associates and Wiley-Interscience (Chapter 3, In

Vitro assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, Immunologic studies in Humans); Takai et al., J. Immunol. 137:3494-3500, 1986; Bertagnolli et al., J. Immunol. 145:1706-1712, 1990; Bertagnolli et al., Cellular Immunology 5 133:327-341, 1991; Bertagnolli, et al., J. Immunol. 149:3778-3783, 1992; Bowman et al., J. Immunol. 152: 1756-1761, 1994.

Assays for cytokine production and/or proliferation of spleen cells, lymph node cells or 10 thymocytes include, without limitation, those described in: Polyclonal T cell stimulation, Kruisbeek, A.M. and Shevach, E.M. In Current Protocols in Immunology. J.E.e.a. Coligan eds. Vol 1 pp. 3.12.1-3.12.14, John Wiley and Sons, Toronto. 1994; and Measurement of mouse and human Interferon γ , 15 Schreiber, R.D. In Current Protocols in Immunology. J.E.e.a. Coligan eds. Vol 1 pp. 6.8.1-6.8.8, John Wiley and Sons, Toronto. 1994.

Assays for proliferation and differentiation of hematopoietic and lymphopoietic cells include, without 20 limitation, those described in: Measurement of Human and Murine Interleukin 2 and Interleukin 4, Bottomly, K., Davis, L.S. and Lipsky, P.E. In Current Protocols in Immunology. J.E.e.a. Coligan eds. Vol 1 pp. 6.3.1-6.3.12, John Wiley and Sons, Toronto. 1991; deVries et al., J. Exp. Med. 173:1205- 25 1211, 1991; Moreau et al., Nature 336:690-692, 1988;

Greenberger et al., Proc. Natl. Acad. Sci. U.S.A. 80:2931-2938, 1983; Measurement of mouse and human interleukin 6-Nordan, R. In Current Protocols in Immunology. J.E.e.a. Coligan eds. Vol 1 pp. 6.6.1-6.6.5, John Wiley and Sons, 5 Toronto. 1991; Smith et al., Proc. Natl. Acad. Sci. U.S.A. 83:1857-1861, 1986; Measurement of human Interleukin 11 - Bennett, F., Giannotti, J., Clark, S.C. and Turner, K. J. In Current Protocols in Immunology. J.E.e.a. Coligan eds. Vol 1 pp. 6.15.1 John Wiley and Sons, Toronto. 1991; Measurement 10 of mouse and human Interleukin 9 - Ciarletta, A., Giannotti, J., Clark, S.C. and Turner, K.J. In Current Protocols in Immunology. J.E.e.a. Coligan eds. Vol 1 pp. 6.13.1, John Wiley and Sons, Toronto. 1991.

Assays for T-cell clone responses to antigens 15 (which will identify, among others, proteins that affect APC-T cell interactions as well as direct T-cell effects by measuring proliferation and cytokine production) include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A.M. Kruisbeek, D.H. 20 Margulies, E.M. Shevach, W Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, In Vitro assays for Mouse Lymphocyte Function; Chapter 6, Cytokines and their cellular receptors; Chapter 7, Immunologic studies in Humans); Weinberger et al., Proc. Natl. Acad. Sci. USA 25 77:6091-6095, 1980; Weinberger et al., Eur. J. Immun.

11:405-411, 1981; Takai et al., J. Immunol. 137:3494-3500, 1986; Takai et al., J. Immunol. 140:508-512, 1988.

Immune Stimulating or Suppressing Activity

A protein of the present invention may also exhibit immune stimulating or immune suppressing activity, including without limitation the activities for which assays are described herein. A protein may be useful in the treatment of various immune deficiencies and disorders (including severe combined immunodeficiency (SCID)), e.g., in regulating (up or down) growth and proliferation of T and/or B lymphocytes, as well as effecting the cytolytic activity of NK cells and other cell populations. These immune deficiencies may be genetic or be caused by viral (e.g., HIV) as well as bacterial or fungal infections, or may result from autoimmune disorders. More specifically, infectious diseases caused by viral, bacterial, fungal or other infection may be treatable using a protein of the present invention, including infections by HIV, hepatitis viruses, herpesviruses, mycobacteria, Leishmania spp., malaria spp. and various fungal infections such as candidiasis. Of course, in this regard, a protein of the present invention may also be useful where a boost to the immune system generally may be desirable, i.e., in the treatment of cancer.

Autoimmune disorders which may be treated using a

protein of the present invention include, for example, connective tissue disease, multiple sclerosis, systemic lupus erythematosus, rheumatoid arthritis, autoimmune pulmonary inflammation, Guillain-Barre syndrome, autoimmune thyroiditis, insulin dependent diabetes mellitus, myasthenia gravis, graft-versus-host disease and autoimmune inflammatory eye disease. Such a protein of the present invention may also to be useful in the treatment of allergic reactions and conditions, such as asthma (particularly allergic asthma) or other respiratory problems. Other conditions, in which immune suppression is desired (including, for example, organ transplantation), may also be treatable using a protein of the present invention.

Using the proteins of the invention it may also be possible to immune responses, in a number of ways. Down regulation may be in the form of inhibiting or blocking an immune response already in progress or may involve preventing the induction of an immune response. The functions of activated T cells may be inhibited by suppressing T cell responses or by inducing specific tolerance in T cells, or both. Immunosuppression of T cell responses is generally an active, non-antigen-specific, process which requires continuous exposure of the T cells to the suppressive agent. Tolerance, which involves inducing non-responsiveness or anergy in T cells, is distinguishable

from immunosuppression in that it is generally antigen-specific and persists after exposure to the tolerizing agent has ceased. Operationally, tolerance can be demonstrated by the lack of a T cell response upon reexposure to specific
5 antigen in the absence of the tolerizing agent.

Down regulating or preventing one or more antigen functions (including without limitation B lymphocyte antigen functions (such as , for example, B7)), e.g., preventing high level lymphokine synthesis by activated T cells, will
10 be useful in situations of tissue, skin and organ transplantation and in graft-versus-host disease (GVHD). For example, blockage of T cell function should result in reduced tissue destruction in tissue transplantation. Typically, in tissue transplants, rejection of the
15 transplant is initiated through its recognition as foreign by T cells, followed by an immune reaction that destroys the transplant. The administration of a molecule which inhibits or blocks interaction of a B7 lymphocyte antigen with its natural ligand(s) on immune cells (such as a soluble,
20 monomeric form of a peptide having B7-2 activity alone or in conjunction with a monomeric form of a peptide having an activity of another B lymphocyte antigen (e.g., B7-1, B7-3) or blocking antibody), prior to transplantation can lead to the binding of the molecule to the natural ligand(s) on the
25 immune cells without transmitting the corresponding

costimulatory signal. Blocking B lymphocyte antigen function in this matter prevents cytokine synthesis by immune cells, such as T cells, and thus acts as an immunosuppressant. Moreover, the lack of costimulation may also be sufficient
5 to anergize the T cells, thereby inducing tolerance in a subject. Induction of long-term tolerance by B lymphocyte antigen-blocking reagents may avoid the necessity of repeated administration of these blocking reagents. To achieve sufficient immunosuppression or tolerance in a
10 subject, it may also be necessary to block the function of a combination of B lymphocyte antigens.

The efficacy of particular blocking reagents in preventing organ transplant rejection or GVHD can be assessed using animal models that are predictive of efficacy
15 in humans. Examples of appropriate systems which can be used include allogeneic cardiac grafts in rats and xenogeneic pancreatic islet cell grafts in mice, both of which have been used to examine the immunosuppressive effects of CTLA4Ig fusion proteins in vivo as described in Lenschow et
20 al., Science 257:789-792 (1992) and Turka et al., Proc. Natl. Acad. Sci USA, 89:11102-11105 (1992). In addition, murine models of GVHD (see Paul ed., Fundamental Immunology, Raven Press, New York, 1989, pp. 846-847) can be used to determine the effect of blocking B lymphocyte antigen function in vivo
25 on the development of that disease.

Blocking antigen function may also be therapeutically useful for treating autoimmune diseases. Many autoimmune disorders are the result of inappropriate activation of T cells that are reactive against self tissue and which promote the production of cytokines and autoantibodies involved in the pathology of the diseases. Preventing the activation of autoreactive T cells may reduce or eliminate disease symptoms. Administration of reagents which block costimulation of T cells by disrupting receptor:ligand interactions of B lymphocyte antigens can be used to inhibit T cell activation and prevent production of autoantibodies or T cell-derived cytokines which may be involved in the disease process. Additionally, blocking reagents may induce antigen-specific tolerance of autoreactive T cells which could lead to long-term relief from the disease. The efficacy of blocking reagents in preventing or alleviating autoimmune disorders can be determined using a number of well-characterized animal models of human autoimmune diseases. Examples include murine experimental autoimmune encephalitis, systemic lupus erythmatosis in MRL/lpr/lpr mice or NZB hybrid mice, murine autoimmune collagen arthritis, diabetes mellitus in NOD mice and BB rats, and murine experimental myasthenia gravis (see Paul ed., Fundamental Immunology, Raven Press, New York, 1989, pp. 840-856).

Upregulation of an antigen function (preferably a B lymphocyte antigen function), as a means of up regulating immune responses, may also be useful in therapy. Upregulation of immune responses may be in the form of enhancing an existing immune response or eliciting an initial immune response. For example, enhancing an immune response through stimulating B lymphocyte antigen function may be useful in cases of viral infection. In addition, systemic viral diseases such as influenza, the common cold, and encephalitis might be alleviated by the administration of stimulatory forms of B lymphocyte antigens systemically.

Alternatively, anti-viral immune responses may be enhanced in an infected patient by removing T cells from the patient, costimulating the T cells in vitro with viral antigen-pulsed APCs either expressing a peptide of the present invention or together with a stimulatory form of a soluble peptide of the present invention and reintroducing the in vitro activated T cells into the patient. Another method of enhancing anti-viral immune responses would be to isolate infected cells from a patient, transfect them with a nucleic acid encoding a protein of the present invention as described herein such that the cells express all or a portion of the protein on their surface, and reintroduce the transfected cells into the patient. The infected cells would now be capable of delivering a costimulatory signal to, and

thereby activate, T cells in vivo.

In another application, up regulation or enhancement of antigen function (preferably B lymphocyte antigen function) may be useful in the induction of tumor immunity. Tumor cells (e.g., sarcoma, melanoma, lymphoma, leukemia, neuroblastoma, carcinoma) transfected with a nucleic acid encoding at least one peptide of the present invention can be administered to a subject to overcome tumor-specific tolerance in the subject. If desired, the tumor cell can be transfected to express a combination of peptides. For example, tumor cells obtained from a patient can be transfected ex vivo with an expression vector directing the expression of a peptide having B7-2-like activity alone, or in conjunction with a peptide having B7-1-like activity and/or B7-3-like activity. The transfected tumor cells are returned to the patient to result in expression of the peptides on the surface of the transfected cell. Alternatively, gene therapy techniques can be used to target a tumor cell for transfection in vivo.

The presence of the peptide of the present invention having the activity of a B lymphocyte antigen(s) on the surface of the tumor cell provides the necessary costimulation signal to T cells to induce a T cell mediated immune response against the transfected tumor cells. In addition, tumor cells which lack MHC class I or MHC class II

molecules, or which fail to reexpress sufficient amounts of MHC class I or MHC class II molecules, can be transfected with nucleic acid encoding all or a portion of (e.g., a cytoplasmic-domain truncated portion) of an MHC class I α chain protein and β , microglobulin protein or an MHC class II α chain protein and an MHC class II β chain protein to thereby express MHC class I or MHC class II proteins on the cell surface. Expression of the appropriate class I or class II MHC in conjunction with a peptide having the activity of a B lymphocyte antigen (e.g., B7-1, B7-2, B7-3) induces a T cell mediated immune response against the transfected tumor cell. Optionally, a gene encoding an antisense construct which blocks expression of an MHC class II associated protein, such as the invariant chain, can also be cotransfected with a DNA encoding a peptide having the activity of a B lymphocyte antigen to promote presentation of tumor associated antigens and induce tumor specific immunity. Thus, the induction of a T cell mediated immune response in a human subject may be sufficient to overcome tumor-specific tolerance in the subject.

The activity of a protein of the invention may, among other means, be measured by the following methods:

Suitable assays for thymocyte or splenocyte cytotoxicity include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan,

A.M. Kruisbeek, D.H. Margulies, E.M. Shevach, W Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, In Vitro assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, Immunologic studies in Humans); Herrmann et al.,
5 Proc. Natl. Acad. Sci. USA 78:2488-2492, 1981; Herrmann et al., J. Immunol. 128:1968-1974, 1982; Handa et al., J. Immunol. 135:1564-1572, 1985; Takai et al., J. Immunol. 137:3494-3500, 1986; Takai et al., J. Immunol. 140:508-512, 1988; Herrmann et al., Proc. Natl. Acad. Sci. USA 78:2488-
10 2492, 1981; Herrmann et al., J. Immunol. 128:1968-1974, 1982; Handa et al., J. Immunol. 135:1564-1572, 1985; Takai et al., J. Immunol. 137:3494-3500, 1986; Bowman et al., J. Virology 61:1992-1998; Takai et al., J. Immunol. 140:508-512, 1988; Bertagnolli et al., Cellular Immunology 133:327-341,
15 1991; Brown et al., J. Immunol. 153:3079-3092, 1994.

Assays for T-cell-dependent immunoglobulin responses and isotype switching (which will identify, among others, proteins that modulate T-cell dependent antibody responses and that affect Th1/Th2 profiles) include, without
20 limitation, those described in: Maliszewski, J. Immunol. 144:3028-3033, 1990; and Assays for B cell function: In vitro antibody production, Mond, J.J. and Brunswick, M. In Current Protocols in Immunology. J.E.e.a. Coligan eds. Vol 1 pp. 3.8.1-3.8.16, John Wiley and Sons, Toronto. 1994.

25 Mixed lymphocyte reaction (MLR) assays (which will

identify, among others, proteins that generate predominantly Th1 and CTL responses) include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A.M. Kruisbeek, D.H. Margulies, E.M. Shevach, W Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, In Vitro assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, Immunologic studies in Humans); Takai et al., J. Immunol. 137:3494-3500, 1986; Takai et al., J. Immunol. 140:508-512, 1988; Bertagnolli et al., J. Immunol. 149:3778-3783, 1992.

Dendritic cell-dependent assays (which will identify, among others, proteins expressed by dendritic cells that activate naive T-cells) include, without limitation, those described in: Guery et al., J. Immunol. 134:536-544, 1995; Inaba et al., Journal of Experimental Medicine 173:549-559, 1991; Macatonia et al., Journal of Immunology 154:5071-5079, 1995; Porgador et al., Journal of Experimental Medicine 182:255-260, 1995; Nair et al., Journal of Virology 67:4062-4069, 1993; Huang et al., Science 264:961-965, 1994; Macatonia et al., Journal of Experimental Medicine 169:1255-1264, 1989; Bhardwaj et al., Journal of Clinical Investigation 94:797-807, 1994; and Inaba et al., Journal of Experimental Medicine 172:631-640, 1990.

Assays for lymphocyte survival/apoptosis (which

will identify, among others, proteins that prevent apoptosis after superantigen induction and proteins that regulate lymphocyte homeostasis) include, without limitation, those described in: Darzynkiewicz et al., Cytometry 13:795-808, 5 1992; Gorczyca et al., Leukemia 7:659-670, 1993; Gorczyca et al., Cancer Research 53:1945-1951, 1993; Itoh et al., Cell 66:233-243, 1991; Zacharchuk, Journal of Immunology 145:4037-4045, 1990; Zamai et al., Cytometry 14:891-897, 1993; Gorczyca et al., International Journal of Oncology 10 1:639-648, 1992.

Assays for proteins that influence early steps of T-cell commitment and development include, without limitation, those described in: Antica et al., Blood 84:111-117, 1994; Fine et al., Cellular Immunology 155:111-122, 15 1994; Galy et al., Blood 85:2770-2778, 1995; Toki et al., Proc. Nat. Acad Sci. USA 88:7548-7551, 1991.

Hematopoiesis Regulating Activity

A protein of the present invention may be useful in regulation of hematopoiesis and, consequently, in the 20 treatment of myeloid or lymphoid cell deficiencies. Even marginal biological activity in support of colony forming cells or of factor-dependent cell lines indicates involvement in regulating hematopoiesis, e.g. in supporting the growth and proliferation of erythroid progenitor cells 25 alone or in combination with other cytokines, thereby

indicating utility, for example, in treating various anemias or for use in conjunction with irradiation/chemotherapy to stimulate the production of erythroid precursors and/or erythroid cells; in supporting the growth and proliferation of myeloid cells such as granulocytes and monocytes/macrophages (i.e., traditional CSF activity) useful, for example, in conjunction with chemotherapy to prevent or treat consequent myelo-suppression; in supporting the growth and proliferation of megakaryocytes and consequently of platelets thereby allowing prevention or treatment of various platelet disorders such as thrombocytopenia, and generally for use in place of or complementary to platelet transfusions; and/or in supporting the growth and proliferation of hematopoietic stem cells which are capable of maturing to any and all of the above-mentioned hematopoietic cells and therefore find therapeutic utility in various stem cell disorders (such as those usually treated with transplantation, including, without limitation, aplastic anemia and paroxysmal nocturnal hemoglobinuria), as well as in repopulating the stem cell compartment post irradiation/chemotherapy, either in-vivo or ex-vivo (i.e., in conjunction with bone marrow transplantation or with peripheral progenitor cell transplantation (homologous or heterologous)) as normal cells or genetically manipulated for gene therapy.

The activity of a protein of the invention may, among other means, be measured by the following methods:

Suitable assays for proliferation and differentiation of various hematopoietic lines are cited
5 above.

Assays for embryonic stem cell differentiation (which will identify, among others, proteins that influence embryonic differentiation hematopoiesis) include, without limitation, those described in: Johansson et al. Cellular
10 Biology 15:141-151, 1995; Keller et al., Molecular and Cellular Biology 13:473-486, 1993; McClanahan et al., Blood 81:2903-2915, 1993.

Assays for stem cell survival and differentiation (which will identify, among others, proteins that regulate
15 lympho-hematopoiesis) include, without limitation, those described in: Methylcellulose colony forming assays, Freshney, M.G. In Culture of Hematopoietic Cells. R.I. Freshney, et al. eds. Vol pp. 265-268, Wiley-Liss, Inc., New York, NY. 1994; Hirayama et al., Proc. Natl. Acad. Sci. USA
20 89:5907-5911, 1992; Primitive hematopoietic colony forming cells with high proliferative potential, McNiece, I.K. and Briddell, R.A. In Culture of Hematopoietic Cells. R.I. Freshney, et al. eds. Vol pp. 23-39, Wiley-Liss, Inc., New York, NY. 1994; Neben et al., Experimental Hematology
25 22:353-359, 1994; Cobblestone area forming cell assay,

Ploemacher, R.E. In Culture of Hematopoietic Cells. R.I. Freshney, et al. eds. Vol pp. 1-21, Wiley-Liss, Inc., New York, NY. 1994; Long term bone marrow cultures in the presence of stromal cells, Spooncer, E., Dexter, M. and Allen, T. In Culture of Hematopoietic Cells. R.I. Freshney, et al. eds. Vol pp. 163-179, Wiley-Liss, Inc., New York, NY. 1994; Long term culture initiating cell assay, Sutherland, H.J. In Culture of Hematopoietic Cells. R.I. Freshney, et al. eds. Vol pp. 139-162, Wiley-Liss, Inc., New York, NY. 1994.

10 Tissue Growth Activity

A protein of the present invention also may have utility in compositions used for bone, cartilage, tendon, ligament and/or nerve tissue growth or regeneration, as well as for wound healing and tissue repair and replacement, and in the treatment of burns, incisions and ulcers.

A protein of the present invention, which induces cartilage and/or bone growth in circumstances where bone is not normally formed, has application in the healing of bone fractures and cartilage damage or defects in humans and other animals. Such a preparation employing a protein of the invention may have prophylactic use in closed as well as open fracture reduction and also in the improved fixation of artificial joints. De novo bone formation induced by an osteogenic agent contributes to the repair of congenital, trauma induced, or oncologic resection induced craniofacial

defects, and also is useful in cosmetic plastic surgery.

A protein of this invention may also be used in the treatment of periodontal disease, and in other tooth repair processes. Such agents may provide an environment to attract bone-forming cells, stimulate growth of bone-forming cells or induce differentiation of progenitors of bone-forming cells. A protein of the invention may also be useful in the treatment of osteoporosis or osteoarthritis, such as through stimulation of bone and/or cartilage repair or by blocking inflammation or processes of tissue destruction (collagenase activity, osteoclast activity, etc.) mediated by inflammatory processes.

Another category of tissue regeneration activity that may be attributable to the protein of the present invention is tendon/ligament formation. A protein of the present invention, which induces tendon/ligament-like tissue or other tissue formation in circumstances where such tissue is not normally formed, has application in the healing of tendon or ligament tears, deformities and other tendon or ligament defects in humans and other animals. Such a preparation employing a tendon/ligament-like tissue inducing protein may have prophylactic use in preventing damage to tendon or ligament tissue, as well as use in the improved fixation of tendon or ligament to bone or other tissues, and in repairing defects to tendon or ligament tissue. De novo

tendon/ligament-like tissue formation induced by a composition of the present invention contributes to the repair of congenital, trauma induced, or other tendon or ligament defects of other origin, and is also useful in
5 cosmetic plastic surgery for attachment or repair of tendons or ligaments. The compositions of the present invention may provide an environment to attract tendon or ligament-forming cells, stimulate growth of tendon- or ligament-forming cells, induce differentiation of progenitors of tendon- or
10 ligament-forming cells, or induce growth of tendon/ligament cells or progenitors ex vivo for return in vivo to effect tissue repair. The compositions of the invention may also be useful in the treatment of tendinitis, carpal tunnel syndrome and other tendon or ligament defects. The
15 compositions may also include an appropriate matrix and/or sequestering agent as a carrier as is well known in the art.

The protein of the present invention may also be useful for proliferation of neural cells and for regeneration of nerve and brain tissue, i.e. for the
20 treatment of central and peripheral nervous system diseases and neuropathies, as well as mechanical and traumatic disorders, which involve degeneration, death or trauma to neural cells or nerve tissue. More specifically, a protein may be used in the treatment of diseases of the peripheral
25 nervous system, such as peripheral nerve injuries,

peripheral neuropathy and localized neuropathies, and central nervous system diseases, such as Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic lateral sclerosis, and Shy-Drager syndrome. Further conditions which may be treated in accordance with the present invention include mechanical and traumatic disorders, such as spinal cord disorders, head trauma and cerebrovascular diseases such as stroke. Peripheral neuropathies resulting from chemotherapy or other medical therapies may also be treatable using a protein of the invention.

Proteins of the invention may also be useful to promote better or faster closure of non-healing wounds, including without limitation pressure ulcers, ulcers associated with vascular insufficiency, surgical and traumatic wounds and the like.

It is expected that a protein of the present invention may also exhibit activity for generation or regeneration of other tissues, such as organs (including, for example, pancreas, liver, intestine, kidney, skin, endothelium), muscle (smooth, skeletal or cardiac) and vascular (including vascular endothelium) tissue, or for promoting the growth of cells comprising such tissues. Part of the desired effects may be by inhibition or modulation of fibrotic scarring to allow normal tissue to regenerate. A

protein of the invention may also exhibit angiogenic activity.

A protein of the present invention may also be useful for gut protection or regeneration and treatment of lung or liver fibrosis, reperfusion injury in various tissues, and conditions resulting from systemic cytokine damage.

A protein of the present invention may also be useful for promoting or inhibiting differentiation of tissues described above from precursor tissues or cells; or for inhibiting the growth of tissues described above.

The activity of a protein of the invention may, among other means, be measured by the following methods:

Assays for tissue generation activity include, without limitation, those described in: International Patent Publication No. WO95/16035 (bone, cartilage, tendon); International Patent Publication No. WO95/05846 (nerve, neuronal); International Patent Publication No. WO91/07491 (skin, endothelium).

Assays for wound healing activity include, without limitation, those described in: Winter, Epidermal Wound Healing, pps. 71-112 (Maibach, HI and Rovee, DT, eds.), Year Book Medical Publishers, Inc., Chicago, as modified by Eaglstein and Mertz, J. Invest. Dermatol 71:382-84 (1978).

Activin/Inhibin Activity

A protein of the present invention may also exhibit activin- or inhibin-related activities. Inhibins are characterized by their ability to inhibit the release of follicle stimulating hormone (FSH), while activins and are
5 characterized by their ability to stimulate the release of follicle stimulating hormone (FSH). Thus, a protein of the present invention, alone or in heterodimers with a member of the inhibin α family, may be useful as a contraceptive based on the ability of inhibins to decrease fertility in female
10 mammals and decrease spermatogenesis in male mammals. Administration of sufficient amounts of other inhibins can induce infertility in these mammals. Alternatively, the protein of the invention, as a homodimer or as a heterodimer with other protein subunits of the inhibin- β group, may be
15 useful as a fertility inducing therapeutic, based upon the ability of activin molecules in stimulating FSH release from cells of the anterior pituitary. See, for example, United States Patent 4,798,885. A protein of the invention may also be useful for advancement of the onset of fertility in
20 sexually immature mammals, so as to increase the lifetime reproductive performance of domestic animals such as cows, sheep and pigs.

The activity of a protein of the invention may, among other means, be measured by the following methods:

25 Assays for activin/inhibin activity include,

without limitation, those described in: Vale et al.,
Endocrinology 91:562-572, 1972; Ling et al., Nature 321:779-
782, 1986; Vale et al., Nature 321:776-779, 1986; Mason et
al., Nature 318:659-663, 1985; Forage et al., Proc. Natl.
5 Acad. Sci. USA 83:3091-3095, 1986.

Chemotactic/Chemokinetic Activity

A protein of the present invention may have
chemotactic or chemokinetic activity (e.g., act as a
chemokine) for mammalian cells, including, for example,
10 monocytes, fibroblasts, neutrophils, T-cells, mast cells,
eosinophils, epithelial and/or endothelial cells.
Chemotactic and chemokinetic proteins can be used to
mobilize or attract a desired cell population to a desired
site of action. Chemotactic or chemokinetic proteins provide
15 particular advantages in treatment of wounds and other
trauma to tissues, as well as in treatment of localized
infections. For example, attraction of lymphocytes,
monocytes or neutrophils to tumors or sites of infection may
result in improved immune responses against the tumor or
20 infecting agent.

A protein or peptide has chemotactic activity for
a particular cell population if it can stimulate, directly
or indirectly, the directed orientation or movement of such
cell population. Preferably, the protein or peptide has the
25 ability to directly stimulate directed movement of cells.

Whether a particular protein has chemotactic activity for a population of cells can be readily determined by employing such protein or peptide in any known assay for cell chemotaxis.

5 The activity of a protein of the invention may, among other means, be measured by the following methods:

 Assays for chemotactic activity (which will identify proteins that induce or prevent chemotaxis) consist of assays that measure the ability of a protein to induce
10 the migration of cells across a membrane as well as the ability of a protein to induce the adhesion of one cell population to another cell population. Suitable assays for movement and adhesion include, without limitation, those described in: Current Protocols in Immunology, Ed by J.E.
15 Coligan, A.M. Kruisbeek, D.H. Margulies, E.M. Shevach, W.Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 6.12, Measurement of alpha and beta Chemokines 6.12.1-6.12.28; Taub et al. J. Clin. Invest. 95:1370-1376, 1995; Lind et al. APMIS 103:140-146, 1995;
20 Muller et al Eur. J. Immunol. 25: 1744-1748; Gruber et al. J. of Immunol. 152:5860-5867, 1994; Johnston et al. J. of Immunol. 153: 1762-1768, 1994.

Hemostatic and Thrombolytic Activity

 A protein of the invention may also exhibit
25 hemostatic or thrombolytic activity. As a result, such a

protein is expected to be useful in treatment of various coagulation disorders (including hereditary disorders, such as hemophilias) or to enhance coagulation and other hemostatic events in treating wounds resulting from trauma, surgery or other causes. A protein of the invention may also be useful for dissolving or inhibiting formation of thromboses and for treatment and prevention of conditions resulting therefrom (such as, for example, infarction of cardiac and central nervous system vessels (e.g., stroke)).

10 The activity of a protein of the invention may, among other means, be measured by the following methods:

 Assay for hemostatic and thrombolytic activity include, without limitation, those described in: Linet et al., J. Clin. Pharmacol. 26:131-140, 1986; Burdick et al., 15 Thrombosis Res. 45:413-419, 1987; Humphrey et al., Fibrinolysis 5:71-79 (1991); Schaub, Prostaglandins 35:467-474, 1988.

Receptor/Ligand Activity

 A protein of the present invention may also demonstrate activity as receptors, receptor ligands or 20 inhibitors or agonists of receptor/ligand interactions. Examples of such receptors and ligands include, without limitation, cytokine receptors and their ligands, receptor kinases and their ligands, receptor phosphatases and their 25 ligands, receptors involved in cell-cell interactions and

their ligands (including without limitation, cellular adhesion molecules (such as selectins, integrins and their ligands) and receptor/ligand pairs involved in antigen presentation, antigen recognition and development of cellular and humoral immune responses). Receptors and ligands are also useful for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction. A protein of the present invention (including, without limitation, fragments of receptors and ligands) may themselves be useful as inhibitors of receptor/ligand interactions.

The activity of a protein of the invention may, among other means, be measured by the following methods:

Suitable assays for receptor-ligand activity include without limitation those described in: Current Protocols in Immunology, Ed by J.E. Coligan, A.M. Kruisbeek, D.H. Margulies, E.M. Shevach, W.Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 7.28, Measurement of Cellular Adhesion under static conditions 7.28.1-7.28.22), Takai et al., Proc. Natl. Acad. Sci. USA 84:6864-6868, 1987; Bierer et al., J. Exp. Med. 168:1145-1156, 1988; Rosenstein et al., J. Exp. Med. 169:149-160, 1989; Stoltenborg et al., J. Immunol. Methods 175:59-68, 1994; Stitt et al., Cell 80:661-670, 1995.

Proteins of the present invention may also exhibit anti-inflammatory activity. The anti-inflammatory activity may be achieved by providing a stimulus to cells involved in the inflammatory response, by inhibiting or promoting cell-cell interactions (such as, for example, cell adhesion), by inhibiting or promoting chemotaxis of cells involved in the inflammatory process, inhibiting or promoting cell extravasation, or by stimulating or suppressing production of other factors which more directly inhibit or promote an inflammatory response. Proteins exhibiting such activities can be used to treat inflammatory conditions including chronic or acute conditions), including without limitation inflammation associated with infection (such as septic shock, sepsis or systemic inflammatory response syndrome (SIRS)), ischemia-reperfusion injury, endotoxin lethality, arthritis, complement-mediated hyperacute rejection, nephritis, cytokine or chemokine-induced lung injury, inflammatory bowel disease, Crohn's disease or resulting from over production of cytokines such as TNF or IL-1. Proteins of the invention may also be useful to treat anaphylaxis and hypersensitivity to an antigenic substance or material.

Tumor Inhibition Activity

In addition to the activities described above for immunological treatment or prevention of tumors, a protein

of the invention may exhibit other anti-tumor activities. A protein may inhibit tumor growth directly or indirectly (such as, for example, via ADCC). A protein may exhibit its tumor inhibitory activity by acting on tumor tissue or tumor precursor tissue, by inhibiting formation of tissues necessary to support tumor growth (such as, for example, by inhibiting angiogenesis), by causing production of other factors, agents or cell types which inhibit tumor growth, or by suppressing, eliminating or inhibiting factors, agents or cell types which promote tumor growth.

Other Activities

A protein of the invention may also exhibit one or more of the following additional activities or effects: inhibiting the growth, infection or function of, or killing, infectious agents, including, without limitation, bacteria, viruses, fungi and other parasites; effecting (suppressing or enhancing) bodily characteristics, including, without limitation, height, weight, hair color, eye color, skin, fat to lean ratio or other tissue pigmentation, or organ or body part size or shape (such as, for example, breast augmentation or diminution, change in bone form or shape); effecting biorhythms or cardiac cycles or rhythms; effecting the fertility of male or female subjects; effecting the metabolism, catabolism, anabolism, processing, utilization,

storage or elimination of dietary fat, lipid, protein, carbohydrate, vitamins, minerals, cofactors or other nutritional factors or component(s); effecting behavioral characteristics, including, without limitation, appetite, libido, stress, cognition (including cognitive disorders), depression (including depressive disorders) and violent behaviors; providing analgesic effects or other pain reducing effects; promoting differentiation and growth of embryonic stem cells in lineages other than hematopoietic lineages; hormonal or endocrine activity; in the case of enzymes, correcting deficiencies of the enzyme and treating deficiency-related diseases; treatment of hyperproliferative disorders (such as, for example, psoriasis); immunoglobulin-like activity (such as, for example, the ability to bind antigens or complement); and the ability to act as an antigen in a vaccine composition to raise an immune response against such protein or another material or entity which is cross-reactive with such protein.

Examples

The present invention is specifically illustrated in more detail by the following Examples, but Examples are not intended to restrict the present invention. The basic procedures with regard to the recombinant DNA and the enzymatic reactions were carried out according to the

literature ["Molecular Cloning. A Laboratory Manual", Cold Spring Harbor Laboratory, 1989]. Unless otherwise stated, restriction enzymes and various modifying enzymes to be used were those available from Takara Shuzo. The buffer compositions and the reaction conditions for each of the enzyme reactions were as described in the attached instructions. The cDNA synthesis was carried out according to the literature [Kato, S. et al., Gene 150: 243-250 (1994)].

(1) Selection of cDNAs Encoding Proteins Having Hydrophobic Domains

The cDNA library of epidermoid carcinoma cell line KB (W098/11217), and the cDNA libraries constructed from human kidney mRNA (Clontech) and human umbilical cord blood mRNA were used as cDNA libraries.

Full-length cDNA clones were selected from the respective libraries and the whole base sequences thereof were determined to construct a homo-protein cDNA bank consisting of the full-length cDNA clones. The hydrophobicity/hydrophilicity profiles were determined for the proteins encoded by the full-length cDNA clones registered in the homo-protein cDNA bank by the Kyte-Doolittle method [Kyte, J. & Doolittle, R. F., J. Mol. Biol. 157: 105-132 (1982)] to examine the presence or absence of a hydrophobic domain. A clone that has a hydrophobic region

being assumed as a secretory signal or a transmembrane domain in the amino acid sequence of the encoded protein was selected as a clone candidate.

(2) Protein Synthesis by In Vitro Translation

5 The plasmid vector bearing the cDNA of the present invention was used for in vitro transcription/translation with a T_NT rabbit reticulocyte lysate kit (Promega). In this case, [³⁵S]methionine was added to label the expression product with a radioisotope. Each of the reactions was
10 carried out according to the protocols attached to the kit. Two micrograms of the plasmid was subjected to the reaction at 30°C for 90 minutes in the reaction solution of a total volume of 25 µl containing 12.5 µl µ of T_NT rabbit reticulocyte lysate, 0.5 µl of a buffer solution (attached
15 to the kit), 2 µl of an amino acid mixture (without methionine), 2 µl of [³⁵S]methionine (Amersham) (0.37 MBq/µl), 0.5 µl of T7 RNA polymerase, and 20 U of RNasin. The experiment in the presence of a membrane system was carried out by adding 2.5 µl of a canine pancreas microsome fraction
20 (Promega) to the reaction system. 2 µl of the SDS sampling buffer (125 mM Tris-hydrochloride buffer, pH 6.8, 120 mM 2-mercaptoethanol, 2% SDS solution, 0.025% Bromophenol Blue and 20% glycerol) was added to 3 µl of the reaction solution. The resulting mixture was heated at 95°C for 3 minutes and
25 then subjected to SDS-polyacrylamide gel electrophoresis.

The molecular weight of the translation product was determined by carrying out the autoradiography.

(3) Expression in COS7

Escherichia coli cells harboring the expression
5 vector for the protein of the present invention were
cultured at 37°C for 2 hours in 2 ml of the 2 x YT culture
medium containing 100 µg/ml of ampicillin, the helper phage
M13KO7 (50 µl) was added thereto, and the cells were then
cultured at 37°C overnight. Single-stranded phage particles
10 were obtained by polyethylene glycol precipitation from a
supernatant separated by centrifugation. The particles were
suspended in 100 µl of 1 mM Tris-0.1 mM EDTA, pH 8 (TE).

The cultured cells derived from monkey kidney,
COS7, were cultured at 37°C in the presence of 5% CO₂ in the
15 Dulbecco's modified Eagle's medium (DMEM) containing 10%
fetal calf serum. 1 x 10⁵ COS7 cells were inoculated into a
6-well plate (Nunc, well diameter: 3 cm) and cultured at
37°C for 22 hours in the presence of 5% CO₂. After the medium
was removed, the cell surface was washed with a phosphate
20 buffer solution followed by DMEM containing 50 mM Tris-
hydrochloride (pH 7.5) (TDMEM). A suspension containing 1 µl
of the single-stranded phage suspension, 0.6 ml of the DMEM
medium and 3 µl of TRANSFECTAM™ (IBF) was added to the cells
and the cells were cultured at 37°C for 3 hours in the
25 presence of 5% CO₂. After the sample solution was removed,

the cell surface was washed with TDMEM, 2 ml per well of DMEM containing 10% fetal calf serum was added, and the cells were cultured at 37°C for 2 days in the presence of 5% CO₂. After the medium was exchanged for a medium containing [35S]cysteine or [35S]methionine, the cells were cultured for one hour. After the medium and the cells were separated each other by centrifugation, proteins in the medium fraction and the cell membrane fraction were subjected to SDS-PAGE.

(4) Preparation of Antibodies

A plasmid vector containing the cDNA of the present invention was dissolved in a phosphate buffer solution (PBS: 145 mM NaCl, 2.68 mM KCl, 8.09 mM Na₂HPO₄, 2 mM KH₂PO₄, pH 7.2) at a concentration of 2 µg/µl. 25 µl each (a total of 50 µl) of the thus prepared plasmid solution in PBS was injected into the right and left musculi quadriceps femoris of three mice (ICR line) using a 26 guage needle. After similar injections were repeated for one month at intervals of one week, blood was collected. The collected blood was stored at 4°C overnight to coagulate the blood, and then centrifuged at 8,000 x g for five minutes to obtain a supernatant. NaN₃ was added to the supernatant to a concentration of 0.01% and the mixture was then stored at 4°C. The generation of an antibody was confirmed by immunostaining of COS7 cells into which the corresponding vector had been introduced, or by Western blotting using a

cell lysate or a secreted product.

(5) Clone Examples

<HP03613> (SEQ ID NOS: 1, 11, and 21)

Determination of the whole base sequence of the
5 cDNA insert of clone HP03613 obtained from cDNA library of
human kidney revealed the structure consisting of a 337-bp
5'-untranslated region, a 1737-bp ORF, and a 791-bp 3'-
untranslated region. The ORF encodes a protein consisting of
578 amino acid residues and there existed eleven putative
10 transmembrane domains. Figure 1 depicts the
hydrophobicity/hydrophilicity profile, obtained by the Kyte-
Doolittle method, of the present protein. In vitro
translation resulted in formation of a translation product
of high molecular weight.

15 The search of the protein database using the amino
acid sequence of the present protein revealed that the
protein was similar to mouse organic cation transporter-
like protein (Accession No. BAA23875). Table 2 shows the
comparison between amino acid sequences of the human protein
20 of the present invention (HP) and mouse organic cation
transporter-like protein (MT). Therein, the marks of -, *,
and . represent a gap, an amino acid residue identical with
that of the protein of the present invention, and an amino
acid residue similar to that of the protein of the present
25 invention, respectively. The both proteins shared a homology

****, *****, *, *. ** ***** *****, * . * **** *** ** * *... *

MT SWWLPESARWLITVGKLDQGLQELQRVA AVNRRKAEGDTLTMEVLR SAMEEEPSRDKAGA

HP SLGTLRLMPGLRFRTCISTLCWFAGFTFFGLALDLQALGSNIFLLQMFIVVDIPAKMG

5 *****. **** * * *****. *****. **, **, *, * *

MT SLGTLRHTPGLRHRTIISMLCWFAGFTFYGLALDLQALGSNIFLLQALIGIVDFPVKTG

HP ALLLSHLGRRPTLAASLLLAGLCILANTLVPHEMGALRSALAVLGLGGVGAAFTCITIY

. **, *, ***** .. *, *. *****. *, *****, **, *****. *, *****.

10 MT SLLISRLGRRRCQVSFLVLPGLCILSNILVPHGMGVLRSALAVLGLGCLGGAFTCITIF

HP SSELFPTVLRMTAVGLGQMAARGGAILGPLVRLLGVHGPWLPLL VYGTVPVLSGLAALLL

*****. ***** *, *****. *****. *, *. *****. *****

MT SSELFPTVIRMTAVGLCQVAARGGAMLGPLVRLLGVYGSWMPLL VYGVVPVLSGLAALLL

15

HP PETQSLPLPDTIQDVQNQAVKKATHGTLGNSVLKSTQF

. , **. *, *. ***, **, * .. *, *. **..

MT PETKNLPLPDTIQDIKQSVKKVTHDTPDGSILMSTRL

20

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI792236). However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

25

<HP03700> (SEQ ID NOS: 2, 12, and 22)

Determination of the whole base sequence of the cDNA insert of clone HP03700 obtained from cDNA library of human kidney revealed the structure consisting of a 45-bp 5'-untranslated region, a 732-bp ORF, and a 2546-bp 3'-untranslated region. The ORF encodes a protein consisting of 243 amino acid residues and there existed three putative transmembrane domains. Figure 2 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 27 kDa that was somewhat larger than the molecular weight of 25,561 predicted from the ORF.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to mouse yolk sac permease-like molecule 1 (Accession No. AAA92292). Table 3 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and mouse yolk sac permease-like molecule 1 (MY). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 74.5% in the N-terminal region of 231 amino acid residues.

Table 3

HP MSRSPLNPSQLRSVGSQDALAPLPP--PAPQNPSTHSWDP-LCGSLPWGLSCLLALQHVL
 5 *****.*.*.*.*.*****.*.***.*.*..*.*.*****.*
 MY MSRSPLHPIPLLSEGYQDTPAPLPPLPPLQNPSSRSWASRVFGPSTWGLSCLLALQHFL

 HP VMASLLCVSHLLLLCSLSPGGLSYSPSQLLASSFFSCGMSTILQTMGSRLPLVQAPSLE
 *,****.*.*****.*.*****.*.*****.*.*****.*.*****.*.*****.*.*****.*.
 10 MY VLASLLWASHLLLLHGLPPGGLSYPPAQLLASSFFSCGLSTVLQTMGSRLPLIQAPSLE

 HP FLIPALVLTSQKLPRAIQTPGNSSLMLHLCR-GPSCHGLGHWNTSLQEVSGAVVVSGLLQ
 *****.*.***...****.*.*.*.*..*****.*.*****.*.*****.*.*****.*.
 15 MY FLIPALVLTNQKLPLTTKTPGNASLSLPLCSLTRSCHGLELWNTSLREVSGAVVVSGLLQ

 HP GMMGLLGSPGHVFPHCGPLVLAPSLVVAGLSAHREVAQFCFTHWGLALLYVSPERRGMVP
 ..*****.*.*.*.*.*****.*.*****.*.*****.*.*****.*.
 MY GTIGLLGVPGRVFPYCGPLVLAPSLVVAGLSAHKEVAQFCSAHWGLALLLILLMVVCSQH

 20 HP SGGVWGD

 MY LGSCQIPLCSWRPSSTSTHICIPVFRLLSVLAPVACVWFISAFVGTSVIPLQLSEPSDAP

The search of the GenBank using the base sequences
 25 of the present cDNA has revealed the registration of

sequences that shared a homology of 90% or more (for example, Accession No. AW167520). However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

5 <HP03935> (SEQ ID NOS: 3, 13, and 23)

Determination of the whole base sequence of the cDNA insert of clone HP03935 obtained from cDNA library of human kidney revealed the structure consisting of a 72-bp 5'-untranslated region, a 1386-bp ORF, and a 127-bp 3'-
10 untranslated region. The ORF encodes a protein consisting of 461 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 3 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro
15 translation resulted in formation of a translation product of 56 kDa that was somewhat larger than the molecular weight of 52,052 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 61 kDa. In addition, there exists in the amino acid sequence of this
20 protein two sites at which N-glycosylation may occur (Asn-Ser-Ser at position 193 and Asn-Ser-Thr at position 236). Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from histidine at
25 position 32.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to *Arabidopsis thaliana* hypothetical protein (Accession No. CAB41318). Table 4 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and *Arabidopsis thaliana* hypothetical protein (AT). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 30.8% in the intermediate region of 214 amino acid residues.

Table 4

```

HP MAPQSLPSSRMAPLGMLLGLLMAACFTFCLSHQNLKEFALTNPESSTKETERKETKAE
HP ELDAEVLEVFHPTHEWQALQPGQAVPAGSHVRLNLQTGEREAKLQYEDKFRNNLKGKRLD
AT  MPTIFFFRYVFLLVISLVGFSIAEKVNSSGGMVSSVRDEAELVEDSGVVIGEQQDQ
HP INTNTYTSQDLKSALAKFKEGAEMESSKEDKARQAEVKRLFRPIEELKKDFDELNVVIET
      . * . . . . * . . . . * . . . . . ***. . . * . . .
AT IDGGFSSLDGMLHWAIGHSDPATLKEAAKDAEKMS-LDELQKRQLELKELVEKLK--MPS

```

HP DMQIMVRLINKFNSSSSSLEEKIAALFDLEYVHQMDNAQDLLSFGGLQVVINGLNSTEP
...* *...*.** ***. **.* *...**. ** . **.* ** ...* ...
AT NAKLMQIAIDDLNSSLSEDRHRALQELLILVEPIDNANDLSKSGGLRVVAGELNHDDT
5
HP LVKEYAAFVLGAAFSSNPVKVQVEAIEGGALQKLLVILATEQPLTAKKKVLFALCSLLRHF
*.. **.*** * .** ** ...* *** . *. *.***...*.*,
AT EVRKLAAWVLGKASQNNPFVQEQVLELGALTT-LIKMVNSSSTEEAVKALFAVSALIRNN
10
HP PYAQRQFLKLGGLQVLRRTLQVEKGTEV-LAVRVVTLTYDLVTEKMFEEEEAELTQEMSPE
.* *. * .**..... . . . * ..* *. **..... .*.**
AT IAGQDLFFAAHGYIMLRDVMNNGSLDMKLRRKAVFLVGDLAESQLQNTKDELPIFKDRL
HP KLQQYRQVHLLPGLWEQGWCEITAHLLALPEHDAREKVLQTLGVLLTTCRDRYRQDPQLG
15
AT FLKSVVDLIVVLDLQEKALTAIQTLLQLKSIEPQVLKESGLEEALERMKLQLEESMA
HP RTLASLQAQVQLASLELQDGEDEGYFQELLGSVNSLLKELR
20
AT DEYKRDYAADVESIRGEVELIFRQKLGLL

The search of the GenBank using the base sequences
of the present cDNA has revealed the registration of
sequences that shared a homology of 90% or more (for example,
25 Accession No. AW025017) among ESTs. However, since they are

partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10755> (SEQ ID NOS: 4, 14, and 24)

5 Determination of the whole base sequence of the
cDNA insert of clone HP10755 obtained from cDNA library of
human kidney revealed the structure consisting of a 55-bp
5'-untranslated region, a 1944-bp ORF, and a 123-bp 3'-
untranslated region. The ORF encodes a protein consisting of
10 647 amino acid residues and there existed eight putative
transmembrane domains. Figure 4 depicts the
hydrophobicity/hydrophilicity profile, obtained by the Kyte-
Doolittle method, of the present protein. In vitro
translation resulted in formation of a translation product
15 of high molecular weight.

The search of the protein database using the amino
acid sequence of the present protein revealed that the
protein was similar to human hypothetical protein KIAA0062
(Accession No. BAA06685). Table 5 shows the comparison
20 between amino acid sequences of the human protein of the
present invention (HP) and human hypothetical protein
KIAA0062 (KI). Therein, the marks of -, *, and . represent a
gap, an amino acid residue identical with that of the
protein of the present invention, and an amino acid residue
25 similar to that of the protein of the present invention,

respectively. The both proteins shared a homology of 30.6% in the C-terminal region of 408 amino acid residues.

Table 5

5

HP MASLVSLELGLLLAVLVVTATASPPAGLLSLLTSGQGALDQEALGGLNLTADR VHCTNG

HP PCGKCLSVEDALGLGEPEGSGLP GPVLEARYVARLSAAAVLYLSNPEGTCEDTRAGLWA

10

HP SHADHLLALLES PKALTPGLSWLLQRMQARAAGQTPKTACVDIPQLLEEAVGAGAPGSAG

KI RVYADAPAKLLLP PPAWDLAVRLRGAEAAASERQVYSVTM

HP GVLAALLDHVRSGSCFHALPSPQYFVDFVFQQHSSEVPMTLAELSALMQRLGVGREAHSD

15

KI KLLLLHPAFQSCLLL TLLGLWRTTPEAHASSLGAPAI SAASFLQDLIHRYGEGDSLTLQQ

HP HSHRHRGASSRDPVPLISSNSSSVWDTVCLSARDVMAAYGLSEQAGVTPEAWAQLSPAL

..*.*. *...*...***.*..

20

KI LKALLNHLDVG VGRGNVTQHVQGHRNLSTCFSSGDLFTA HNFSEQSRIGSSELQEF CPTI

HP LQQQLSGACTSQRPPVQDQLSQSER-----YLYGSLATLLICLCAVFGLLLLTCTGCR

*** * ****... ..* . ** * . *.**.* ...

KI LQQLDSRACTSENQENEENEQTEEGRPSAVEVWGYGLLCVTVISLCSLLGASVVPFMK-K

25

HP GVAHYILQTFLSLAVGALTGDAVLHLTPKVLGLHTHSEGLSPQPTWRLLAMLAGLYAFF

. . . * *.**.*. .*.**.*... *. **

KI TFKRLLLYFIALAIGTLYSNALFQLIPEAFGNPL-EDYYVSKSA---VVFGGFYLF

5 HP LFENLFNLLL-PRDPEDLEDGPCGHSS-HSHGGHSHGVSLQLAPSELRQPKPPH----EG

. * . . . * * , * * . * , * , * .

KI FTEKILKILLKQKNEHHHGHSHYASESLPSKKDQEEGVMEKLONGDLDHMIPQHCSSELD

HP SRADLVAE-----ESPELLNPE-----PRRLS-PELRLLPYMITLGDAVHNFADGLAV

10 ..*.*.* . . . * *..*****.*..*****,

KI GKAPMVDEKVIVGSLSVQDLQASQSACYWLKGVRYSDIGTLAWMITLSDGLHNFIDGLAI

HP GAAFASSWKTGLATSLAVFCHELPHELGDFAAALLHAGLSVRQALLNLASALTAFAGLYV

,*, * *,*,*,*,*,*,***. **,**,*,*,*,*,*,* **,*,**

15 KI GASFTVSVFQGISTSVAILCEEFPHELGFVILLNAGMSIQQALFFNFLSACCCYLGLAF

HP ALAVGVSESEAWILAVATGLFLYVALCDMLPAMLKV-----RDPRPWLFLLNHVGLLG

. . . * *. * . **.*.*.*.***, *.***.*.*.*

KI GILAG-SHFSANWIFALAGGMFLYISLADMFPEMNEVCQEDERKGSILIPFIIQNLLT

20

HP GWTVLLLLSLYEDDITF

..*.*.*

KI GFTIMVLTMYSGQIQIG

25 Furthermore, the search of the GenBank using the

base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA42490) among ESTs. However, since they are partial sequences, it can not be
5 judged whether or not they encode the same protein as the protein of the present invention.

<HP10760> (SEQ ID NOS: 5, 15, and 25)

Determination of the whole base sequence of the cDNA insert of clone HP10760 obtained from cDNA library of
10 human kidney revealed the structure consisting of a 61-bp 5'-untranslated region, a 1341-bp ORF, and a 373-bp 3'-untranslated region. The ORF encodes a protein consisting of 446 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 5 depicts the
15 hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 48 kDa that was somewhat smaller than the molecular weight of 49,468 predicted from the ORF. In this case, the
20 addition of a microsome led to the formation of a product of 50 kDa. In addition, there exists in the amino acid sequence of this protein two sites at which N-glycosylation may occur (Asn-Ala-Thr at position 144 and Asn-Ile-Ser at position 243). Application of the (-3,-1) rule, a method for
25 predicting the cleavage site of the secretory signal

sequence, allows to expect that the mature protein starts from glutamic acid at position 27.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human 25 kDa trypsin inhibitor (Accession No. BAA25066). Table 6 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and human 25 kDa trypsin inhibitor (TI). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 33.5% in the intermediate region of 185 amino acid residues.

Table 6

HP MLHPETSPGRGHLLAVLLALLGTAWAEVWPPQLQEAPMAG

20 TI MIAISAVSSALLFSLCEASTVLLNSTDSSPPTNNFTDIEAALKAQLDSADIPKARRKR

HP ALNRKESFLLLSLHNRLRSWQPPAADMRRLDWSDSLAQLAQARAALCGIPTPSLASGLW

..... . *. **..* . * ****.* . *...**. *.** ** * * *

TI YISQNDMIAILDYHNQVRGKVFPFAANMEYMWVDENLAKSAEAWAATC-IWDHG-PSYLL

```

HP  RTLQVGWNMQLLPAGLASFVEVSLWFAEGQRYSHA-AGEC-----AR--NATCTHYTQL
      * * . . . . . * . . . . * . . . . * . . . . * * .. *****.
TI  RFLGQN--LSVRTGRYRSILQLVKPWYDEVKDYAFPYPQDCNPRCPMRCFGPMCTHYTQM

5   HP  VWATSSQLGCGRHLC SAGQA--AI---EAF-VCA YSPGGNWEVNGKTIIPYKKGAWCSLC
      *****...**. * * . . . . . . . . **. *. * * *** *.. *** *. ** *
TI  VWATSNRIGCAIHTCQNMNVWGSVWRRAYLVCNYAPKGNW--IGEA--PYKVGVPCCSSC

HP  TASVSGCFKAWDHAGGLCEVPRNPCRMSCQNHGRLNISTCHCHCPPGYTGRYQCVRCSLQ
10  ...*.*
TI  PPSYGGSCDNLCPFVTSNYLYWFK

```

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI792411) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

20 <HP10764> (SEQ ID NOS: 6, 16, and 26)

Determination of the whole base sequence of the cDNA insert of clone HP10764 obtained from cDNA library of human kidney revealed the structure consisting of a 326-bp 5'-untranslated region, a 594-bp ORF, and a 452-bp 3'-untranslated region. The ORF encodes a protein consisting of

197 amino acid residues and there existed two putative transmembrane domains. Figure 6 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 25 kDa that was somewhat larger than the molecular weight of 21,508 predicted from the ORF.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. H45965) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

15 <HP10768> (SEQ ID NOS: 7, 17, and 27)

Determination of the whole base sequence of the cDNA insert of clone HP10768 obtained from cDNA library of human kidney revealed the structure consisting of a 100-bp 5'-untranslated region, a 1623-bp ORF, and a 351-bp 3'-untranslated region. The ORF encodes a protein consisting of 540 amino acid residues and there existed nine putative transmembrane domains. Figure 7 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product

of high molecular weight.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA459236) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10769> (SEQ ID NOS: 8, 18, and 28)

Determination of the whole base sequence of the cDNA insert of clone HP10769 obtained from cDNA library of human kidney revealed the structure consisting of a 11-bp 5'-untranslated region, a 1329-bp ORF, and a 912-bp 3'-untranslated region. The ORF encodes a protein consisting of 442 amino acid residues and there existed two putative transmembrane domains. Figure 8 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 52 kDa that was somewhat larger than the molecular weight of 49,101 predicted from the ORF.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI625881) among ESTs. However, since they are

partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10784> (SEQ ID NOS: 9, 19, and 29)

5 Determination of the whole base sequence of the
cDNA insert of clone HP10784 obtained from cDNA library of
human kidney revealed the structure consisting of a 60-bp
5'-untranslated region, a 789-bp ORF, and a 612-bp 3'-
untranslated region. The ORF encodes a protein consisting of
10 262 amino acid residues and there existed six putative
transmembrane domains. Figure 9 depicts the
hydrophobicity/hydrophilicity profile, obtained by the Kyte-
Doolittle method, of the present protein. In vitro
translation resulted in formation of a translation product
15 of 28 kDa that was almost identical with the molecular
weight of 27,551 predicted from the ORF.

The search of the protein database using the amino
acid sequence of the present protein revealed that the
protein was similar to rice (*Oryza sativa*) hypothetical
20 protein (Accession No. AAD39600). Table 7 shows the
comparison between amino acid sequences of the human protein
of the present invention (HP) and rice hypothetical protein
(OS). Therein, the marks of -, *, and . represent a gap, an
amino acid residue identical with that of the protein of the
25 present invention, and an amino acid residue similar to that

of the protein of the present invention, respectively. The both proteins shared a homology of 40.0% in the intermediate region of 195 amino acid residues.

5 Table 7

HP MTPEDPEETQPLLGPFGSAPRGR

OS MSFRGEESGGEDGGRTASASDLRKPFLLHTGSWYKMSSAGGGGGMGSRGSSAYSRLDSSV

10

HP RVFLAAFAAALGPLSFGFALGYSSPAIPSLQRAAPPAPRLDDAAASWFGAVVTLGAAAGG

* .. .****. ***. *.***. *. .. * **.. **.*.

OS SAVLCTLI VALGPIQFGFTCGFSSPTQDAI----ISDLGLTLSEFSLFGSLSNVGAMVGA

15

HP VLGGLVDRAGRKLSLLCSVPFVAGFAVITAAQDVWMLLGGRLLTGLACGVASLVAPVY

. . * ... *** **.. ..* . *. *. * .*. ****.*. ** * *.***

OS IASGQIAEYIGRKGLMIAAIPNIIGWLAI SFAKDSSFLFMGRLLLEGFGVGVISYVVPVY

HP ISEIAYPAVRGLLGSCVQLMVVVGILLAYLAGWVLEWRWLAVLGCVPPLMLLLMCFMPE

20

*.*** ...** *** ** *.***** * . ** *.*** .* *... . *.**

OS IAEIAPQTMRGALGSVNQLSVTIGILLAYLLGMFVPWRILSVLGILPCSILIPGLFFIPE

HP TPRFLTQHRRQEAPGLVRCGHGVQHECLRRLQLADPGWPQLLARGHLGACLCTAC

.**.**

25

OS SPRWLAKMGKMEDFESSLQVLRGFETDIAVEVNEIKRSVQSSRRRTTIRFADIKQKRYSV

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AW028826) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10786> (SEQ ID NOS: 10, 20, and 30)

Determination of the whole base sequence of the cDNA insert of clone HP10786 obtained from cDNA library of human kidney revealed the structure consisting of a 78-bp 5'-untranslated region, a 459-bp ORF, and a 585-bp 3'-untranslated region. The ORF encodes a protein consisting of 152 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 10 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 17 kDa that was almost identical with the molecular weight of 16,904 predicted from the ORF.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AW052022) among ESTs.

However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03727> (SEQ ID NOS: 31, 41, and 51)

5 Determination of the whole base sequence of the
cDNA insert of clone HP03727 obtained from cDNA library of
human kidney revealed the structure consisting of a 254-bp
5'-untranslated region, a 1008-bp ORF, and a 355-bp 3'-
untranslated region. The ORF encodes a protein consisting of
10 335 amino acid residues and there existed one putative
transmembrane domain. Figure 11 depicts the
hydrophobicity/hydrophilicity profile, obtained by the Kyte-
Doolittle method, of the present protein. In vitro
translation resulted in formation of a translation product
15 of 41 kDa that was somewhat larger than the molecular weight
of 37,999 predicted from the ORF.

The search of the protein database using the amino
acid sequence of the present protein revealed that the
protein was similar to protein MG87 from diabetic rat
20 kidney (Accession No. AAC64190). Table 8 shows the
comparison between amino acid sequences of the human protein
of the present invention (HP) and protein MG87 from diabetic
rat kidney (RD). Therein, the marks of -, *, and . represent
a gap, an amino acid residue identical with that of the
25 protein of the present invention, and an amino acid residue

similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 74.2% in the entire region.

5 Table 8

HP MGASSSSALARLGLPARPWPRWLGVAAALGLAAVALGTVAWRRRAWPRRRRLQQVGTAKL
 , *, *****, ., ., *****, *****, *

RD MGSSSSTALARLGLPGQPRSTWLGVAAALGLAAVALGTVAWRRARPRRRRQLQQVGTYSKY

10

HP WIYPVKSCKGVVSEAECTAMGLRSGNLRDRFWLVIKEDGHMVTARQEPRLVLISIIYEN
****.*****.*.*.****.*****.*..*****.*.*****.*****.*****.*. **

RD WIYPIKSCKGVSVCECTEDMGLRCGKVRDRFWMVVKEDGHMITARQEPRVLVLTITLEN

15

HP NCLIFRAPMDQLVLPSKQPSSNKLHNCRIFGLDIKGRDCGNEAAKWFTNFLKTEAYRLV
,,*, **,*,*,*** * *****,*,**,***** ***,*,*,***,****,*****

RD NYLMLEAPGMEPIVLPIKLPSSNKIHDCRLFGLDIKGRDCGDEVARWFTSYLKTQAYRLV

20

HP QFETNMKGRTSRKLLPTLD--QNFQVAYPDYCPLLIMTDASLVDLNRMEKKMKMENFRP

.*.***. ** *. . **.*****.*.*****. **.*** **

RD QFDTKMKGRITTKLYPSESYLQNYEVAYPDCSPIHLISEASLVDLNTLRQKKVKMEYFRP

HP NIVVTGCDAFEEDTWDELLIGSVEVKKVMACPRCILTTVDPDTGVIDRKQPLDTLKSURL
****. *. *****. *. *. *. ****. *****. ****. *. *****

25 RD NIVVSGCEAFEEDTWDELLIGDVEMKRVLSGPCRVLTTPDPTGIIDRKEPLETLKSYRL

HP CDPSERELYKLSPLFGIYYSVEKIGSLRVGDPVYRMV

**** ..**. *****.*.*****

RD CDPSVKSLYQSSPLFGMYFSVEKIGSLRVGDPVYRMVD

5

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI912794) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03801> (SEQ ID NOS: 32, 42, and 52)

Determination of the whole base sequence of the cDNA insert of clone HP03801 obtained from cDNA library of human umbilical cord blood revealed the structure consisting of a 158-bp 5'-untranslated region, a 627-bp ORF, and a 964-bp 3'-untranslated region. The ORF encodes a protein consisting of 208 amino acid residues and there existed six putative transmembrane domains. Figure 12 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 23 kDa that was almost identical with the molecular weight of 22,526 predicted from the ORF.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human hypothetical protein CGI-15 (Accession No. AAD27724). Table 9 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and human hypothetical protein CGI-15 (CP). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The amino acid sequences of the two proteins were completely different each other in the N-terminal, intermediate and C-terminal regions although partial match was observed.

Table 9

HP	MELRAALVLVLLIAGGLFMFTYKSTQFNVEGFALVLGASFIGGIRW
	***** *. . .
CP	VLFILIFSLIFKLEELRAALVLVLLIAGGLFMFTYKSTQFNVEGFAWCWGRSSVAFAG
HP	TLTQMLLQKAELGLQNPIDTMFHLQPLMFLGLFPLFAVFEGHLSTSEKIFRFQDTGLLL
 * *****
CP	PSPRCSCRRLNSASRIPSTPCSTCSHSCSWGFLFPLFAVFEGHLSTSEKIFRFQDTGLLL
HP	RVLGSLFLGGILAFGLGFSEFLVSRSSLTLSIAGIFKEVCTLLAAHLLGDQISLLNW

CP RVLGSLFLGGILAFGLGFSEFLVSRSSLTLSIAGIFKEVCTLLLAHLLGDQISLLNW

HP LGFALCLSGISLHVALKALHSRGNPESLPEASVFCSSPCDS

5 ****

CP LGFASASREYPSTLPSKPCIPEVMVAPRP

Furthermore, the search of the GenBank using the
base sequences of the present cDNA has revealed the
10 registration of sequences that shared a homology of 90% or
more (for example, Accession No. AI741613) among ESTs.
However, since they are partial sequences, it can not be
judged whether or not they encode the same protein as the
protein of the present invention.

15 <HP03883> (SEQ ID NOS: 33, 43, and 53)

Determination of the whole base sequence of the
cDNA insert of clone HP03883 obtained from cDNA library of
human kidney revealed the structure consisting of a 59-bp
5'-untranslated region, a 1221-bp ORF, and a 122-bp 3'-
20 untranslated region. The ORF encodes a protein consisting of
406 amino acid residues and there existed eight putative
transmembrane domains. Figure 13 depicts the
hydrophobicity/hydrophilicity profile, obtained by the Kyte-
Doolittle method, of the present protein. In vitro
25 translation resulted in formation of a translation product

of high molecular weight.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human choline/ethanolamine phosphotransferase (Accession No. NP_006081). Table 10 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and human choline/ethanolamine phosphotransferase (CE). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 66.8% in the entire region. In addition, the amino acid sequence from position 70 to position 311 of the present protein shared a homology of 98.3% with human AAPT1-like protein (Accession No. AAD44019).

Table 10

20	HP	MAAGAGAGSAPRWLRALSEPLSAAQLRRLEEHRYSAG
		*** **.*****.**
	CE	MSGHRSTRKRCGDSPVGFHGMSTTGCVLNKLFLQPTPLSRHQLKRLEEHRYSAG
	HP	VSLLEPPLQLYWTWLLQWIPLWMAPNSITLLGLAVNVVTTLVLSYCPTATEEAPYWTYL
25		*****.* **.*.***...* *.*** **..**..*. **..*. *****.** *.*.

CE RSLLEPLMQGYWEWLVRVPVSWIAPNLITIIGLSINICTTILLVFYCPTATEQAPLWAYI

HP LCALGLFIYQSLDAIDGKQARRTNSSCPLGELFDHGCDSLSTVFMVAVGASIAARLGTYPD

 ** ***** ..*..**.* **

5 CE ACACGLFIYQSLDAIDGKQARRTNSSSPLGELFDHGCDSLSTVFVVLGTCIAVQLGTNPD

HP WFFFCFIGMFVYCAHWQTYVSGMLRFGKVDVTEIQIALVIVFVLSAFGGATMWDYTIP

 ..* * * .***** ***** .***.* * ..* .*...*.*.* **

CE WMFFCCFAGTFMFYCAHWQTYVSGTLRFGIIDVTEVQIFIIIMHLLAVIGGPPFWQSMIP

10 HP ILEIKLKILPVLGFLGGVIFSCSNYFHVILHGGVGKNGSTIAGTSVLSPGLHIGLIILA

 ...**.* * ..*.****.***.*. ***** ***** **.*.*

CE VLNIQMKIFPALCTVAGTIFSCNTYFRVIFTGGVGKNGSTIAGTSVLSPFLHIGSVITLA

15 HP IMIYKKSATDVFEKHPCLYILMFGCVFAKVSQKLVAHMTKSELYLQDTVFLGPGLFLD

 *****..***** ** * **..*****..*.*.*.*.* *****

CE AMIYKKSAVQLFEKHPCLYILTGFVSAKITNKLVAHMTKSEMHLHDTAFIGPALLFLD

HP QYFNNFIDEYVVLWMAMVISSFDMVIYFSALCLQISRHLHLNIFKTACHQAPEQVQVLSS

20 ****.****.***.*.* * **.. * ..* **..***..*.

CE QYFNSFIDEYIVLWIALVFSFFDLIRYCVSVCNQIASHLHIHVRIKVESTAHSNHH

The search of the GenBank using the base sequences
of the present cDNA has revealed the registration of
25 sequences that shared a homology of 90% or more (for example,

Accession No. AI816449) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

5 <HP03913> (SEQ ID NOS: 34, 44, and 54)

Determination of the whole base sequence of the cDNA insert of clone HP03913 obtained from cDNA library of human kidney revealed the structure consisting of a 344-bp 5'-untranslated region, a 1857-bp ORF, and a 273-bp 3'-
10 untranslated region. The ORF encodes a protein consisting of 618 amino acid residues and there existed thirteen putative transmembrane domains. Figure 14 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro
15 translation resulted in formation of a translation product of high molecular weight.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human solute carrier family 5
20 (Accession No. NP_000444). Table 11 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and human solute carrier family 5 (SC). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the
25 present invention, and an amino acid residue similar to that

of the protein of the present invention, respectively. The both proteins shared a homology of 48.3% in the entire region.

5 Table 11

HP MEVKNFAVWDYVVFALFFISSGIGVFFAIKERKKATSREFLVGGRQMSFGPVG
 * .*.*** ** .*.***.*.***... **

SC MEAVETGERPTFGAWDYGVFALMLLVSTGIGLWVGLARGGQRSAEDFFTGGRRLAALPVG

10 HP LSLTASFMSAVTVLGTTPSEVYRFGASFLVFFIAYLFVILLTSELFVPFYRSGITSTYEY
 .*.*** **.*.***. **.*.***. . . .*. **.*.***.*** **.*.*****
 SC LSLSASFMSAVQVLGVPSEAYRYGLKFLWMCLGQLLNSVLTALLFMPVFYRLGLTSTYEY

15 HP LQLRFNKPVRYAATVIYIVQTIYLTGVVVYAPALALNQVTGFDLWGSVFATGIVCTFYCT
 *..**.*.***. *.***. *.***. *.***.***.***.***.***.***.***.***.***.
 SC LEMRFSRAVRLCGTLQYIVATMLYTGIVYIYAPALILNQVTGLDIWASLLSTGIICTFYTA

HP LGGLKAVVWTDADFQMVVMIVGFLTVLIQGSTHAGGFHNVLEQSTNGSRLHIFDFDVPDLR
 20 *.***.***.***.***.***.***.***.***.***.***.***.***.***.***.***.
 SC VGGMKAVVWTDVDFQVVVMLSGFWVVLARGVMLVGGPRQVLTLAQNHSRINLMDFNPDPRS

HP RHTFWTITVGGTFTWLGIYGVNQSTIQRCSCKTEKHAKLALYFNLLGLWIILVCAVFSG
 *.***.***.***.***.***.***.***.***.***.***.***.***.***.***.***.
 25 SC RYTFWTFVVGGLVWLSMYGVNQAVQRYVACRTEKQAKLALLINQVGLFLIVSSAACCG

HP LIMYSHFKDCDPWTSGIISAPDQLMPYFVMEIFATMPGLPGLFVACAFSGTLSTVASSIN
..* . .**** * ***** ** .*.**.*.***.***.***.***.***.***
SC IVMFVFTDCDPLLGRISAPDQYMPLLVLDIFEDLPGVPGLFLACAYSGTLSTASTSIN

5
HP ALATVTFEDFVKSCFPHLSDKLSTWISKGLCLLFGVMCTSMVAASVM-GGVVQASLSIH
*.**.* **.*. . . * . . . *****.*.* * ..* .*. .***.*.*.
SC AMAAVTVEDLIKPRRLRSLAPRKLVIISKGLSLIYGSACLTVAALSSLLGGGVLQGSFTVM

10
HP GMC GGPM LGLFSLGIVFPFVNWKALGGLLTGITLSFWVAIGAFIYPAPASKTWPLPLST
* . **.* ** * ** . * * * . * . **.* ** . **.* . . . ** * .
SC GVISGPLLGAFILGMFLPACNTPGVLAGLGAGLALSLWVALGATLYPPSEQTMRLVPSSA

HP DQCIKSNVTATG---PPVL-----SSRPGIADTWYSISYLYYSAVGCLGCI
15 ..* . *.**.* *.* .***.*.*.*.***.*.*.*.
SC ARCVASVNASGLLDPALLPANDSSRAPSSGMDASRPALADSFYAISYLYYGALGTLTTV

HP VAGVIISLITGRQRGEDIQPLLIRPVCNLCFWSKKYKTLWCQGVQHDSGTEQENLENGS
* . **.* ** * * .
20 SC LCGALISCLTGPTKRSTLAPGLLWWDLARQTASVAPKEEVAILDDNLVKGPPELPTGNKK

HP ARKQGAESVLQNGLRRESLVHVPGYDPKDKSYNNMAFETTHF
SC PPGFLPTNEDRLFFLGQKELEGAGSWTPCVGHDGGRDQQETNL

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI733508) among ESTs. However, since they are
5 partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10753> (SEQ ID NOS: 35, 45, and 55)

10 Determination of the whole base sequence of the cDNA insert of clone HP10753 obtained from cDNA library of human umbilical cord blood revealed the structure consisting of a 141-bp 5'-untranslated region, a 627-bp ORF, and a 2528-bp 3'-untranslated region. The ORF encodes a protein
15 consisting of 208 amino acid residues and there existed a putative secretory signal at the N-terminus and one putative transmembrane domain in the inner portion. Figure 15 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro
20 translation resulted in formation of a translation product of 28 kDa that was somewhat larger than the molecular weight of 21,518 predicted from the ORF. Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature
25 protein starts from methionine at position 32.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AW162064) among ESTs. However, since they are
5 partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10758> (SEQ ID NOS: 36, 46, and 56)

Determination of the whole base sequence of the
10 cDNA insert of clone HP10758 obtained from cDNA library of human kidney revealed the structure consisting of a 25-bp 5'-untranslated region, a 1509-bp ORF, and a 284-bp 3'-untranslated region. The ORF encodes a protein consisting of
15 502 amino acid residues and there existed a putative secretory signal at the N-terminus and one putative transmembrane domain in the inner portion. Figure 16 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product
20 of 60 kDa that was somewhat larger than the molecular weight of 55,848 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 66 kDa. In addition, there exists in the amino acid sequence of this
25 protein six sites at which N-glycosylation may occur (Asn-Val-Ser at position 67, Asn-Tyr-Thr at position 103, Asn-

Phe-Thr at position 156, Asn-Ile-Thr at position 183, Asn-Phe-Thr at position 197 and Asn-Lys-Ser at position 283). Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from alanine at position 15.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. T96740) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10771> (SEQ ID NOS: 37, 47, and 57)

Determination of the whole base sequence of the cDNA insert of clone HP10771 obtained from cDNA library of human kidney revealed the structure consisting of a 36-bp 5'-untranslated region, a 1011-bp ORF, and a 599-bp 3'-untranslated region. The ORF encodes a protein consisting of 336 amino acid residues and there existed one putative transmembrane domain at the N-terminus. Figure 17 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 41 kDa that was somewhat larger than the molecular weight

of 37,924 predicted from the ORF.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human interferon- α induced protein (Accession No. AR053364). The C-terminal portion downstream from methionine at position 51 of the protein of the present invention matched with the C-terminal portion downstream from methionine at position 12 of human interferon- α induced protein. However, the putative transmembrane domain at the N-terminus observed for the protein of the present invention was not present in human interferon- α induced protein.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA452543) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10778> (SEQ ID NOS: 38, 48, and 58)

Determination of the whole base sequence of the cDNA insert of clone HP10778 obtained from cDNA library of human kidney revealed the structure consisting of a 173-bp 5'-untranslated region, a 1023-bp ORF, and a 220-bp 3'-untranslated region. The ORF encodes a protein consisting of 340 amino acid residues and there existed six putative

transmembrane domains. Figure 18 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product
5 of high molecular weight.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA429745) among ESTs. However, since they are
10 partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10781> (SEQ ID NOS: 39, 49, and 59)

Determination of the whole base sequence of the
15 cDNA insert of clone HP10781 obtained from cDNA library of human kidney revealed the structure consisting of a 88-bp 5'-untranslated region, a 672-bp ORF, and a 1167-bp 3'-untranslated region. The ORF encodes a protein consisting of 223 amino acid residues and there existed a putative
20 secretory signal at the N-terminus. Figure 19 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 31 kDa that was larger than the molecular weight of
25 24,239 predicted from the ORF. In this case, the addition of

a microsome led to the formation of a product of 33 kDa. In addition, there exists in the amino acid sequence of this protein two sites at which N-glycosylation may occur (Asn-Asn-Thr at position 70 and Asn-Thr-Ser at position 71).

5 Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from glutamine at position 23.

The search of the GenBank using the base sequences
10 of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA334609) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present
15 invention.

<HP10785> (SEQ ID NOS: 40, 50, and 60)

Determination of the whole base sequence of the cDNA insert of clone HP10785 obtained from cDNA library of human kidney revealed the structure consisting of a 171-bp
20 5'-untranslated region, a 930-bp ORF, and a 318-bp 3'-untranslated region. The ORF encodes a protein consisting of 309 amino acid residues and there existed six putative transmembrane domains. Figure 20 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-
25 Doolittle method, of the present protein. In vitro

translation resulted in formation of a translation product of high molecular weight.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI822041) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

10 <HP03878> (SEQ ID NOS: 61, 71, and 81)

Determination of the whole base sequence of the cDNA insert of clone HP03878 obtained from cDNA library of human kidney revealed the structure consisting of a 77-bp 5'-untranslated region, a 1800-bp ORF, and a 139-bp 3'-untranslated region. The ORF encodes a protein consisting of 599 amino acid residues and there existed ten putative transmembrane domains. Figure 21 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to flounder (*Pseudopleuronectes americanus*) Na/Pi cotransport system protein (Accession No.

AAB16821). Table 12 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and flounder Na/Pi cotransport system protein (PN). Therein, the marks of -, *, and . represent a gap, an amino acid
5 residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 57.1% in the region of 545 amino acid residues other than the N-terminal and C-terminal
10 regions.

Table 12

HP MPSSLPGSQVPHPTLDAVDLVEKTLRNEGTSAPVLEEGDTPWTLPQLKDTSQPWKEL

* .. *.***. *. * .. *.**

PN MAPRQKVGTNSSPKPALDDAPVGNIPPAYSTLDLVSDPDADPWNAPELIDNGVKWSEL

HP RVAGRLRRVAGSVLKACGLLGSLYFFICSLDVLSSAFQLLGSKVAGDIFKDNVVLNPVA

. *.... ** ... ** .*** *****. *. *. *****. **. ****

PN DTKGKMMRVLTGLLKLVALLGSLYFFICSLDVLSSAFQLVGGKAAGDIFKDNVLANPVA

HP GLVIGVLVTALVQSSSTSSSIVVSMVAAKLLTVRVSVPIMGVNVGTSITSTLVSMAQSG

*****. *****. **. *. *****. *. ***. *. *. * *. *

PN GLVIGVLVTVMVQSSSTSSSIVVSMVSSGLLDVQSAVPIIMGANIGTSVTNTIVAMMQAG

HP DRDEFQRAFSGSAVHGIFNWLTVLVLLPLESATALLERLSELALGAASLTPRAQAPDILK

. **. *. *. **.. ****. **. ***** **.. * .. * .. * .. * .. *

PN DRNEFRRAFAGATVHDFFNWLAVLILLPLEVATGVLYKLTHLIESFNIQGGEDAPDLLN

HP VLTkPLTHLIVQLDSDMI--MSSATGNATNSSLIKHWCGTTGQPT---QENSSCGAFGPC

*. *. ***. *****... * *. * ****. ** *... * *. * . *

PN VITDPLTDSIVQLDKNVISLIATNDEAAVNMSLIKWCCKTKTNVTFWNATVENCTAGALC

HP TEKNSTA-----PADRLPCRHLFAGTELTLAVGCILLAGSLLVLCGCLVLIVKLLN

*... . . . *. *. **.. *. *. ***** **** **.. ***. **. *****

PN WEEGNLTWTMLNKTWIIINQERCKHIFANTTLPDLAVGLILLALSFLVLCCTCLILIVKLLN

HP SVLRGRVAQVVRTVINADFPFPLGWLGGYLAVLAGAGLTFALQSSSVFTAADVPLMGVGV
 *. *. *. ** *.. ***. *****. *.. **. *. ... ***. ** . *****. *.. **. *. **

PN SMLKGQVAVVIKRVINTDFPFPCWVTGYIAIFVGAGMTFIVQSSSVFTSAITPLVGIGV

HP ISLDRAYPLLLGSNIGTTTTALLAALASPADRMLSALQVALIHFFFNLAGILLWYLPAL
 . ** *****. ***. ****. ... **. ** *****. ****. * . *

PN ISLERAYPLTLGSNIGTTTTAILAAMASPAEKLKESLQIALCHFFFNVMGILLFYPIPFT

HP RLPIPLARHFGVVTARYRWVAGVYLLLGFLLLPLAAFGLSLAGGMVLAAVGGPLVGLVLL
 *. **. *** . * **. *** **. **. * **. . **. . ****. ** **. **. * . * . *

PN RVPIRLARGLGNHTAKYRWFAGLYLVLCFLVFPLTVFGLSMAGWQVLVGVGVPFVVLIVF

HP VILVTVLQRRRPAPLPVRLRSWAWLPVWLHSLEPWDRLVTRCCPCNVCSPPKATTKEAYC
 . *. *. *. * . ** *. . *. . ** *. *** . **

PN VIVVNMQSRCPRFLPKVLQDWDFLPRPLHSMAPWDTVVTSALGFCGKYCCCCCKCKKT

HP YENPEILASQQL

PN EDENMMKNNTKSLEMYDNPSMLKDEDTKEASKATHL

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI792826) among ESTs. However, since they are
5 partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03884> (SEQ ID NOS: 62, 72, and 82)

Determination of the whole base sequence of the
10 cDNA insert of clone HP03884 obtained from cDNA library of human kidney revealed the structure consisting of a 336-bp 5'-untranslated region, a 246-bp ORF, and a 864-bp 3'-untranslated region. The ORF encodes a protein consisting of 81 amino acid residues and there existed one putative
15 transmembrane domain. Figure 22 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 10 kDa that was almost identical with the molecular
20 weight of 8,928 predicted from the ORF.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to rat cortexin (Accession No. P41237). Table 13 shows the comparison between amino acid sequences
25 of the human protein of the present invention (HP) and rat

cortexin (RC). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 47.9% in the entire region.

Table 13

```

10      HP  MDGGQPIPSLVPLGNESADSSMSLEQMTFVFVILLFIFLGILIVRCFRILLDPYRSM
          *..* * .. .....** .*.**. *. * .*.*** *****..*
      RC  MSAPWTLSPEPLPPSTGPPVGAGLDVEQRTVFAFVLCLLVVLVLLMVRCVRILLDPYSRM

      HP  PTSTWADGLEGLEKGQFDHALA
          *.*.*. * *.**.*.***. **
15      RC  PASSWTDHKEALERGQFDYALV

```

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI791379) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03934> (SEQ ID NOS: 63, 73, and 83)

25 Determination of the whole base sequence of the

cdNA insert of clone HP03934 obtained from cdNA library of human kidney revealed the structure consisting of a 39-bp 5'-untranslated region, a 1965-bp ORF, and a 463-bp 3'-untranslated region. The ORF encodes a protein consisting of 654 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 23 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 80 kDa that was larger than the molecular weight of 74,110 predicted from the ORF. Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from arginine at position 28.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human β -galactosidase (Accession No. AAC12775). Table 14 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and human β -galactosidase (BG). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 54.6% in the entire region.

Table 14

HP MAPKKLSCLRSLLLPLSLTLL——LPQADTRSFVDRGHDRFLLDGAPFRYVSGSLHY

. * *** * * ** *..*. * * . * ..*. ** **. ****. ***. **

BG MPGFLVRILLLLLVLLLLGPTRGLRNATQRMFEIDYSRDSFLKDGQPFRYISGSIHY

HP FRVPRVLWADRLLKMRWSGLNAIQFYVPWNYHEPQPGVYNFNGSRDLIAFLNEAALANLL

**** * *****. . ***** *****. *** ** *. *...*. ** * . **

BG SRVPRFYWKDRLLKMKMAGLNAIQTYVPWNFHEPWPGQYQFSEDHDVEYFLRLAHELGLL

HP VILRPGPYICAEWEMGGLPSWLLRKPEIHLRTSDPDFLAAVDSWFKVLLPKIYPWLYHNG

*****. **** * . * **. ****. *****. *. *****. * **. **

BG VILRPGPYICAEWEMGGLPAWLEKESILLRSSDPDYLAAVDKWLGVLLPKMKPLLYQNG

HP GNIISIQVENEYGSYRACDFSVMRHLAGLFRALLGEKILLFTTDGPE—GLKCGSLRGLY

* ..*. ***** *****. *. * *. ** **... *****.. *****. *. ***

BG GPVITVQVENEYGSYFACDFDYLRFQKRFRHHLGDDVVLFTTDGAHKTFCLKGALQGLY

HP TTVDGFPADNMTKIFTLLRKYEPHGPLVNSEYYTGWLDYWGQNHSTRSVSAVTKGLENML

*****.. *. *. * **. **. ****. ****. *****. *** *** ... **... * .. *

BG TTVDGFTGSNITDAFLSQRKCEPKGPLINSEFYTGWLDHWGQPHSTIKTEAVASSLYDIL

HP KLGASVNMVMFHGGTNFGYWNGADKKGRFLPITTSYDYDAPISEAGDPTPKLFALRDVIS

*****. *** *****. *****. *****. ***** * * ****. .. *

BG ARGASVNLVMFIGGTNFAYWNGAN—SPYAAQPTSVDYDAPLSEAGDLTEKYFALRNIIQ

HP KFQEVPLGPLPPSPKMMLGPVTLHLVGHLLAFLDLLCPRGPIHSILPMTFEAVKQDHGF

**. ** **. **. **. * **. . . * **. **. **. *. *. ** . **. **

BG KFEKVPEGPIPPSTPKFAYGKVTLEKLKTVGAALDILCPSGPIKSPLYPLTFIQVKQHYGF

HP MLYRTYMTHTIFEPTPFVWPNNGVHDRAYVMVDGVFQGVVERNMRDKLFLTGKLGSKLDI

. **** *. *. * ***** **. **. **. . * . *** *. **.

BG VLYRTTLPQDCSNPAPLSSPLNGVHDRAYVAVDGIPQGVLERNNVITLNTGKAGATLDL

HP LVENMGRLSFGSNSSDFKGLLKPPILGQTILTQWMMFPLKIDNLVK-----W--W-FPLQ

*****. *. . *****. *. . ***. * . ***. . . *. * . . .

BG LVENMGRVNYGAYINDFKGLVSNLTLSSNILDWTIFPLDTEDAVRSHLGGWGHRSBGH

HP LPKWYPYQAP-SGPTFYSKTFPILGSVGD-----TFLYLPGWTKGQVWINGFNLGRYWTQ

*. . . *. ** *. * ... * ** . *****. .

BG DEAWAHNSSNYTLPAFYMGNFSIPSGIPDLQDTFIQFPGWTKGQVWINGFNLGRYWP

HP GPQQTLYVPRFLLFPRGALNKITLLELE-----DVPLQPQVQFLDKPILNSTSTLHRT

*** **. **. *. . . . *. **. **** * * . * *. *. *. *. * ..

BG GPQLTLFVPQHILMTSAP-NTITVLELEWAPCSSDDPELCAVTFVDRPVIGSSVTYDHP

HP INSLSADTLSASEPMELSGH

BG KPVEKRLMPPPPQKNKDSWLDHV

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI907720) among ESTs. However, since they are
5 partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03949> (SEQ ID NOS: 64, 74, and 84)

Determination of the whole base sequence of the
10 cDNA insert of clone HP03949 obtained from cDNA library of human kidney revealed the structure consisting of a 244-bp 5'-untranslated region, a 1173-bp ORF, and a 33-bp 3'-untranslated region. The ORF encodes a protein consisting of 390 amino acid residues and there existed ten putative
15 transmembrane domains. Figure 24 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight.

20 The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human solute carrier family 16 (Accession No. NM_004696). Table 15 shows the comparison between amino acid sequences of the human protein of the
25 present invention (HP) and human solute carrier family 16

(HS). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The
5 both proteins shared a homology of 98.7% in the region other than the N-terminal and C-terminal regions.

Table 15

HP MGMDDCDSFFPGPLVAIICDILGEKTTSSILGAFVVTGGYLISWATSIPFLCVTMGLL
 * . *****
 HS WIGSIMSSLRFCAGPLVAIICDILGEKTTSSILGAFVVTGGYLISWATSIPFLCVTMGLL

 HP PGLGSAFLYQVAAVVTTKYFKRLALSTAIARSGMGLTFLLAPFTKFLIDLWDWTGALIL

 HS PGLGSAFLYQVAAVVTTKYFKRLALSTAIARSGMGLTFLLAPFTKFLIDLWDWTGALIL

 HP FGAIALNLVPSSMLLRPIHIKSENNSGIKDKGSSLAHGPEAHATETHCHETEESTIKDS

 HS FGAIALNLVPSSMLLRPIHIKSENNSGIKDKGSSLAHGPEAHATETHCHETEESTIKDS

 HP TTQKAGLP SKNLTVSQNQSEEFYNGPNRNRLLLSDEESDKVISWSCKQLFDISLFRNPF

 HS TTQKAGLP SKNLTVSQNQSEEFYNGPNRNRLLLSDEESDKVISWSCKQLFDISLFRNPF

 HP FYIFTWSFLLSQLAYFIPTFHLVARAKTLGIDIMDASYLVSVAGILETVSQIISGWVADQ

 HS FYIFTWSFLLSQLAYFIPTFHLVARAKTLGIDIMDASYLVSVAGILETVSQIISGWVADQ

 HP NWIKKYHYHKSYLILCGITNLLAPLATTFPLLMTYTICFAIFAGGYLALILPVLVDLCRN

 HS NWIKKYHYHKSYLILCGITNLLAPLATTFPLLMTYTICFAIFAGGYLALILPVLVDLCRN

 HP STVNRFLGLASFFAGMAVLSGPP IAGNTFTTF

 HS STVNRFLGLASFFAGMAVLSGPP IAGWLYDYTQTYNGSFYFSGICYLLSSVSFFFVPLAE

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AW239415) among ESTs. However, since they are
5 partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03959> (SEQ ID NOS: 65, 75, and 85)

Determination of the whole base sequence of the
10 cDNA insert of clone HP03959 obtained from cDNA library of human kidney revealed the structure consisting of a 7-bp 5'-untranslated region, a 1359-bp ORF, and a 531-bp 3'-untranslated region. The ORF encodes a protein consisting of 452 amino acid residues and there existed a putative
15 secretory signal at the N-terminus. Figure 25 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 53 kDa that was somewhat larger than the molecular weight
20 of 50,798 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 55 kDa. In addition, there exists in the amino acid sequence of this protein three sites at which N-glycosylation may occur (Asn-Phe-Ser at position 64, Asn-Gly-Ser at position 126 and Asn-
25 Val-Thr at position 362). Application of the (-3,-1) rule, a

method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from alanine at position 27.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to *Arabidopsis thaliana* putative carboxypeptidase (Accession No. AAD21510). Table 16 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and *Arabidopsis thaliana* putative carboxypeptidase (AC). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 44.3% in the region of 323 amino acid residues other than the N-terminal and C-terminal regions.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. T59065) among ESTs. However, since they are
5 partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03983> (SEQ ID NOS: 66, 76, and 86)

Determination of the whole base sequence of the
10 cDNA insert of clone HP03983 obtained from cDNA library of human kidney revealed the structure consisting of a 42-bp 5'-untranslated region, a 1473-bp ORF, and a 341-bp 3'-untranslated region. The ORF encodes a protein consisting of 490 amino acid residues and there existed a putative
15 secretory signal at the N-terminus and one putative transmembrane domain at the C-terminus. Figure 26 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. Application of the (-3,-1) rule, a method for predicting the cleavage
20 site of the secretory signal sequence, allows to expect that the mature protein starts from glutamic acid at position 22.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human ClqR protein (Accession No.
25 AAB53110). Table 17 shows the comparison between amino acid

sequences of the human protein of the present invention (HP) and human ClqR protein (HC). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 25.8% in the N-terminal region of 310 amino acid residues. Since the positions of 17 cysteine residues are conserved, in particular, the two proteins are considered to assume similar higher-order structures.

Table 17

HP MRPALFALCLLWQALWPGPGGGEHPTADRAGCSASGACYSLHHATMKRQAAEEACILRGGA
 * * ** * . **. * * * *
 HC MATSMGLLLLLLLLLLTQPGAGTGADTEAVVC-VGTACYTAHSGKLSAAEAQNHCNQNGGN

 HP LSTVRAGAE LRAVLALL--RAGPGPGGSKDLLFWVALERRRSHCTLENEPLRGFSWLSS
 *. **. . * . * **. *. * . . * . **. ****.
 HC LATVKSKEEAQHVRVLAQLLRREAALTARMSKFWIGLQREKKGKCLDPSLPLKGFWSV--

 HP DPGGLESDTLQWVEEPQRSCTARRC--AVLQATGGVEP---AGWKEMRC-----HLRAN
 ** . . . * . * . . **. *. . . . * . * . * . . .
 HC -GGGEDTPYSNWHKELRNSCISKRCVSLLDLSQPLLPNRLPKWSEGPGCGSPGSPGSNIE

 HP GYLCKYQFEVLCAPRPGAASNLSYRAPFQLHSAALDFSPPGTEVSALC---RGQLPIS
 *. **. * . * . . * * * *
 HC GFVCKFSFKGMCRLALGGPGQVYTTTPFQTTSSSLEAVPFASAANVACGEGDKDETQSH

 HP -VTCTADEIGA-RWDKLSGDVLCPCP--GRYLRAKCAELPNCLD-DLGGFACECATGFE
 * * . . **. * * . . . * * *
 HC YFLCKEKAPDVFDWG--SSGPLCVSPKYGCNFNNGGCHQ--DCFEGGDGSFLCGCRPGFR

111

HP LGKGRSCVTSGEGQPTLGGTGVPTRRPPATATSPVPQRTWPIRVDEKLGETPLVPEQDN

* . * . * .

HC LLDDLVTASRNPCSSSPCRGGATCVLGPHGKNYTCRC PQGYQLDSSQLDCVDVDECQDS

HP SVTSIPEIPRWGSQSTMSTLQMSLQAESKATITPSGSVSKFNSTTSSATPQAFDSSSAV

HC PCAQECVNTPGGFRCECWVGYEPGGPGEACQDVDECALGRSPCAQGCTNTDGSFHCSC

HP VFIFVSTAVVVLVILTMTVLGLVKLCFHESPSSQPRKESMGPPGLESDPEPAALGSSSAH

HC BGYVLAGEDGTQCQDVDECVGPGGPLCDSL CFNTQGSFHCGLPGWVLAPNGVSCTMGPV

HP CTNNGVKVGDCDLRDRAEGALLAESPLGSSDA

HC SLGPPSGPPDEEDKGEKEGSTVPRAATASPTRGPEGTPKATPTTSRPSLSSDAPITSAPL

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. R51653) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10745> (SEQ ID NOS: 67, 77, and 87)

Determination of the whole base sequence of the cDNA insert of clone HP10745 obtained from cDNA library of human umbilical cord blood revealed the structure consisting of a 261-bp 5'-untranslated region, a 1179-bp ORF, and a 733-bp 3'-untranslated region. The ORF encodes a protein consisting of 392 amino acid residues and there existed nine putative transmembrane domains. Figure 27 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. R59881) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10775> (SEQ ID NOS: 68, 78, and 88)

Determination of the whole base sequence of the cDNA insert of clone HP10775 obtained from cDNA library of human kidney revealed the structure consisting of a 30-bp 5'-untranslated region, a 1617-bp ORF, and a 287-bp 3'-untranslated region. The ORF encodes a protein consisting of 538 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 28 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 66 kDa that was larger than the molecular weight of 55,133 predicted from the ORF. Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from serine at position 23.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA366320) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10782> (SEQ ID NOS: 69, 79, and 89)

Determination of the whole base sequence of the cDNA insert of clone HP10782 obtained from cDNA library of

human kidney revealed the structure consisting of a 70-bp 5'-untranslated region, a 309-bp ORF, and a 1501-bp 3'-untranslated region. The ORF encodes a protein consisting of 102 amino acid residues and there existed three putative transmembrane domains. Figure 29 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI815463) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10787> (SEQ ID NOS: 70, 80, and 90)

Determination of the whole base sequence of the cDNA insert of clone HP10787 obtained from cDNA library of human kidney revealed the structure consisting of a 54-bp 5'-untranslated region, a 1329-bp ORF, and a 912-bp 3'-untranslated region. The ORF encodes a protein consisting of 442 amino acid residues and there existed one putative transmembrane domain at the N-terminus. Figure 30 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product

of 50 kDa that was almost identical with the molecular weight of 50,562 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 56 kDa. In addition, there exists in the amino acid sequence of this protein four sites at which N-glycosylation may occur (Asn-Leu-Thr at position 83, Asn-Phe-Thr at position 89, Asn-Ala-Ser at position 113 and Asn-Lys-Ser at position 151).

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to rat PV-1 (Accession No. AAD41524). Table 18 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and rat PV-1 (RP). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 61.1% in the entire region.

. * . . . * . * . * . **. *****. ***. *

..*** **..***..**,*.*.**.***.***.* **..** *..**..*****

. * * . **. * . *. **.*. ****. * . *****. * . ***. *

. *. * . ** ** * . * *. ** *. *. *. *. . ***. ***. **. **. *. *

#####

[illegible][illegible]

RP LERQLEARKRELEQLRTEVDYRISALDTCVKAQSLPAIQ-PRLPGPPNPPPIDPASLEE

HP FKRKILESQRPPAGIPVAPSSG

.*** *.*.**

RP FKKRILESQRPPPLVNPVPPSG

5 Furthermore, the search of the GenBank using the
base sequences of the present cDNA has revealed the
registration of sequences that shared a homology of 90% or
more (for example, Accession No. AL041217) among ESTs.
However, since they are partial sequences, it can not be
10 judged whether or not they encode the same protein as the
protein of the present invention.

<HP03977> (SEQ ID NOS: 91, 101, and 111)

Determination of the whole base sequence of the
cDNA insert of clone HP03977 obtained from cDNA library of
15 human kidney revealed the structure consisting of a 35-bp
5'-untranslated region, a 684-bp ORF, and a 1175-bp 3'-
untranslated region. The ORF encodes a protein consisting of
227 amino acid residues and there existed a putative
secretory signal at the N-terminus and one putative
20 transmembrane domain at the C-terminus. Figure 31 depicts
the hydrophobicity/hydrophilicity profile, obtained by the
Kyte-Doolittle method, of the present protein. In vitro
translation resulted in formation of a translation product
of 29 kDa that was larger than the molecular weight of
25 25,926 predicted from the ORF. Application of the (-3,-1)

rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from leucine at position 30.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human gp25L2 (Accession No. CAA62380). Table 19 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and human gp25L2 (GP). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 78.5% in the region other than the N-terminal region.

Table 19 .

HP MAGVGAGPLRAMGRQALLLLALCATGAQGLYFHIGETEKRCFIEEIPDETMVIGNYRTQM

* **.* * . *. *****. *****.

GP MRTLLLVLWLATRGs-ALYFHIGETEKRCFIEEIPDETMVIGNYRTQL

HP WDKQKEVFLPSTPGLGMHVEVKDPDGKVLSRQYGSEGRFTFTSHTPGDHQICLHSNSTR

.***.* . *.***.** *****. **. *. *. *****. *****.

GP YDKQREEYQPATPGFGMCVEVKDPEDKVILAREYGSEGRFTFTSHTPGEHQICLHSNSTK

HP MALFAGGKLRVHLDIQVGEHANNYPEIAAKDKLTEQLRARQLLDQVEQIQKEQDYQRYR

..*****. *****. *. **. *****. *****. ***. *****. ***.*

GP FSLFAGGMLRVHLDIQVGEHANDYAEIPAKDKLSELQLRVRQLVEQVEQIQKEQNYQRWR

HP EERFRLTSESTNQRLVWWSIAQTVILITGIWQMRHLKSFFEAKKLV

***** ***** **.*. *. *****

GP EERFRQTSESTNQRLVWWSILQTLILVAIGVWQMRHLKSFFEAKKLV

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AR052481, U.S. Patent No. 5831052) in patent data. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10649> (SEQ ID NOS: 92, 102, and 112)

Determination of the whole base sequence of the cDNA insert of clone HP10649 obtained from cDNA library of human epidermoid carcinoma cell line KB revealed the structure consisting of a 114-bp 5'-untranslated region, a 1059-bp ORF, and a 1240-bp 3'-untranslated region. The ORF encodes a protein consisting of 352 amino acid residues and there existed one putative transmembrane domain. Figure 32 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 40 kDa that was almost identical with the molecular weight of 39,774 predicted from the ORF.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to Epiphyas postvittana nucleopolyhedrovirus apoptosis inhibitor iap-1 (Accession No. AAD19698). Table 20 shows the comparison between amino

acid sequences of the human protein of the present invention (HP) and Epiphyas postvittana nucleopolyhedrovirus apoptosis inhibitor iap-1 (EP). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with
5 that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 40.8% in the C-terminal region of 49 amino acid residues.

Table 20

HP MESGGRPSLCQFILLGTTSVVTAALYSVYRQKARVSQELKGAKKVHLGEDLKSILSEAPG

HP KCVPYAVIEGAVRSVKETLNSQFVENCKGVIQRLTLQEHKMVWNRTTHLWNDCSKI IHQR

EP MSATSPLYI INVCENAHEVSAEHVFNVLIERHNSFENYPIDNVAFVNSLIINGF

HP TNTVPFDLVPHEGVDVAVRVLKPLDSVDLGLETVYEKFHPSIQSFTDVI GHYISGERPK

EP RYQNVDDAVMCEYCSAVIKNWHEDDCVEFVHATLSPYCVYANKIAQNEFANNLSTNAFL

HP GIQETEEMLKVGATLTGVGELVLDNNSVRLQPPKQGMQYYLSSQDFDSSLQRQESSVKLW

EP VTPGKPICVYSRLTHTNARKSTFEDYWPAALQHLVANI SEAGMFHTKLGDETACFFCDCR

HP KVLALVFGFATCATLFFILRKQYLQRQERLRLKQMQUEEFQEHEAQLLSRAKPEDRESLKS

EP VRDWLPNDPWPQRHAIANPQCYFVVCIKGDEFCNAVRQRDELAPLQSVVALEHVSNDENM

HP ACVVCLSSFKSCVFLECGHVCSTECYRALPEPKKCPICRQAITRVIPLYS

* . ** . . . * . * * * * * . ** ** . *** . *** . * . . .

EP ECKICLERQRTVLLPCRHFVCMQCYFAL--DNKCPTCRQDVTDFVKIFVV

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. T50032) among ESTs. However, 5 since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10779> (SEQ ID NOS: 93, 103, and 113)

Determination of the whole base sequence of the 10 cDNA insert of clone HP10779 obtained from cDNA library of human kidney revealed the structure consisting of a 34-bp 5'-untranslated region, a 393-bp ORF, and a 1949-bp 3'-untranslated region. The ORF encodes a protein consisting of 130 amino acid residues and there existed two putative 15 transmembrane domains. Figure 33 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the 20 registration of sequences that shared a homology of 90% or more (for example, Accession No. AL042495) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention. In addition, this gene was 25 mapped on chromosome 9q34 (Accession No. AC001644).

<HP10790> (SEQ ID NOS: 94, 104, and 114)

Determination of the whole base sequence of the cDNA insert of clone HP10790 obtained from cDNA library of human kidney revealed the structure consisting of a 109-bp
5 5'-untranslated region, a 993-bp ORF, and a 53-bp 3'-
untranslated region. The ORF encodes a protein consisting of
330 amino acid residues and there existed one putative
transmembrane domain. Figure 34 depicts the
hydrophobicity/hydrophilicity profile, obtained by the Kyte-
10 Doolittle method, of the present protein. In vitro
translation resulted in formation of a translation product
of 34 kDa that was smaller than the molecular weight of
36,642 predicted from the ORF.

The search of the GenBank using the base sequences
15 of the present cDNA has revealed the registration of
sequences that shared a homology of 90% or more (for example,
Accession No. AW241940) among ESTs. However, since they are
partial sequences, it can not be judged whether or not they
encode the same protein as the protein of the present
20 invention.

<HP10793> (SEQ ID NOS: 95, 105, and 115)

Determination of the whole base sequence of the cDNA insert of clone HP10793 obtained from cDNA library of human kidney revealed the structure consisting of a 70-bp
25 5'-untranslated region, a 1053-bp ORF, and a 206-bp 3'-

untranslated region. The ORF encodes a protein consisting of 350 amino acid residues and there existed a putative secretory signal at the N-terminus and one putative transmembrane domain in the inner portion. Figure 35 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 40 kDa that was somewhat larger than the molecular weight of 37,134 predicted from the ORF. Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from glycine at position 25.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA326569) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10794> (SEQ ID NOS: 96, 106, and 116)

Determination of the whole base sequence of the cDNA insert of clone HP10794 obtained from cDNA library of human kidney revealed the structure consisting of a 146-bp 5'-untranslated region, a 342-bp ORF, and a 899-bp 3'-untranslated region. The ORF encodes a protein consisting of

113 amino acid residues and there existed one putative transmembrane domain. Figure 36 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 14 kDa that was almost identical with the molecular weight of 12,017 predicted from the ORF.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI346561) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

15 <HP10797> (SEQ ID NOS: 97, 107, and 117)

Determination of the whole base sequence of the cDNA insert of clone HP10797 obtained from cDNA library of human kidney revealed the structure consisting of a 129-bp 5'-untranslated region, a 570-bp ORF, and a 459-bp 3'-untranslated region. The ORF encodes a protein consisting of 189 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 37 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product

of 22 kDa that was almost identical with the molecular weight of 21,053 predicted from the ORF. Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from glutamine at position 23.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA356938) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention. In addition, this gene was mapped on chromosome 4 (Accession No. AC004067).

<HP10798> (SEQ ID NOS: 98, 108, and 118)

Determination of the whole base sequence of the cDNA insert of clone HP10798 obtained from cDNA library of human kidney revealed the structure consisting of a 25-bp 5'-untranslated region, a 834-bp ORF, and a 247-bp 3'-untranslated region. The ORF encodes a protein consisting of 277 amino acid residues and there existed seven putative transmembrane domains. Figure 38 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 27 kDa that was smaller than the molecular weight of

30,685 predicted from the ORF.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. H92084) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10800> (SEQ ID NOS: 99, 109, and 119)

Determination of the whole base sequence of the cDNA insert of clone HP10800 obtained from cDNA library of human kidney revealed the structure consisting of a 158-bp 5'-untranslated region, a 825-bp ORF, and a 924-bp 3'-untranslated region. The ORF encodes a protein consisting of 274 amino acid residues and there existed one putative transmembrane domain. Figure 39 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 33 kDa that was somewhat larger than the molecular weight of 31,108 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 45 kDa. In addition, there exists in the amino acid sequence of this protein five sites at which N-glycosylation may occur (Asn-Ile-Thr at position 145, Asn-Ile-Thr at position 151, Asn-

Ile-Thr at position 164, Asn-Ile-Thr at position 183, and Asn-Thr-Thr at position 256).

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA729308) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

10 <HP10801> (SEQ ID NOS: 100, 110, and 120)

Determination of the whole base sequence of the cDNA insert of clone HP10801 obtained from cDNA library of human kidney revealed the structure consisting of a 133-bp 5'-untranslated region, a 1173-bp ORF, and a 510-bp 3'-untranslated region. The ORF encodes a protein consisting of 390 amino acid residues and there existed a putative secretory signal at the N-terminus and one putative transmembrane domain in the inner portion. Figure 40 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation with the addition of microsome resulted in formation of a product of 50 kDa that was larger than the molecular weight of 41,097 predicted from the ORF. In addition, there exists in the amino acid sequence of this protein five sites at which N-glycosylation may occur (Asn-

15
20
25

Leu-Ser at position 108, Asn-Val-Thr at position 169, Asn-Leu-Ser at position 213, Asn-Val-Thr at position 236 and Asn-Gly-Thr at position 307). Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from glutamine at position 30.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human A33 antigen (Accession No. NP_005805). Table 21 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and human A33 antigen (HA). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 28.7% in the intermediate region of 265 amino acid residues.

Table 21

HP MISLPGPLVTNLLRFLFLGLSALAPPSRAQLQLHLPANRLQAVEGGEVVLPAWY-TLHGE

. . . *. . *. . *. . *. . ** * * . .

HA MVGKMWPVLWTLCAVRVTVDALSVETPQDVLRASQGKSVTLPCITYHTSTSS

HP VSSSQPWEPFVMWFFKQKEKEDQVLSYINGVTTSKPGVSLVYSMPSRNLSRLEGLQEK

. . *. **. . * **. . . . *. . . *

HA REGLIQWDKLLLTHTERVVIWPFSENKNIHG-ELYKNRVSIENNAEQSDASITIDQLTMA

HP DSGPYSCSVNVQDKQKSRGHSIKTLELNLVPPAPPSCRLQGVPHVGANVTLSQSPRS

*. . *. . **. . . . *. . . . * **. . *. . *. . *. . *

HA DNGTYECSVSL---MSDLEGNTKSRVRLVLVPPSKPECGIEGETIIGNNIQLTCQSKEG

HP KPAVQYQWDRQLPSFQTFFAPALDVIRGSLSLTNLSSSMAGVYVCKAHNEVGTAQCNVTL

. *. ** *. * . . . **. . *. . . * *. . ** **. *. . *

HA SPTPQYSWKR-YNILNQEQLAQPASGQPVSLKNISTDTSGYIICTSSNEEGTQFCNITV

HP EV-STGPGAADVAGAVVGTLVGLGGLAGLVLLYHCRGKALEEPANDIKEDAIAPRTLWP

. * *. . . *. . * **. . . * **** **** . *

HA AVRSPSMNVALYVGIAVGVVAALIIIGIIYCCCCRGK---DDNTEDKEDARPNREAYEE

HP KSSDTISKNGTLSSVTSARALRPPHGPFRPGALTPTPSLSSQALPSPRLPTTDGAHPQPI

HA PPEQLRELSREREEDDYRQEEQRSTGRES PDHLDQ

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. R33685) among ESTs. However, 5 since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03696> (SEQ ID NOS: 121, 131, and 141)

Determination of the whole base sequence of the 10 cDNA insert of clone HP03696 obtained from cDNA library of human umbilical cord blood revealed the structure consisting of a 184-bp 5'-untranslated region, a 1188-bp ORF, and a 589-bp 3'-untranslated region. The ORF encodes a protein consisting of 395 amino acid residues and there existed one 15 putative transmembrane domain. Figure 41 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein.

The search of the protein database using the amino acid sequence of the present protein revealed that the 20 protein was similar to rat cell surface glycoprotein GP42 (Accession No. P23505). Table 22 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and rat cell surface glycoprotein GP42 (RC). Therein, the marks of -, *, and . represent a gap, 25 an amino acid residue identical with that of the protein of

the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 46.1% in the intermediate region of amino acid residues 62-280.

Table 22

HP MSGMEEYTTVSGEVLQRWKIPSFKENQTL SMGAATVQSRGQYSCSGQVMYIPQTFTQTSE

RC

MLLWMVLLLC

HP TAMVQVQELFPPPVLSAIPSPEPREGLVTLRCQTKLHPLRSALRLFSFHKDGHTLQDR

. * * * . * * . . . * * . . * . * . * . * . *

RC VSMTEAQELFQDPVLSRLNSSETSD—LLKCTTKVDPNKPASELFYSFYKDNHIIQNR

HP GHPPELCIPGAKEGDSGLYWCEVAPEGGQVQKQSPQLEVRVQAPVSRPVLTLHHGPADPA

. . . * . * . * . * . * . * . * . * . * . * . * . * . * . * . * . *

RC SHNPLFFISEANEENSGLYQCVVDAKDGTIQKKS DYLDIDLCTSVSQPVLTQHEATNLA

HP VGDMVQLLCEAQRGSPPILYSFYLDEKIVGNHSAPCGGTTSLFPVKSEQDAGNYSCEAE

* . * . * . * * * * * . * . * . * . * . * . * . * . * . * . *

RC EGDVKVFLCETQLGSLPILYSFYMDGEILGEPLAPSGRAASLLISVKAESGKNYSCQAE

HP NSVSRERSEPKKLSLKGSQVLF TPASNWLVPWLPAS—LLGLMVIAAALLVYVRSWRKAGP

* . * . * . * . * . * . * . * . * . * . * . * . *

RC NKVSRDISEPKKFPLVVS GTASMKSTT—VVIWLPVSCLVGWPWLLRF

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA446524) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03882> (SEQ ID NOS: 122, 132, and 142)

Determination of the whole base sequence of the cDNA insert of clone HP03882 obtained from cDNA library of human kidney revealed the structure consisting of a 57-bp 5'-untranslated region, a 1653-bp ORF, and a 484-bp 3'-untranslated region. The ORF encodes a protein consisting of 550 amino acid residues and there existed ten putative transmembrane domains. Figure 42 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to mouse solute carrier family 22 (cation transporter)-like protein (Accession No. NP_033229). Table 23 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and mouse

solute carrier family 22 (cation transporter)-like protein (MS). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that
5 of the protein of the present invention, respectively. The both proteins shared a homology of 48.9% in the entire region.

Table 23

HP MAFSKLLEQAGGVGLFQTLQVLTFILPCLMIPSQMLLENFSAAIPGHRWCWTHMLDN---G

..**...**. * ** .*. * * ...* .**. * ****... ***

MS MAFPELLDRVGGLGRFQLFQTVALVTPILWVTTQNMLENFSAAVPHRCWVPLLDNSTSQ

HP SAVSTNMTPKALLTISIPPGPNQGP HQCRRFRQPQWQLLDPNATATSWSEADTEPCVDGW

.....*..**..*****. * **** ***** ..****. **. *. **** **

MS ASIPGDLGPDVLLAVSIPPGPDQQPHQCLRFQRPQWQLTESNATATNWSDAATEPCEDGW

HP VYDRSVFTSTIVAKWDLVCSSQGLKPLSQSIFMSGILVGSFIWGLLSYRFGKPMLSWCC

. *. * *. .*****. **. *. *. *****. *****. . * * ****. ...*. *. .

MS VYDHSTFRSTIVTTWDLVCNSQALRPMAQSIFLAGILVGAAVCGHASDRFGRRRLTWSY

HP LQLAVAGTSTIFAPTFVIYCGLRFVAAFGMAGIFLSSLTLMVEWTTTSRRAVTMTVVGCA

* ..*. **.. * *** .** **. * ..**..... .*.***..**.. . .

MS LLVSVSGTAAAFMPTFPLYCLFRFLASAVAGVMMNTASLLMEWTSAQGSPLVMTLNALG

HP FSAGQAALGGLAFALRDWRTLQLAASVPFFAISLISWWLPESARWLI IKGKPDQALQELR

** **, *. *. *. *. ** ****. *. *** . . *****. ** **, ****.

MS FSPGQVLTGSVAYGVRSWRMLQLAVSAPFFLFFVYSWWLPESARWLITVGKLDQGLQELQ

HP KVARINGHK-EAKNLTIEVLMSSVKEEVASAKEPRSVLDLFCVPVLRWRSCAMLVVNFSL

.** .*. * *. ...**. ***. *. ...** ...*. *. *. *. * ** *. .. *. .

MS RVAAVNRRKAEGDTLTMEVLRSAMEEPPSRDKAGASLGTLLHTPGLRHRTIISMLCWFAF

HP LISYYGLVFDLQSLGRDIFLLQALFGAVDFLGRATTALLSFLGRRTIQAGSQAMAGLAI

...***..***. **. *****. * *** **. * **** *.** *

MS GFTFYGLALDLQALGSNIFLLQALIGIVDFPVKTGSLLISRLGRRLCQVSFLVLPGLCI

HP LANMLVPQDLQTLRVVFAVLGKGCFGISLTCLTIYKAELFPTPVRMTADGILHTVGRLGA

..***... ** ..**** *. * ..**.*...*****.**** *.* **

MS LSNILVPHGMGVLRSALAVLGLGCLGGAFTCITIFSSELPPTVIRMTAVGLCQVAARGGA

5

HP MMGPLILMSRQALPLLPPLYGVISIASSLVVLFPLPETQGLPLPDTIQDLESQKSTAAQ

*.***. . . . * *.***... *. *..* .*****.*****...*. . .

MS MLGPLVRLLGVIYGSWMPLLVYGVVPVLSGLAAL-LLPETKNLPLPDTIQDIQKQSVKQVT

HP GNRQEAVTVESTSL

. **.*

10

MS HDTPDGSILMSTRL

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI242210) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03903> (SEQ ID NOS: 123, 133, and 143)

20

Determination of the whole base sequence of the cDNA insert of clone HP03903 obtained from cDNA library of human kidney revealed the structure consisting of a 108-bp 5'-untranslated region, a 657-bp ORF, and a 1988-bp 3'-untranslated region. The ORF encodes a protein consisting of 218 amino acid residues and there existed three putative

25

transmembrane domains. Figure 43 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 26 kDa that was somewhat larger than the molecular weight of 23,487 predicted from the ORF.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to mouse prominin (Accession No. NP_032961). Table 24 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and mouse prominin (MP). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 27.6% in the region other than the N-terminal and C-terminal regions.

Table 24

HP MKHTLALLAPLLGLGLGLALSQLAAGATDCKFLGPAEHLTFTPAARARWLAPRVRAPGLL

. * . . . * * * * * . .

MP MALVFSALLLLGLCGKISSEGQPAFHNTPGAMNYELPT-TKYETQDTFNAGIV

HP DSLYGTVRRFLSVVQLNPFPSELVKALL--NELA-SVKVNEVVRYEAGYVVCVAVIAGLYL

.,** *, **,*** * ** .*,* *, **, .*,. *** .,***.. *,.

MP GPLYKMHIFLNVPNDFPLDLIKKLIQNKNFDISVDSKEIALYEIGVLICAILGLLFI

HP LLVPTAGLCFCCCRCHRRCGGRVKTEHK-ALACERAALMVFLLLTTLILLIGVVCAFVTN

. * . * ** *** . *** . * . * * * . ** . ** . * . . . ** . *

MP ILMPLVGCFFCMCRCCNKCGGEMHQRQKQNA PCRRKCLGLSLLVICLLMSLGI IYGFVAN

HP QRTHEQMGPSIEAMPETLLSLWGLVSDVPQVSTVTPHPHVPL

* * * * *

MP QQTRTRIKGTQKLAKSNFRDFQTLLTETPKQIDYVVEQYTNTKNKAFSDLDGIGSVLGGR

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI792608) among ESTs. However, since they are
5 partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03974> (SEQ ID NOS: 124, 134, and 144)

Determination of the whole base sequence of the
10 cDNA insert of clone HP03974 obtained from cDNA library of human kidney revealed the structure consisting of a 41-bp 5'-untranslated region, a 1791-bp ORF, and a 253-bp 3'-untranslated region. The ORF encodes a protein consisting of 596 amino acid residues and there existed twelve putative
15 transmembrane domains. Figure 44 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight.

20 The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to rabbit (*Oryctolagus cuniculus*) sodium/glucose cotransporter protein (Accession No. AAA66065). Table 25 shows the comparison between amino acid
25 sequences of the human protein of the present invention (HP)

and rabbit sodium/glucose cotransporter protein (OC).
Therein, the marks of -, *, and . represent a gap, an amino
acid residue identical with that of the protein of the
present invention, and an amino acid residue similar to that
5 of the protein of the present invention, respectively. The
both proteins shared a homology of 89.1% in the entire
region.

Table 25

HP M-AANSTSDLHTPGTQLSVADIIVITVYFALNVAVGIWSSCRASRNTVNGYFLAGRDMTW
* *. ***** *. **. ****. **. *****. *****

OC MVADNSTSDPHAPGPQLSVTDIVVITVYFALNVAVGIWSSCRASRNTVSGYFLAGRDMTW

HP WPIGASLFASSEGSGLFIGLAGSGAAGGLAVAGFEWNATYVLLALAWVFPIYISSEIVT
*****. *****. ***** . *****

OC WPIGASLFGSSEGSGLFIGLAGSGAAGGLAVAGFDWNATYVLLALAWVFGAIYISSEIVT

HP LPEYIQKRYGGQRIRMYLSVLSLLSVFTKISLDLYAGALFVHICLGWNFYLSLTILGI
*. *****. *****. ***** *

OC LAEYIQKRFGGQRIRMYLSVLSLLSVFTKISLDLYAGALFVHICLGWNFYLSLTILTI

HP TALYTIAGGLAAVIYTDALQTLIMVVGAVILTIKAFDQIGGYGQLEAAYAQAIPSRTIAN
*****. ***. *****. ****. **. ****. *****. *****. **

OC TALYTITGGLVAVIYTDALQTLIMVVGAVILAIAKAFHQIDGYGQMEAYARAIPSRTVAN

HP TTCHLPRTDAMHMFDPHTGDLPTGTMFTGLTIMATWYWCTDQVIVQRSLSARDLNHAKA

*****. *****. *****. *****

OC TTCHLPRTDAMHMFDPHTGDLPTGTMFTGLTIMATWYWCTDQVIVQRSLSARDLNHAKA

HP GSILASYLKMLPMGLIIMPGMISRALFPDDVGCVPSECLRACGAEVGCSNIAYPKLVME

*****. *****. *****. *****

OC GSILASYLKMLPMGLIIMPGMISRALFPDDVGCVPSECLRACGAEVGCSNIAYPKLVME

HP LMPIGLRGLMIAVMLAALMSSLTSIFNSSSTLFTMDIWRRLRPRSGERELLLVGRVIVA

. **. . *****. ***** .. *****.

OC LMPVGLRGLMIAVMPALMSSLSSIFNSSSTLFTMDIWRRLRPCASERELLLVGRVIVV

HP LIGVSAWIPVLQDSNSGQLFIYMQSVTSSLAPPVTAVFVLGVFWRRANEQGAFWGLIAG

*****. **. *****. **. **. *****. **

OC LIGVSAWIPVLQDSNSGQLFIYMQSVTSSLAPPVTAVFVLGVFWRRANEQGAFWGLLAG

HP LVVGATRLVLEFLNPAPPCGEPDTRPAVLGSIHYLHFAVALFALSGAVVVAGSLLTPPPQ

*. *****. *****. . *****. . *****. *. ***. *. *****.

OC LAVGATRLVLEFLNPAPPCGAADTRPAVLGSIHYLHFAVALFALSGAVVVAGSLLTPPPR

HP SVQIENLTWWTLAQDVPLGKAGDQTPQKHAFWARVCGFNAILLMCVNIFYAYFA

. *****. *. **. *****. . *****

OC RHQIENLTWWTLTRDLSLGAKAGDQTPQRYTFWARVCGFNAILLMCVNIFYAYFA

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AI793336) among ESTs. However, since they are
5 partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP03978> (SEQ ID NOS: 125, 135, and 145)

Determination of the whole base sequence of the
10 cDNA insert of clone HP03978 obtained from cDNA library of human kidney revealed the structure consisting of a 99-bp 5'-untranslated region, a 1404-bp ORF, and a 705-bp 3'-untranslated region. The ORF encodes a protein consisting of 467 amino acid residues and there existed a putative
15 secretory signal at the N-terminus. Figure 45 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 55 kDa that was somewhat larger than the molecular weight
20 of 52,352 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 57 kDa. In addition, there exists in the amino acid sequence of this protein two sites at which N-glycosylation may occur (Asn-Arg-Thr at position 78 and Asn-His-Ser at position 161).
25 Application of the (-3,-1) rule, a method for predicting the

cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from alanine at position 22.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human tubulo-interstitial nephritis antigen (Accession No. BAA84949). Table 26 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and human tubulo-interstitial nephritis antigen (TA). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 50.0% in the region other than the N-terminal region.

Table 26

HP MWRCPLGLLLLPLAGHLALGAQQGRGRRELAPGLHLRGIRDAGGRYCQEQ
 *. **.
 TA MWTGYKILIFSULTTEIWMEKQYLSQREVDLEAYFTRNHTVLQGRFKRAIFQGQYCRNF
 HP DLCCRGRADDCALP-YLG-AICYDLFCNRTVSDCCPDFWDFC---LGVPPFPFP---IQG
 . ** .*. *. *. * . * . **** *. *. *****. **. . ** . * . *
 TA G-CCEDRDDGCVTEFYAANALCYCDKFCDRENSDCCPDYKSPFCREEKEWPPHTQPWYPEG
 HP CMHGGRIYPVLGTYWDNCNRCTCQENRQWQCDQEPCLVDPDMIKAINQGNYGWQAGNHA
 * .. .***.*** ...**.*. * . *** *. *...*. *. *** * *. *.
 TA CFKDGQHYEEGSVIKENCNSCTC-SGQQWKCSQHVCLVRPELIEQVNKG DYGTWTAQNYSQ
 HP FWGMTLDEGIRYRLGTIRPSSSVNMHEIYTVLNPGEVLPTAFEASEKWPNL IHEPLDQG
 *****. *...****. ** ...*. * . * ... **. * ** ***. *. ****
 TA FWGMTLEDGFKFRLGTLPPSLMLLSMNEMTASLPATTDLPEFFVASWKWPGWTHGPLDQK
 HP NCAGSWAFSTAAVASDRVSIHSLGHMTPVLSQNLSCDTHQQQGCGRGRLDGAWWFLRR
 . **. **.*. *. * *. *. *****. ****.*. * ***. **.
 TA NCAASWAFSTASVAADRIAISKGRYTANLSPQNLISCCAKNRHGCNSGSI DRAWWYLRK
 HP RGVVSDHCYPFSGRERDEAGPAPPCMMHSRAMGRGKRQATAHCPNSYVNNNDIYQVTPVY
 . **. *. .*. * * **. *****. ** .***. . * *** . * *
 TA RGLVSHACYPLF---KDQATNNGCAMASRSDGRGKRHATKPCPNNVEKSNRIYQCSPPY
 HP RLGSNDKEIMKELMENGVPVQALMEVHEDFFLYKGGIYSHTPVSLGRPERYRRHGTHSVKI
 *. **.. ****. *. *****. *. ***** **. ***. *.. . *. **. **. **.
 TA RVSSNETEIMKEIMQNGPVQAIMQVHEDFFHYKTGIYRHVTSTNKESEKYRKLQTHAVKL

HP TGWGEETLPDGRTLKYWTAANSWGPWGERGHFRIVRGVNECDIESFVLGVWGRVGMEDM

****. ...*. *. *. *****. ***. *. ***. *****. ***.....**... .*

TA TGWGTLRGAQGQKEKFWIAANSWGKSWGNGYFRILRGVNESDIEKLI IAAWGQLTSSDE

HP GHH

5

TA P

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. R48402) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

15 <HP10735> (SEQ ID NOS: 126, 136, and 146)

Determination of the whole base sequence of the cDNA insert of clone HP10735 obtained from cDNA library of human umbilical cord blood revealed the structure consisting of a 370-bp 5'-untranslated region, a 1431-bp ORF, and a 243-bp 3'-untranslated region. The ORF encodes a protein consisting of 476 amino acid residues and there existed ten putative transmembrane domains. Figure 46 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein.

25 The search of the protein database using the amino

acid sequence of the present protein revealed that the protein was similar to *Caenorhabditis elegans* tetracycline resistance protein-like protein (Accession No. CAA94337). Table 27 shows the comparison between amino acid sequences

5 of the human protein of the present invention (HP) and *C. elegans* tetracycline resistance protein-like protein (CP). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that

10 of the protein of the present invention, respectively. The both proteins shared a homology of 51.5% in the intermediate region of 196 amino acid residues.

Table 27

HP MAGSDTAPFLSQADDPDDGPVPGTGLPGSTGNPKSEEPVDPQEGLRITGLSPGRSAL

 CP MVNSQQDYI

HP IVAVLCYINLLNYMDRFTVAGVLPDIEQFFNIGDSSSLIQTVFISSYMLAPVFGYLG
 .. .*****. **. *****.... .. **. ** .*****. *.**..** *****
 CP SVTALFVVNLLNYVDRTVAGVLTQVQTYYNISDSLGLIQTVFLISFMVFPVCGYLG

HP RYNRYLMCGGIAFWSLVTLGSSFIPGEHFWLLLLTRGLVGVGEASYSTIAPTLIADLFV
 *.**.* *...* ..*****.*..****.*. *.**.******..**.*.*.*
 CP RFNRKWIMIIGVGIWLGAVLGSSFPANHFVFLVLRSFVIGGEASYSNVAPSLISDMFN

HP ADQRSRMLSIFYFAIPVGSGLGYIAGSKVKDMAGDWHWALRVTPGLGVVAVLLLFLVRE
 ...** .. *****.*.*** *...*.*.**..*.....*.*.*
 CP GQKRSTVFMIFYFAIPVGSGLGFIVGSNVATLTGHWWGIRVSAIAGLIVMIALVLFTYE

HP PPRGAVERHSDLPPLNPTSWWADLRALARNLIFGLITCLTGVLGVGLGVEISRRLRHSNP
 * ***..
 CP PERGAADKAMGESKDVVVTNTTYLEDLVILLKTPTLVACTWGYTALVFVSGTLSWWEPT

HP RADPLVCATGLLGSAPFLFLSLACARGSIVATYIFIFIGETLLSMNWAIVADILLYVIP
 CP VIQHLTAWHQGLNDTKDLASTDKDRVALYFGAITTAGGLIGVIFGSMLSKWL VAGWGPFR

HP TRRSTAEAFQIVLSHLLGDAGSPYLIGLISDRLRRNWPPSFLSEFRALQFSLMLCAFVGA
 CP RLQTDRAQPLVAGGGALLAAPFLIGMIFGDKSLVLLYIMIFFGITFMCFNWGLNIDMLT

HP LGGAFLGTAIFIEADRRRAQLHVQGLLHEAGSTDDRIVVPQRGRSTRVPVASVLI

CP TVIHPNRRSTAFSYFVLVSHLFGDASGPYLIGLISDAIRHGSTYPKDQYHSLVSATYCCV

5 The search of the GenBank using the base sequences
of the present cDNA has revealed the registration of
sequences that shared a homology of 90% or more (for example,
Accession No. AA460778) among ESTs. However, since they are
partial sequences, it can not be judged whether or not they
10 encode the same protein as the protein of the present
invention. Furthermore, the search has revealed the
registration of sequences that shared a homology of 90% or
more (Accession No. E12646) in patent data. However, since
they are partial sequences, it can not be judged whether or
15 not they encode the same protein as the protein of the
present invention.

<HP10750> (SEQ ID NOS: 127, 137, and 147)

Determination of the whole base sequence of the
cDNA insert of clone HP10750 obtained from cDNA library of
20 human umbilical cord blood revealed the structure consisting
of a 262-bp 5'-untranslated region, a 1350-bp ORF, and a
564-bp 3'-untranslated region. The ORF encodes a protein
consisting of 449 amino acid residues and there existed four
putative transmembrane domains. Figure 47 depicts the
25 hydrophobicity/hydrophilicity profile, obtained by the Kyte-

Doolittle method, of the present protein.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AW304031) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10777> (SEQ ID NOS: 128, 138, and 148)

Determination of the whole base sequence of the cDNA insert of clone HP10777 obtained from cDNA library of human kidney revealed the structure consisting of a 15-bp 5'-untranslated region, a 318-bp ORF, and a 1030-bp 3'-untranslated region. The ORF encodes a protein consisting of 105 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 48 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 14 kDa that was somewhat larger than the molecular weight of 11,603 predicted from the ORF. Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from glycine at position 30.

<HP10780> (SEQ ID NOS: 129, 139, and 149)

Determination of the whole base sequence of the cDNA insert of clone HP10780 obtained from cDNA library of human kidney revealed the structure consisting of a 226-bp 5'-untranslated region, a 246-bp ORF, and a 571-bp 3'-untranslated region. The ORF encodes a protein consisting of 81 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 49 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 10 kDa that was somewhat larger than the molecular weight of 8,533 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 6 kDa. Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from glycine at position 25.

The search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA658245) among ESTs. However, since they are partial sequences, it can not be judged whether or not they encode the same protein as the protein of the present invention.

<HP10795> (SEQ ID NOS: 130, 140, and 150)

Determination of the whole base sequence of the cDNA insert of clone HP10795 obtained from cDNA library of human kidney revealed the structure consisting of a 356-bp 5'-untranslated region, a 1659-bp ORF, and a 420-bp 3'-untranslated region. The ORF encodes a protein consisting of 552 amino acid residues and there existed one transmembrane domain at the N-terminus. Figure 50 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 65 kDa that was almost identical with the molecular weight of 64,280 predicted from the ORF.

The search of the protein database using the amino acid sequence of the present protein revealed that the protein was similar to human UDP-N-acetyl- α -D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 2 (Accession No. NP_004472). Table 28 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and human UDP-N-acetyl- α -D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 2 (GA). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 49.9% in the entire

156

HP FRKKHPYVFPDGNANTYIKNTKRTAEVWMDEYKQYYYAARPFALERPFGNVESRLDLRKN

,,*,*.....,**,*,*****.,**** * *, *,*,*,***,***.

GA FRKQHPYTFPGSGTVFARNTRAAEVWMDYKNFYAAVPSARNVPYGNIQSRLELRKK

HP LRCQSFKWYLENIYPELSIPKESSIQKGNIRQRQKCLESQRQNNQETPNLKLSPCAKVKG

5 *,*,.,*****.,****.,*,.,.,*,*,.,*.,**.,.,....,.,*.

GA LSCKPFWYLENVYPELRVPDHQDIAFGALQQGTNCLDTLGHFADGVVG--VYEC----H

HP EDAKSQVWAFYYTQQILQEELCLSVITLFPGAPVVLVLCKNGDDRQQWTK--TGSHIEHI

... * ** * .. . *** *.. ** . * *... *. ** *.. .. *. *

10

HP ASHLC LDTDMFGDGTENGKEI VVNPCESSLMSQHWDMVSS

. * . * , * * , * . . . * ** , ***

GA GSNLCLDS---R---TAKSGGLSVEVCGPAL-SQQWKFTLNLQQ

15 The search of the GenBank using the base sequences
of the present cDNA has revealed the registration of
sequences that shared a homology of 90% or more (for example,
Accession No. AA160076) among ESTs. However, since they are
partial sequences, it can not be judged whether or not they
20 encode the same protein as the protein of the present
invention.

INDUSTRIAL APPLICABILITY

The present invention provides human proteins
25 having hydrophobic domains, DNAs encoding these proteins,

expression vectors for these DNAs and eukaryotic cells expressing these DNAs. Since all of the proteins of the present invention are secreted or exist in the cell membrane, they are considered to be proteins controlling the proliferation and/or the differentiation of the cells. Accordingly, the proteins of the present invention can be employed as pharmaceuticals such as carcinostatic agents which act to control the proliferation and/or the differentiation of the cells, or as antigens for preparing antibodies against these proteins. The DNAs of the present invention can be utilized as probes for the genetic diagnosis and gene sources for the gene therapy. Furthermore, the DNAs can be utilized for expressing these proteins in large quantities. Cells into which these genes are introduced to express these proteins can be utilized for detection of the corresponding receptors or ligands, screening of novel small molecule pharmaceuticals and the like. The antibody of the present invention can be utilized for the detection, quantification, purification and the like of the protein of the present invention.

The present invention also provides genes corresponding to the polynucleotide sequences disclosed herein. "Corresponding genes" are the regions of the genome that are transcribed to produce the mRNAs from which cDNA polynucleotide sequences are derived and may include

contiguous regions of the genome necessary for the regulated expression of such genes. Corresponding genes may therefore include but are not limited to coding sequences, 5' and 3' untranslated regions, alternatively spliced exons, introns, promoters, enhancers, and silencer or suppressor elements. The corresponding genes can be isolated in accordance with known methods using the sequence information disclosed herein. Such methods include the preparation of probes or primers from the disclosed sequence information for identification and/or amplification of genes in appropriate genomic libraries or other sources of genomic materials. An "isolated gene" is a gene that has been separated from the adjacent coding sequences, if any, present in the genome of the organism from which the gene was isolated.

Organisms that have enhanced, reduced, or modified expression of the gene(s) corresponding to the polynucleotide sequences disclosed herein are provided. The desired change in gene expression can be achieved through the use of antisense polynucleotides or ribozymes that bind and/or cleave the mRNA transcribed from the gene (Albert and Morris, 1994, Trends Pharmacol. Sci. 15(7): 250-254; Lavarosky et al., 1997, Biochem. Mol. Med. 62(1): 11-22; and Hampel, 1998, Prog. Nucleic Acid Res. Mol. Biol. 58: 1-39; all of which are incorporated by reference herein). Transgenic animals that have multiple copies of the gene(s)

corresponding to the polynucleotide sequences disclosed herein, preferably produced by transformation of cells with genetic constructs that are stably maintained within the transformed cells and their progeny, are provided.

5 Transgenic animals that have modified genetic control regions that increase or reduce gene expression levels, or that change temporal or spatial patterns of gene expression, are also provided (see European Patent No. 0 649 464 B1, incorporated by reference herein). In addition, organisms

10 are provided in which the gene(s) corresponding to the polynucleotide sequences disclosed herein have been partially or completely inactivated, through insertion of extraneous sequences into the corresponding gene(s) or through deletion of all or part of the corresponding gene(s).

15 Partial or complete gene inactivation can be accomplished through insertion, preferably followed by imprecise excision, of transposable elements (Plasterk, 1992, Bioessays 14(9): 629-633; Zwaal et al., 1993, Proc. Natl. Acad. Sci. USA 90(16): 7431-7435; Clark et al., 1994, Proc. Natl. Acad. Sci.

20 USA 91(2): 719-722; all of which are incorporated by reference herein), or through homologous recombination, preferably detected by positive/negative genetic selection strategies (Mansour et al., 1988, Nature 336: 348-352; U.S. Patent Nos. 5,464,764; 5,487,992; 5,627,059; 5,631,153;

25 5,614, 396; 5,616,491; and 5,679,523; all of which are

incorporated by reference herein). These organisms with altered gene expression are preferably eukaryotes and more preferably are mammals. Such organisms are useful for the development of non-human models for the study of disorders
5 involving the corresponding gene(s), and for the development of assay systems for the identification of molecules that interact with the protein product(s) of the corresponding gene(s).

Where the protein of the present invention is
10 membrane-bound (e.g., is a receptor), the present invention also provides for soluble forms of such protein. In such forms part or all of the intracellular and transmembrane domains of the protein are deleted such that the protein is fully secreted from the cell in which it is expressed. The
15 intracellular and transmembrane domains of proteins of the invention can be identified in accordance with known techniques for determination of such domains from sequence information.

Proteins and protein fragments of the present
20 invention include proteins with amino acid sequence lengths that are at least 25% (more preferably at least 50%, and most preferably at least 75%) of the length of a disclosed protein and have at least 60% sequence identity (more preferably, at least 75% identity; most preferably at least
25 90% or 95% identity) with that disclosed protein, where

sequence identity is determined by comparing the amino acid sequences of the proteins when aligned so as to maximize overlap and identity while minimizing sequence gaps. Also included in the present invention are proteins and protein
5 fragments that contain a segment preferably comprising 8 or more (more preferably 20 or more, most preferably 30 or more) contiguous amino acids that shares at least 75% sequence identity (more preferably, at least 85% identity; most preferably at least 95% identity) with any such segment
10 of any of the disclosed proteins.

Species homologs of the disclosed polynucleotides and proteins are also provided by the present invention. As used herein, a "species homologue" is a protein or polynucleotide with a different species of origin from that
15 of a given protein or polynucleotide, but with significant sequence similarity to the given protein or polynucleotide, as determined by those of skill in the art. Species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a
20 suitable nucleic acid source from the desired species.

The invention also encompasses allelic variants of the disclosed polynucleotides or proteins; that is, naturally-occurring alternative forms of the isolated polynucleotide which also encode proteins which are
25 identical, homologous, or related to that encoded by the

polynucleotides.

The invention also includes polynucleotides with sequences complementary to those of the polynucleotides disclosed herein.

5 The present invention also includes polynucleotides capable of hybridizing under reduced stringency conditions, more preferably stringent conditions, and most preferably highly stringent conditions, to polynucleotides described herein. Examples of stringency
10 conditions are shown in the table below: highly stringent conditions are those that are at least as stringent as, for example, conditions A-F; stringent conditions are at least as stringent as, for example, conditions G-L; and reduced stringency conditions are at least as stringent as, for
15 example, conditions M-R.

Table 29

Stringency Condition	Poly-nucleotide Hybrid	Hybrid Length (bp) [†]	Hybridization Temperature and Buffer [†]	Wash Temperature and Buffer [†]
A	DNA : DNA	≥50	65°C; 1×SSC -or- 42°C; 1×SSC, 50% formamide	65°C; 0.3×SSC
B	DNA : DNA	<50	T _B *; 1×SSC	T _B *; 1×SSC
C	DNA : RNA	≥50	67°C; 1×SSC -or- 45°C; 1×SSC, 50% formamide	67°C; 0.3×SSC
D	DNA : RNA	<50	T _D *; 1×SSC	T _D *; 1×SSC
E	RNA : RNA	≥50	70°C; 1×SSC -or- 50°C; 1×SSC, 50% formamide	70°C; 0.3×SSC
F	RNA : RNA	<50	T _F *; 1×SSC	T _F *; 1×SSC
G	DNA : DNA	≥50	65°C; 4×SSC -or- 42°C; 4×SSC, 50% formamide	65°C; 1×SSC
H	DNA : DNA	<50	T _H *; 4×SSC	T _H *; 4×SSC
I	DNA : RNA	≥50	67°C; 4×SSC -or- 45°C; 4×SSC, 50% formamide	67°C; 1×SSC
J	DNA : RNA	<50	T _J *; 4×SSC	T _J *; 4×SSC
K	RNA : RNA	≥50	70°C; 4×SSC -or- 50°C; 4×SSC, 50% formamide	67°C; 1×SSC
L	RNA : RNA	<50	T _L *; 2×SSC	T _L *; 2×SSC
M	DNA : DNA	≥50	50°C; 4×SSC -or- 40°C; 6×SSC, 50% formamide	50°C; 2×SSC
N	DNA : DNA	<50	T _N *; 6×SSC	T _N *; 6×SSC
O	DNA : RNA	≥50	55°C; 4×SSC -or- 42°C; 6×SSC, 50% formamide	55°C; 2×SSC
P	DNA : RNA	<50	T _P *; 6×SSC	T _P *; 6×SSC
Q	RNA : RNA	≥50	60°C; 4×SSC -or- 45°C; 6×SSC, 50% formamide	60°C; 2×SSC
R	RNA : RNA	<50	T _R *; 4×SSC	T _R *; 4×SSC

‡ : The hybrid length is that anticipated for the hybridized region(s) of the hybridizing polynucleotides. When hybridizing a polynucleotide to a target polynucleotide of unknown sequence, the hybrid length is assumed to be that of the hybridizing polynucleotide. When polynucleotides of known sequence are hybridized, the hybrid length can be determined by aligning the sequences of the polynucleotides and identifying the region or regions of optimal sequence complementarity.

† : SSPE (1×SSPE is 0.15M NaCl, 10mM NaH₂PO₄, and 1.25mM EDTA, pH7.4) can be substituted for SSC (1×SSC is 0.15M NaCl and 15mM sodium citrate) in the hybridization and wash buffers; washes are performed for 15 minutes after hybridization is complete.

*T_B - T_R : The hybridization temperature for hybrids anticipated to be less than 50 base pairs in length should be 5-10°C less than the melting temperature (T_m) of the hybrid, where T_m is determined according to the following equations. For hybrids less than 18 base pairs in length, T_m(°C)=2(#of A + T bases) + 4(# of G + C bases). For hybrids between 18 and 49 base pairs in length, T_m(°C)=81.5 + 16.6(log₁₀[Na⁺]) + 0.41 (%G+C) - (600/N), where N is the number of bases in the hybrid, and [Na⁺] is the concentration of sodium ions in the hybridization buffer ([Na⁺] for 1×SSC=0.165M).

Additional examples of stringency conditions for polynucleotide hybridization are provided in Sambrook, J., E.F. Fritsch, and T. Maniatis, 1989, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, chapters 9 and 11, and Current Protocols in Molecular Biology, 1995, F.M. Ausubel et al., eds., John Wiley & Sons, Inc., sections 2.10 and 6.3-6.4, incorporated herein by reference.

Preferably, each such hybridizing polynucleotide has a length that is at least 25% (more preferably at least 50%, and most preferably at least 75%) of the length of the polynucleotide of the present invention to which it hybridizes, and has at least 60% sequence identity (more preferably, at least 75% identity; most preferably at least 90% or 95% identity) with the polynucleotide of the present invention to which it hybridizes, where sequence identity is determined by comparing the sequences of the hybridizing polynucleotides when aligned so as to maximize overlap and identity while minimizing sequence gaps.

CLAIMS

1. A protein comprising any one of amino acid sequences selected from the group consisting of SEQ ID NOS:
5 1 to 10, 31 to 40, 61 to 70, 91 to 100 and 121 to 130.

2. An isolated DNA encoding the protein according to Claim 1.

3. An isolated cDNA comprising any one of base sequences selected from the group consisting of SEQ ID NOS:
10 11 to 20, 41 to 50, 71 to 80, 101 to 110 and 131 to 140.

4. The cDNA according to Claim 3 consisting of any one of base sequences selected from the group consisting of SEQ ID NOS: 21 to 30, 51 to 60, 81 to 90, 111 to 120 and 141 to 150.

15 5. An expression vector that is capable of expressing the DNA according to any one of Claim 2 to Claim 4 by in vitro translation or in eukaryotic cells.

6. A transformed eukaryotic cell that is capable of expressing the DNA according to any one of Claim 2 to Claim
20 4 and of producing the protein according to Claim 1.

7. An antibody directed to the protein according to Claim 1.

1/50




Fig. 1

2/50




Fig. 2

3/50




Fig. 3

4/50




Fig. 4

5/50




Fig. 5




Fig. 6

7/50




Fig. 7




Fig. 8

9/50




Fig. 9

10/50




Fig. 10

11/50




Fig. 11

12/50




Fig. 12

13/50




Fig. 13

14/50




Fig. 14

15/50




Fig. 15

16/50




Fig. 16

17/50




Fig. 17




Fig. 18

19/50




Fig. 19




Fig. 20




Fig. 21




Fig. 22

23/50




Fig. 23

24/50




Fig. 24

25/50




Fig. 25

26/50




Fig. 26

27/50




Fig. 27




Fig. 28

29/50




Fig. 29

30/50





Fig. 30



Amino Acid Residue Number

Fig. 31

32/50




Fig. 32






Fig. 33

34/50



Amino Acid Residue Number


Fig. 34



Amino Acid Residue Number

Fig. 35


36/50



Amino Acid Residue Number

Fig. 36

37/50



Amino Acid Residue Number

Fig. 37

38/50




Fig. 38

39/50





Fig. 39

40/50



Amino Acid Residue Number

Fig. 40




Fig. 41

42/50




Fig. 42




Fig. 43





Fig. 44


45/50



Amino Acid Residue Number

Fig. 45


46/50



Amino Acid Residue Number

Fig. 46


47/50



Amino Acid Residue Number

Fig. 47


48/50



Amino Acid Residue Number

Fig. 48


49/50



Amino Acid Residue Number

Fig. 49

50/50



Amino Acid Residue Number

Fig. 50

1 /346

SEQUENCE LISTING

<110> Protegene Inc.,

Sagami Chemical Research Center

5

<120> Human proteins having hydrophobic domains and DNAs
encoding these proteins

<130> 662248

10

<150> JP 2000-585

<151> 2000-01-06

<150> JP 2000-588

15

<151> 2000-01-06

<150> JP 2000-2299

<151> 1999-01-11

20

<150> JP 2000-26862

<151> 2000-02-03

<150> JP 2000-58367

<151> 2000-03-03

25

2 /346

<160> 150

<210> 1

<211> 578

5 <212> PRT

<213> Homo sapiens

<400> 1

Met Ala Phe Ser Glu Leu Leu Asp Leu Val Gly Gly Leu Gly Arg Phe
1 5 10 15

10 Gln Val Leu Gln Thr Met Ala Leu Met Val Ser Ile Met Trp Leu Cys
20 25 30

Thr Gln Ser Met Leu Glu Asn Phe Ser Ala Ala Val Pro Ser His Arg
35 40 45

Cys Trp Ala Pro Leu Leu Asp Asn Ser Thr Ala Gln Ala Ser Ile Leu
15 50 55 60

Gly Ser Leu Ser Pro Glu Ala Leu Leu Ala Ile Ser Ile Pro Pro Gly
65 70 75 80

Pro Asn Gln Arg Pro His Gln Cys Arg Arg Phe Arg Gln Pro Gln Trp
85 90 95

20 Gln Leu Leu Asp Pro Asn Ala Thr Ala Thr Ser Trp Ser Glu Ala Asp
100 105 110

Thr Glu Pro Cys Val Asp Gly Trp Val Tyr Asp Arg Ser Ile Phe Thr
115 120 125

Ser Thr Ile Val Ala Lys Trp Asn Leu Val Cys Asp Ser His Ala Leu
25 130 135 140

3 /346

Lys Pro Met Ala Gln Ser Ile Tyr Leu Ala Gly Ile Leu Val Gly Ala
 145 150 155 160
 Ala Ala Cys Gly Pro Ala Ser Asp Arg Phe Gly Arg Arg Leu Val Leu
 165 170 175
 5 Thr Trp Ser Tyr Leu Gln Met Ala Val Met Gly Thr Ala Ala Ala Phe
 180 185 190
 Ala Pro Ala Phe Pro Val Tyr Cys Leu Phe Arg Phe Leu Leu Ala Phe
 195 200 205
 Ala Val Ala Gly Val Met Met Asn Thr Gly Thr Leu Arg Arg Ser Leu
 10 210 215 220
 Thr Trp Arg His Ala Gly Gly Leu His Ala Gly Ser Arg Ala Glu Pro
 225 230 235 240
 Leu Gly Leu Leu Ala Val Met Glu Trp Thr Ala Ala Arg Ala Arg Pro
 245 250 255
 15 Leu Val Met Thr Leu Asn Ser Leu Gly Phe Ser Phe Gly His Gly Leu
 260 265 270
 Thr Ala Ala Val Ala Tyr Gly Val Arg Asp Trp Thr Leu Leu Gln Leu
 275 280 285
 Val Val Ser Val Pro Phe Phe Leu Cys Phe Leu Tyr Ser Trp Trp Leu
 20 290 295 300
 Ala Glu Ser Ala Arg Trp Leu Leu Thr Thr Gly Arg Leu Asp Trp Gly
 305 310 315 320
 Leu Gln Glu Leu Trp Arg Val Ala Ala Ile Asn Gly Lys Gly Ala Val
 325 330 335
 25 Gln Asp Thr Leu Thr Pro Glu Val Leu Leu Ser Ala Met Arg Glu Glu

4 /346

	340		345		350
	Leu Ser Met Gly Gln Pro Pro Ala Ser Leu Gly Thr Leu Leu Arg Met				
	355		360		365
	Pro Gly Leu Arg Phe Arg Thr Cys Ile Ser Thr Leu Cys Trp Phe Ala				
5	370		375		380
	Phe Gly Phe Thr Phe Phe Gly Leu Ala Leu Asp Leu Gln Ala Leu Gly				
	385		390		395 400
	Ser Asn Ile Phe Leu Leu Gln Met Phe Ile Gly Val Val Asp Ile Pro				
		405		410	415
10	Ala Lys Met Gly Ala Leu Leu Leu Leu Ser His Leu Gly Arg Arg Pro				
		420		425	430
	Thr Leu Ala Ala Ser Leu Leu Leu Ala Gly Leu Cys Ile Leu Ala Asn				
		435		440	445
	Thr Leu Val Pro His Glu Met Gly Ala Leu Arg Ser Ala Leu Ala Val				
15	450		455		460
	Leu Gly Leu Gly Gly Val Gly Ala Ala Phe Thr Cys Ile Thr Ile Tyr				
	465		470		475 480
	Ser Ser Glu Leu Phe Pro Thr Val Leu Arg Met Thr Ala Val Gly Leu				
		485		490	495
20	Gly Gln Met Ala Ala Arg Gly Gly Ala Ile Leu Gly Pro Leu Val Arg				
		500		505	510
	Leu Leu Gly Val His Gly Pro Trp Leu Pro Leu Leu Val Tyr Gly Thr				
		515		520	525
	Val Pro Val Leu Ser Gly Leu Ala Ala Leu Leu Leu Pro Glu Thr Gln				
25	530		535		540

5 /346

Ser Leu Pro Leu Pro Asp Thr Ile Gln Asp Val Gln Asn Gln Ala Val
 545 550 555 560
 Lys Lys Ala Thr His Gly Thr Leu Gly Asn Ser Val Leu Lys Ser Thr
 565 570 575
 5 Gln Phe

 <210> 2
 <211> 243
 <212> PRT
 10 <213> Homo sapiens
 <400> 2
 Met Ser Arg Ser Pro Leu Asn Pro Ser Gln Leu Arg Ser Val Gly Ser
 1 5 10 15
 Gln Asp Ala Leu Ala Pro Leu Pro Pro Pro Ala Pro Gln Asn Pro Ser
 15 20 25 30
 Thr His Ser Trp Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly Leu Ser
 35 40 45
 Cys Leu Leu Ala Leu Gln His Val Leu Val Met Ala Ser Leu Leu Cys
 50 55 60
 20 Val Ser His Leu Leu Leu Leu Cys Ser Leu Ser Pro Gly Gly Leu Ser
 65 70 75 80
 Tyr Ser Pro Ser Gln Leu Leu Ala Ser Ser Phe Phe Ser Cys Gly Met
 85 90 95
 Ser Thr Ile Leu Gln Thr Trp Met Gly Ser Arg Leu Pro Leu Val Gln
 25 100 105 110

6 /346

Ala Pro Ser Leu Glu Phe Leu Ile Pro Ala Leu Val Leu Thr Ser Gln
 115 120 125

Lys Leu Pro Arg Ala Ile Gln Thr Pro Gly Asn Ser Ser Leu Met Leu
 130 135 140

5 His Leu Cys Arg Gly Pro Ser Cys His Gly Leu Gly His Trp Asn Thr
 145 150 155 160

Ser Leu Gln Glu Val Ser Gly Ala Val Val Val Ser Gly Leu Leu Gln
 165 170 175

Gly Met Met Gly Leu Leu Gly Ser Pro Gly His Val Phe Pro His Cys
 10 180 185 190

Gly Pro Leu Val Leu Ala Pro Ser Leu Val Val Ala Gly Leu Ser Ala
 195 200 205

His Arg Glu Val Ala Gln Phe Cys Phe Thr His Trp Gly Leu Ala Leu
 210 215 220

15 Leu Tyr Val Ser Pro Glu Arg Arg Gly Met Val Pro Ser Gly Gly Val
 225 230 235 240

Trp Gly Asp

<210> 3

20 <211> 461

<212> PRT

<213> Homo sapiens

<400> 3

Met Ala Pro Gln Ser Leu Pro Ser Ser Arg Met Ala Pro Leu Gly Met

25

1

5

10

15

7 /346

Leu Leu Gly Leu Leu Met Ala Ala Cys Phe Thr Phe Cys Leu Ser His
 20 25 30
 Gln Asn Leu Lys Glu Phe Ala Leu Thr Asn Pro Glu Lys Ser Ser Thr
 35 40 45
 5 Lys Glu Thr Glu Arg Lys Glu Thr Lys Ala Glu Glu Glu Leu Asp Ala
 50 55 60
 Glu Val Leu Glu Val Phe His Pro Thr His Glu Trp Gln Ala Leu Gln
 65 70 75 80
 Pro Gly Gln Ala Val Pro Ala Gly Ser His Val Arg Leu Asn Leu Gln
 10 85 90 95
 Thr Gly Glu Arg Glu Ala Lys Leu Gln Tyr Glu Asp Lys Phe Arg Asn
 100 105 110
 Asn Leu Lys Gly Lys Arg Leu Asp Ile Asn Thr Asn Thr Tyr Thr Ser
 115 120 125
 15 Gln Asp Leu Lys Ser Ala Leu Ala Lys Phe Lys Glu Gly Ala Glu Met
 130 135 140
 Glu Ser Ser Lys Glu Asp Lys Ala Arg Gln Ala Glu Val Lys Arg Leu
 145 150 155 160
 Phe Arg Pro Ile Glu Glu Leu Lys Lys Asp Phe Asp Glu Leu Asn Val
 20 165 170 175
 Val Ile Glu Thr Asp Met Gln Ile Met Val Arg Leu Ile Asn Lys Phe
 180 185 190
 Asn Ser Ser Ser Ser Ser Leu Glu Glu Lys Ile Ala Ala Leu Phe Asp
 195 200 205
 25 Leu Glu Tyr Tyr Val His Gln Met Asp Asn Ala Gln Asp Leu Leu Ser

8 /346

	210	215	220	
	Phe Gly Gly Leu Gln Val	Val Ile Asn Gly Leu Asn Ser Thr Glu Pro		
	225	230	235	240
	Leu Val Lys Glu Tyr Ala Ala Phe Val Leu Gly Ala Ala Phe Ser Ser			
5	245	250	255	
	Asn Pro Lys Val Gln Val Glu Ala Ile Glu Gly Gly Ala Leu Gln Lys			
	260	265	270	
	Leu Leu Val Ile Leu Ala Thr Glu Gln Pro Leu Thr Ala Lys Lys Lys			
	275	280	285	
10	Val Leu Phe Ala Leu Cys Ser Leu Leu Arg His Phe Pro Tyr Ala Gln			
	290	295	300	
	Arg Gln Phe Leu Lys Leu Gly Gly Leu Gln Val Leu Arg Thr Leu Val			
	305	310	315	320
	Gln Glu Lys Gly Thr Glu Val Leu Ala Val Arg Val Val Thr Leu Leu			
15	325	330	335	
	Tyr Asp Leu Val Thr Glu Lys Met Phe Ala Glu Glu Glu Ala Glu Leu			
	340	345	350	
	Thr Gln Glu Met Ser Pro Glu Lys Leu Gln Gln Tyr Arg Gln Val His			
	355	360	365	
20	Leu Leu Pro Gly Leu Trp Glu Gln Gly Trp Cys Glu Ile Thr Ala His			
	370	375	380	
	Leu Leu Ala Leu Pro Glu His Asp Ala Arg Glu Lys Val Leu Gln Thr			
	385	390	395	400
	Leu Gly Val Leu Leu Thr Thr Cys Arg Asp Arg Tyr Arg Gln Asp Pro			
25	405	410	415	

9 /346

Gln Leu Gly Arg Thr Leu Ala Ser Leu Gln Ala Glu Tyr Gln Val Leu
 420 425 430
 Ala Ser Leu Glu Leu Gln Asp Gly Glu Asp Glu Gly Tyr Phe Gln Glu
 435 440 445
 5 Leu Leu Gly Ser Val Asn Ser Leu Leu Lys Glu Leu Arg
 450 455 460

 <210> 4
 <211> 647
 10 <212> PRT
 <213> Homo sapiens
 <400> 4

 Met Ala Ser Leu Val Ser Leu Glu Leu Gly Leu Leu Leu Ala Val Leu
 1 5 10 15
 15 Val Val Thr Ala Thr Ala Ser Pro Pro Ala Gly Leu Leu Ser Leu Leu
 20 25 30
 Thr Ser Gly Gln Gly Ala Leu Asp Gln Glu Ala Leu Gly Gly Leu Leu
 35 40 45
 Asn Thr Leu Ala Asp Arg Val His Cys Thr Asn Gly Pro Cys Gly Lys
 20 50 55 60
 Cys Leu Ser Val Glu Asp Ala Leu Gly Leu Gly Glu Pro Glu Gly Ser
 65 70 75 80
 Gly Leu Pro Pro Gly Pro Val Leu Glu Ala Arg Tyr Val Ala Arg Leu
 85 90 95
 25 Ser Ala Ala Ala Val Leu Tyr Leu Ser Asn Pro Glu Gly Thr Cys Glu

10 / 346

	100	105	110
	Asp Thr Arg Ala Gly Leu Trp Ala Ser His Ala Asp His Leu Leu Ala		
	115	120	125
	Leu Leu Glu Ser Pro Lys Ala Leu Thr Pro Gly Leu Ser Trp Leu Leu		
5	130	135	140
	Gln Arg Met Gln Ala Arg Ala Ala Gly Gln Thr Pro Lys Thr Ala Cys		
	145	150	155
	Val Asp Ile Pro Gln Leu Leu Glu Glu Ala Val Gly Ala Gly Ala Pro		
	165	170	175
10	Gly Ser Ala Gly Gly Val Leu Ala Ala Leu Leu Asp His Val Arg Ser		
	180	185	190
	Gly Ser Cys Phe His Ala Leu Pro Ser Pro Gln Tyr Phe Val Asp Phe		
	195	200	205
	Val Phe Gln Gln His Ser Ser Glu Val Pro Met Thr Leu Ala Glu Leu		
15	210	215	220
	Ser Ala Leu Met Gln Arg Leu Gly Val Gly Arg Glu Ala His Ser Asp		
	225	230	235
	His Ser His Arg His Arg Gly Ala Ser Ser Arg Asp Pro Val Pro Leu		
	245	250	255
20	Ile Ser Ser Ser Asn Ser Ser Ser Val Trp Asp Thr Val Cys Leu Ser		
	260	265	270
	Ala Arg Asp Val Met Ala Ala Tyr Gly Leu Ser Glu Gln Ala Gly Val		
	275	280	285
	Thr Pro Glu Ala Trp Ala Gln Leu Ser Pro Ala Leu Leu Gln Gln Gln		
25	290	295	300

11 /346

Leu Ser Gly Ala Cys Thr Ser Gln Ser Arg Pro Pro Val Gln Asp Gln
 305 310 315 320
 Leu Ser Gln Ser Glu Arg Tyr Leu Tyr Gly Ser Leu Ala Thr Leu Leu
 325 330 335
 5 Ile Cys Leu Cys Ala Val Phe Gly Leu Leu Leu Leu Thr Cys Thr Gly
 340 345 350
 Cys Arg Gly Val Ala His Tyr Ile Leu Gln Thr Phe Leu Ser Leu Ala
 355 360 365
 Val Gly Ala Leu Thr Gly Asp Ala Val Leu His Leu Thr Pro Lys Val
 10 370 375 380
 Leu Gly Leu His Thr His Ser Glu Glu Gly Leu Ser Pro Gln Pro Thr
 385 390 395 400
 Trp Arg Leu Leu Ala Met Leu Ala Gly Leu Tyr Ala Phe Phe Leu Phe
 405 410 415
 15 Glu Asn Leu Phe Asn Leu Leu Leu Pro Arg Asp Pro Glu Asp Leu Glu
 420 425 430
 Asp Gly Pro Cys Gly His Ser Ser His Ser His Gly Gly His Ser His
 435 440 445
 Gly Val Ser Leu Gln Leu Ala Pro Ser Glu Leu Arg Gln Pro Lys Pro
 20 450 455 460
 Pro His Glu Gly Ser Arg Ala Asp Leu Val Ala Glu Glu Ser Pro Glu
 465 470 475 480
 Leu Leu Asn Pro Glu Pro Arg Arg Leu Ser Pro Glu Leu Arg Leu Leu
 485 490 495
 25 Pro Tyr Met Ile Thr Leu Gly Asp Ala Val His Asn Phe Ala Asp Gly

12 / 346

500 505 510
Leu Ala Val Gly Ala Ala Phe Ala Ser Ser Trp Lys Thr Gly Leu Ala
515 520 525
Thr Ser Leu Ala Val Phe Cys His Glu Leu Pro His Glu Leu Gly Asp
5 530 535 540
Phe Ala Ala Leu Leu His Ala Gly Leu Ser Val Arg Gln Ala Leu Leu
545 550 555 560
Leu Asn Leu Ala Ser Ala Leu Thr Ala Phe Ala Gly Leu Tyr Val Ala
565 570 575
10 Leu Ala Val Gly Val Ser Glu Glu Ser Glu Ala Trp Ile Leu Ala Val
580 585 590
Ala Thr Gly Leu Phe Leu Tyr Val Ala Leu Cys Asp Met Leu Pro Ala
595 600 605
Met Leu Lys Val Arg Asp Pro Arg Pro Trp Leu Leu Phe Leu Leu His
15 610 615 620
Asn Val Gly Leu Leu Gly Gly Trp Thr Val Leu Leu Leu Leu Ser Leu
625 630 635 640
Tyr Glu Asp Asp Ile Thr Phe
645
20
<210> 5
<211> 446
<212> PRT
<213> Homo sapiens
25 <400> 5

13 / 346

Met Leu His Pro Glu Thr Ser Pro Gly Arg Gly His Leu Leu Ala Val
 1 5 10 15
 Leu Leu Ala Leu Leu Gly Thr Ala Trp Ala Glu Val Trp Pro Pro Gln
 20 25 30
 5 Leu Gln Glu Gln Ala Pro Met Ala Gly Ala Leu Asn Arg Lys Glu Ser
 35 40 45
 Phe Leu Leu Leu Ser Leu His Asn Arg Leu Arg Ser Trp Val Gln Pro
 50 55 60
 Pro Ala Ala Asp Met Arg Arg Leu Asp Trp Ser Asp Ser Leu Ala Gln
 10 65 70 75 80
 Leu Ala Gln Ala Arg Ala Ala Leu Cys Gly Ile Pro Thr Pro Ser Leu
 85 90 95
 Ala Ser Gly Leu Trp Arg Thr Leu Gln Val Gly Trp Asn Met Gln Leu
 100 105 110
 15 Leu Pro Ala Gly Leu Ala Ser Phe Val Glu Val Val Ser Leu Trp Phe
 115 120 125
 Ala Glu Gly Gln Arg Tyr Ser His Ala Ala Gly Glu Cys Ala Arg Asn
 130 135 140
 Ala Thr Cys Thr His Tyr Thr Gln Leu Val Trp Ala Thr Ser Ser Gln
 20 145 150 155 160
 Leu Gly Cys Gly Arg His Leu Cys Ser Ala Gly Gln Ala Ala Ile Glu
 165 170 175
 Ala Phe Val Cys Ala Tyr Ser Pro Gly Gly Asn Trp Glu Val Asn Gly
 180 185 190
 25 Lys Thr Ile Ile Pro Tyr Lys Lys Gly Ala Trp Cys Ser Leu Cys Thr

14 / 346

	195		200		205
	Ala Ser Val Ser Gly Cys Phe Lys Ala Trp Asp His Ala Gly Gly Leu				
	210		215		220
	Cys Glu Val Pro Arg Asn Pro Cys Arg Met Ser Cys Gln Asn His Gly				
5	225		230		235
	Arg Leu Asn Ile Ser Thr Cys His Cys His Cys Pro Pro Gly Tyr Thr				
		245		250	255
	Gly Arg Tyr Cys Gln Val Arg Cys Ser Leu Gln Cys Val His Gly Arg				
		260		265	270
10	Phe Arg Glu Glu Glu Cys Ser Cys Val Cys Asp Ile Gly Tyr Gly Gly				
		275		280	285
	Ala Gln Cys Ala Thr Lys Val His Phe Pro Phe His Thr Cys Asp Leu				
		290		295	300
	Arg Ile Asp Gly Asp Cys Phe Met Val Ser Ser Glu Ala Asp Thr Tyr				
15	305		310		315
	Tyr Arg Ala Arg Met Lys Cys Gln Arg Lys Gly Gly Val Leu Ala Gln				
		325		330	335
	Ile Lys Ser Gln Lys Val Gln Asp Ile Leu Ala Phe Tyr Leu Gly Arg				
		340		345	350
20	Leu Glu Thr Thr Asn Glu Val Ile Asp Ser Asp Phe Glu Thr Arg Asn				
		355		360	365
	Phe Trp Ile Gly Leu Thr Tyr Lys Thr Ala Lys Asp Ser Phe Arg Trp				
		370		375	380
	Ala Thr Gly Glu His Gln Ala Phe Thr Ser Phe Ala Phe Gly Gln Pro				
25	385		390		395
					400

15 / 346

Asp Asn His Gly Phe Gly Asn Cys Val Glu Leu Gln Ala Ser Ala Ala
 405 410 415
 Phe Asn Trp Asn Asn Gln Arg Cys Lys Thr Arg Asn Arg Tyr Ile Cys
 420 425 430
 5 Gln Phe Ala Gln Glu His Ile Ser Arg Trp Gly Pro Gly Ser
 435 440 445

 <210> 6
 <211> 197
 10 <212> PRT
 <213> Homo sapiens
 <400> 6

 Met Pro Pro Ala Gly Leu Arg Arg Ala Ala Pro Leu Thr Ala Ile Ala
 1 5 10 15
 15 Leu Leu Val Leu Gly Ala Pro Leu Val Leu Ala Gly Glu Asp Cys Leu
 20 25 30
 Trp Tyr Leu Asp Arg Asn Gly Ser Trp His Pro Gly Phe Asn Cys Glu
 35 40 45
 Phe Phe Thr Phe Cys Cys Gly Thr Cys Tyr His Arg Tyr Cys Cys Arg
 20 50 55 60
 Asp Leu Thr Leu Leu Ile Thr Glu Arg Gln Gln Lys His Cys Leu Ala
 65 70 75 80
 Phe Ser Pro Lys Thr Ile Ala Gly Ile Ala Ser Ala Val Ile Leu Phe
 85 90 95
 25 Val Ala Val Val Ala Thr Thr Ile Cys Cys Phe Leu Cys Ser Cys Cys

16 / 346

100 105 110
 Tyr Leu Tyr Arg Arg Arg Gln Gln Leu Gln Ser Pro Phe Glu Gly Gln
 115 120 125
 Glu Ile Pro Met Thr Gly Ile Pro Val Gln Pro Val Tyr Pro Tyr Pro
 5 130 135 140
 Gln Asp Pro Lys Ala Gly Pro Ala Pro Pro Gln Pro Gly Phe Ile Tyr
 145 150 155 160
 Pro Pro Ser Gly Pro Ala Pro Gln Tyr Pro Leu Tyr Pro Ala Gly Pro
 165 170 175
 10 Pro Val Tyr Asn Pro Ala Ala Pro Pro Pro Tyr Met Pro Pro Gln Pro
 180 185 190
 Ser Tyr Pro Gly Ala
 195
 15 <210> 7
 <211> 540
 <212> PRT
 <213> Homo sapiens
 <400> 7
 20 Met Ala Thr Ser Gly Ala Ala Ser Ala Glu Leu Val Ile Gly Trp Cys
 1 5 10 15
 Ile Phe Gly Leu Leu Leu Ala Ile Leu Ala Phe Cys Trp Ile Tyr
 20 25 30
 Val Arg Lys Tyr Gln Ser Arg Arg Glu Ser Glu Val Val Ser Thr Ile
 25 35 40 45

17 / 346

Thr Ala Ile Phe Ser Leu Ala Ile Ala Leu Ile Thr Ser Ala Leu Leu
 50 55 60
 Pro Val Asp Ile Phe Leu Val Ser Tyr Met Lys Asn Gln Asn Gly Thr
 65 70 75 80
 5 Phe Lys Asp Trp Ala Asn Ala Asn Val Ser Arg Gln Ile Glu Asp Thr
 85 90 95
 Val Leu Tyr Gly Tyr Tyr Thr Leu Tyr Ser Val Ile Leu Phe Cys Val
 100 105 110
 Phe Phe Trp Ile Pro Phe Val Tyr Phe Tyr Tyr Glu Glu Lys Asp Asp
 10 115 120 125
 Asp Asp Thr Ser Lys Cys Thr Gln Ile Lys Thr Ala Leu Lys Tyr Thr
 130 135 140
 Leu Gly Phe Val Val Ile Cys Ala Leu Leu Leu Leu Val Gly Ala Phe
 145 150 155 160
 15 Val Pro Leu Asn Val Pro Asn Asn Lys Asn Ser Thr Glu Trp Glu Lys
 165 170 175
 Val Lys Ser Leu Phe Glu Glu Leu Gly Ser Ser His Gly Leu Ala Ala
 180 185 190
 Leu Ser Phe Ser Ile Ser Ser Leu Thr Leu Ile Gly Met Leu Ala Ala
 20 195 200 205
 Ile Thr Tyr Thr Ala Tyr Gly Met Ser Ala Leu Pro Leu Asn Leu Ile
 210 215 220
 Lys Gly Thr Arg Ser Ala Ala Tyr Glu Arg Leu Glu Asn Thr Glu Asp
 225 230 235 240
 25 Ile Glu Glu Val Glu Gln His Ile Gln Thr Ile Lys Ser Lys Ser Lys

18 / 346

	245	250	255
	Asp Gly Arg Pro Leu Pro Ala Arg Asp Lys Arg Ala Leu Lys Gln Phe		
	260	265	270
	Glu Glu Arg Leu Arg Thr Leu Lys Lys Arg Glu Arg His Leu Glu Phe		
5	275	280	285
	Ile Glu Asn Ser Trp Trp Thr Lys Phe Cys Gly Ala Leu Arg Pro Leu		
	290	295	300
	Lys Ile Val Trp Gly Ile Phe Phe Ile Leu Val Ala Leu Leu Phe Val		
	305	310	315
10	Ile Ser Leu Phe Leu Ser Asn Leu Asp Lys Ala Leu His Ser Ala Gly		320
	325	330	335
	Ile Asp Ser Gly Phe Ile Ile Phe Gly Ala Asn Leu Ser Asn Pro Leu		
	340	345	350
	Asn Met Leu Leu Pro Leu Leu Gln Thr Val Phe Pro Leu Asp Tyr Ile		
15	355	360	365
	Leu Ile Thr Ile Ile Ile Met Tyr Phe Ile Phe Thr Ser Met Ala Gly		
	370	375	380
	Ile Arg Asn Ile Gly Ile Trp Phe Phe Trp Ile Arg Leu Tyr Lys Ile		
	385	390	395
20	Arg Arg Gly Arg Thr Arg Pro Gln Ala Leu Leu Phe Leu Cys Met Ile		400
	405	410	415
	Leu Leu Leu Ile Val Leu His Thr Ser Tyr Met Ile Tyr Ser Leu Ala		
	420	425	430
	Pro Gln Tyr Val Met Tyr Gly Ser Gln Asn Tyr Leu Ile Glu Thr Asn		
25	435	440	445

19 /346

Ile Thr Ser Asp Asn His Lys Gly Asn Ser Thr Leu Ser Val Pro Lys
 450 455 460
 Arg Cys Asp Ala Asp Ala Pro Glu Asp Gln Cys Thr Val Thr Arg Thr
 465 470 475 480
 5 Tyr Leu Phe Leu His Lys Phe Trp Phe Phe Ser Ala Ala Tyr Tyr Phe
 485 490 495
 Gly Asn Trp Ala Phe Leu Gly Val Phe Leu Ile Gly Leu Ile Val Ser
 500 505 510
 Cys Cys Lys Gly Lys Lys Ser Val Ile Glu Gly Val Asp Glu Asp Ser
 10 515 520 525
 Asp Ile Ser Asp Asp Glu Pro Ser Val Tyr Ser Ala
 530 535 540

 <210> 8
 15 <211> 442
 <212> PRT
 <213> Homo sapiens
 <400> 8
 Met Ala Leu Pro Ser Arg Ile Leu Leu Trp Lys Leu Val Leu Leu Gln
 20 1 5 10 15
 Ser Ser Ala Val Leu Leu His Ser Gly Ser Ser Val Pro Ala Ala Ala
 20 25 30
 Gly Ser Ser Val Val Ser Glu Ser Ala Val Ser Trp Glu Ala Gly Ala
 35 40 45
 25 Arg Ala Val Leu Arg Cys Gln Ser Pro Arg Met Val Trp Thr Gln Asp

20 / 346

	50		55		60											
	Arg	Leu	His	Asp	Arg	Gln	Arg	Val	Leu	His	Trp	Asp	Leu	Arg	Gly	Pro
	65				70					75					80	
	Gly	Gly	Gly	Pro	Ala	Arg	Arg	Leu	Leu	Asp	Leu	Tyr	Ser	Ala	Gly	Glu
5				85						90					95	
	Gln	Arg	Val	Tyr	Glu	Ala	Arg	Asp	Arg	Gly	Arg	Leu	Glu	Leu	Ser	Ala
				100						105					110	
	Ser	Ala	Phe	Asp	Asp	Gly	Asn	Phe	Ser	Leu	Leu	Ile	Arg	Ala	Val	Glu
				115						120					125	
10	Glu	Thr	Asp	Ala	Gly	Leu	Tyr	Thr	Cys	Asn	Leu	His	His	His	Tyr	Cys
				130						135					140	
	His	Leu	Tyr	Glu	Ser	Leu	Ala	Val	Arg	Leu	Glu	Val	Thr	Asp	Gly	Pro
	145					150					155				160	
	Pro	Ala	Thr	Pro	Ala	Tyr	Trp	Asp	Gly	Glu	Lys	Glu	Val	Leu	Ala	Val
15				165						170					175	
	Ala	Arg	Gly	Ala	Pro	Ala	Leu	Leu	Thr	Cys	Val	Asn	Arg	Gly	His	Val
				180						185					190	
	Trp	Thr	Asp	Arg	His	Val	Glu	Glu	Ala	Gln	Gln	Val	Val	His	Trp	Asp
				195						200					205	
20	Arg	Gln	Pro	Pro	Gly	Val	Pro	His	Asp	Arg	Ala	Asp	Arg	Leu	Leu	Asp
				210						215					220	
	Leu	Tyr	Ala	Ser	Gly	Glu	Arg	Arg	Ala	Tyr	Gly	Pro	Leu	Phe	Leu	Arg
	225					230					235				240	
	Asp	Arg	Val	Ala	Val	Gly	Ala	Asp	Ala	Phe	Glu	Arg	Gly	Asp	Phe	Ser
25				245						250					255	

21 / 346

Leu Arg Ile Glu Pro Leu Glu Val Ala Asp Glu Gly Thr Tyr Ser Cys
 260 265 270
 His Leu His His His Tyr Cys Gly Leu His Glu Arg Arg Val Phe His
 275 280 285
 5 Leu Thr Val Ala Glu Pro His Ala Glu Pro Pro Pro Arg Gly Ser Pro
 290 295 300
 Gly Asn Gly Ser Ser His Ser Gly Ala Pro Gly Pro Asp Pro Thr Leu
 305 310 315 320
 Ala Arg Gly His Asn Val Ile Asn Val Ile Val Pro Glu Ser Arg Ala
 10 325 330 335
 His Phe Phe Gln Gln Leu Gly Tyr Val Leu Ala Thr Leu Leu Leu Phe
 340 345 350
 Ile Leu Leu Leu Val Thr Val Leu Leu Ala Ala Arg Arg Arg Arg Gly
 355 360 365
 15 Gly Tyr Glu Tyr Ser Asp Gln Lys Ser Gly Lys Ser Lys Gly Lys Asp
 370 375 380
 Val Asn Leu Ala Glu Phe Ala Val Ala Ala Gly Asp Gln Met Leu Tyr
 385 390 395 400
 Arg Ser Glu Asp Ile Gln Leu Asp Tyr Lys Asn Asn Ile Leu Lys Glu
 20 405 410 415
 Arg Ala Glu Leu Ala His Ser Pro Leu Pro Ala Lys Tyr Ile Asp Leu
 420 425 430
 Asp Lys Gly Phe Arg Lys Glu Asn Cys Lys
 435 440

25

22 / 346

<210> 9

<211> 262

<212> PRT

<213> Homo sapiens

5 <400> 9

Met Thr Pro Glu Asp Pro Glu Glu Thr Gln Pro Leu Leu Gly Pro Pro
 1 5 10 15
 Gly Gly Ser Ala Pro Arg Gly Arg Arg Val Phe Leu Ala Ala Phe Ala
 20 25 30
 10 Ala Ala Leu Gly Pro Leu Ser Phe Gly Phe Ala Leu Gly Tyr Ser Ser
 35 40 45
 Pro Ala Ile Pro Ser Leu Gln Arg Ala Ala Pro Pro Ala Pro Arg Leu
 50 55 60
 Asp Asp Ala Ala Ala Ser Trp Phe Gly Ala Val Val Thr Leu Gly Ala
 15 65 70 75 80
 Ala Ala Gly Gly Val Leu Gly Gly Trp Leu Val Asp Arg Ala Gly Arg
 85 90 95
 Lys Leu Ser Leu Leu Leu Cys Ser Val Pro Phe Val Ala Gly Phe Ala
 100 105 110
 20 Val Ile Thr Ala Ala Gln Asp Val Trp Met Leu Leu Gly Gly Arg Leu
 115 120 125
 Leu Thr Gly Leu Ala Cys Gly Val Ala Ser Leu Val Ala Pro Val Tyr
 130 135 140
 Ile Ser Glu Ile Ala Tyr Pro Ala Val Arg Gly Leu Leu Gly Ser Cys
 25 145 150 155 160

23 /346

Val Gln Leu Met Val Val Val Gly Ile Leu Leu Ala Tyr Leu Ala Gly
 165 170 175
 Trp Val Leu Glu Trp Arg Trp Leu Ala Val Leu Gly Cys Val Pro Pro
 180 185 190
 5 Ser Leu Met Leu Leu Leu Met Cys Phe Met Pro Glu Thr Pro Arg Phe
 195 200 205
 Leu Leu Thr Gln His Arg Arg Gln Glu Ala Ala Pro Gly Leu Val Arg
 210 215 220
 Cys Gly His Gly Val Gln His Glu Cys Leu Arg Arg Leu Leu Gln Ala
 10 225 230 235 240
 Asp Pro Gly Trp Pro Trp Gln Leu Leu Ala Arg Gly His Leu Gly Ala
 245 250 255
 Cys Leu Cys Thr Ala Cys
 260
 15
 <210> 10
 <211> 152
 <212> PRT
 <213> Homo sapiens
 20 <400> 10
 Met Arg Gly Pro Gly His Pro Leu Leu Leu Gly Leu Leu Leu Val Leu
 1 5 10 15
 Gly Ala Ala Gly Arg Gly Arg Gly Gly Ala Glu Pro Arg Glu Pro Ala
 20 25 30
 25 Asp Gly Gln Ala Leu Leu Arg Leu Val Val Glu Leu Val Gln Glu Leu

24 /346

35 40 45
 Arg Lys His His Ser Ala Glu His Lys Gly Leu Gln Leu Leu Gly Arg
 50 55 60
 Asp Cys Ala Leu Gly Arg Ala Glu Ala Ala Gly Leu Gly Pro Ser Pro
 5 65 70 75 80
 Glu Gln Arg Val Glu Ile Val Pro Arg Asp Leu Arg Met Lys Asp Lys
 85 90 95
 Phe Leu Lys His Leu Thr Gly Pro Leu Tyr Phe Ser Pro Lys Cys Ser
 100 105 110
 10 Lys His Phe His Arg Leu Tyr His Asn Thr Arg Asp Cys Thr Ile Pro
 115 120 125
 Ala Tyr Tyr Lys Arg Cys Ala Arg Leu Leu Thr Arg Leu Ala Val Ser
 130 135 140
 Pro Val Cys Met Glu Asp Lys Gln
 15 145 150

<210> 11

<211> 1737

<212> DNA

20 <213> Homo sapiens

<400> 11

atggcatttt ctgaactcct ggacctcgtg ggtggcctgg gcaggttcca ggttctccag 60
 acgatggctc tgatggtctc catcatgtgg ctgtgtaccc agagcatgct ggagaacttc 120
 tcggccgccc tgcccagcca ccgctgctgg gcacccctcc tggacaacag cacggctcag 180
 25 gccagcatcc tagggagctt gagtccctgag gccctcctgg ctatttccat cccgccgggc 240

cccaaccaga ggccccacca gtgccgccgc ttccgccagc cacagtggca gctcttggac 300
cccaatgcc a cgccaccag ctggagcgag gccgacacgg agccgtgtgt ggatggctgg 360
gtctatgacc gcagcatott cacctccaca atcgtggcca agtggaaacct cgtgtgtgac 420
tctcatgctc tgaagcccat ggcccagtcc atctacctgg ctgggattct ggtgggagct 480
5 gctgcgtgcg gccctgcctc agacaggttt gggcgaggc tgggtgtaac ctggagctac 540
cttcagatgg ctgtgatggg tacggcagct gccttcgccc ctgccttccc cgtgtactgc 600
ctgttccgct tctgttggc ctttgccgtg gcaggcgtca tgatgaacac gggcactctc 660
cgtaggtctc tgacctggcg ccatgcaggg gggctccatg caggctccag ggctgaacca 720
ctcggctctc ttgcagtgat ggagtggacg gcggcacggg cccgaccctt ggtgatgacc 780
10 ttgaactctc tgggcttcag cttcgcccat ggcctgacag ctgcagtggc ctacggtgtg 840
cgggactgga cactgctgca gctggtggc tgggtcccct tcttctctg ctttttgtac 900
tcttgggtgc tggcagagtc ggcacgatgg ctctcacca caggcaggct ggattggggc 960
ctgcaggagc tgtggagggg ggctgccatc aacggaaagg gggcagtgca ggacaccctg 1020
accctgagg tcttgcttcc agccatgcgg gaggagctga gcattggcca gcctcctgcc 1080
15 agcctgggca ccctgctccg catgcccga ctgcgcttcc ggacctgtat ctccacgttg 1140
tgctggttcg cttttggctt caccttcttc ggcctggccc tggacctgca ggccctgggc 1200
agcaacatct tctgctcca aatgttcatt ggtgtcgtgg acatcccagc caagatgggc 1260
gccctgctgc tgctgagcca cctgggccgc cggccacgc tggccgcatc cctgttgctg 1320
gcggggctct gcattctggc caacacgctg gtgccccacg aaatgggggc tctgcgctca 1380
20 gccctggcgg tgctggggct gggcggggtg ggggtgcct tcacctgcat caccatctac 1440
agcagcgagc tcttccccac tgtgtcagg atgacggcag tgggcttggg ccagatggca 1500
gccctgggag gagccatcct ggggcctctg gtccggtgc tgggtgtcca tggcccctgg 1560
ctgcccttgc tgggtgtatg gacggtgcca gtgtgagtg gcctggccgc actgcttctg 1620
cccagagacc agagcttgcc gctgcccagc accatccaag atgtgcagaa ccaggcagta 1680
25 aagaaggcaa cacatggcac gctggggaac tctgtcctaa aatccacaca gttttag 1737

26 / 346

<210> 12
<211> 732
<212> DNA
5 <213> Homo sapiens
<400> 12
atgagccgat caccctcaa tcccagccaa ctccgatcag tgggctccca ggatgccctg 60
gcccccttgc ctccacctgc tccccagaat ccctccaccc actcttggga ccctttgtgt 120
ggatctctgc cttggggcct cagctgtctt ctggctctgc agcatgtctt ggtcatggct 180
10 tctctgctct gtgtctccca cctgctcctg ctttgcagtc tctccccagg aggactctct 240
tactcccctt ctccagctcct ggcctccagc ttcttttcat gtggtatgtc taccatcctg 300
caaacttggg tgggcagcag gctgcctctt gtccaggctc catccttaga gttccttata 360
cctgctctgg tgctgaccag ccagaagcta cccggggcca tccagacacc tggaaactcc 420
tccctcatgc tgcaccttg taggggacct agctgccatg gcctggggca ctggaacact 480
15 tctctccagg aggtgtccgg ggcagtggta gtatctgggc tgctgcaggg catgatgggg 540
ctgctgggga gtcccgcca cgtgttcccc cactgtgggc ccctggtgct ggctcccagc 600
ctggttgtgg cagggctctc tgcccacagg gaggtagccc agttctgctt cacacactgg 660
gggttggcct tgctgtacgt gagtcctgag aggcgtggga tgggcccag tgggggtgta 720
tggggggact ag 732
20
<210> 13
<211> 1386
<212> DNA
<213> Homo sapiens
25 <400> 13

27 / 346

atggctcccc agagcctgcc ttcatctagg atggctcctc tgggcatgct gcttgggctg 60
 ctgatggccg cctgcttcac cttctgcctc agtcatcaga acctgaagga gtttgccctg 120
 accaaccagc agaagagcag caccaaagaa acagagagaa aagaaacca agccgaggag 180
 gagctggatg ccgaagtcct ggaggtgttc caccgacgc atgagtggca ggccttcag 240
 5 ccagggcagg ctgtccctgc aggatccac gtacggctga atcttcagac tggggaaaga 300
 gaggcaaac tccaatatga ggacaagttc cgaaataatt tgaaaggcaa aaggctggat 360
 atcaacacca acacctacac atctcaggat ctcaagagtg cactggcaaa attcaaggag 420
 ggggcagaga tggagagttc aaaggaagac aaggcaaggc aggctgaggt aaagcggctc 480
 ttccgcccc a ttgaggaact gaagaaagac tttgatgagc tgaatgttgt cattgagact 540
 10 gacatgcaga tcatggtacg gctgatcaac aagttcaata gttccagctc cagtttgga 600
 gagaagattg ctgcgctctt tgatcttgaa tattatgtcc atcagatgga caatgcgcag 660
 gacctgcttt cctttgttg tcttcaagtg gtgatcaatg ggctgaacag cacagagccc 720
 ctctgaagg agtatgctgc gtttgtgctg ggcgtgcct tttccagcaa cccaaggctc 780
 caggtggagg ccatcgaagg gggagccctg cagaagctgc tggatcatcct ggccacggag 840
 15 cagccgctca ctgcaaagaa gaaggtcctg tttgcactgt gctccctgct gcgccacttc 900
 ccctatgcc agcggcagtt cctgaagctc ggggggctgc aggtcctgag gacctggtg 960
 caggagaagg gcacggaggt gctcgccgtg cgcgtggtca cactgctcta cgacctggtc 1020
 acggagaaga tggtcgccga ggaggaggct gagctgacct aggagatgtc ccagagaag 1080
 ctgcagcagt atgccaggt acacctcctg ccaggcctgt gggaacaggg ctggtgcgag 1140
 20 atcacggccc acctcctggc gctgcccgag catgatgccc gtgagaagg gctgcagaca 1200
 ctgggcgtcc tctgaccac ctgccggac cgctaccgtc aggaccccca gctcggcagg 1260
 aactggcca gctgcaggc tgagtaccag gtgctggcca gctggagct gcaggatggt 1320
 gaggacgagg gctacttcca ggagctgctg ggctctgtca acagcttgct gaaggagctg 1380
 agatga 1386

28 / 346

<210> 14

<211> 1944

<212> DNA

<213> Homo sapiens

5 <400> 14

atggcgctccc tgggtctcgtt ggagctgggg ctgcttcttg ctgtgctggt ggtgacggcg 60
acggcgctccc cgcttctgtg tctgttgagc ctgtcacct ctggccaggg cgctctggat 120
caagaggctc tgggcggcct gttaaatacg ctggcggacc gtgtgactg caccaacggg 180
ccgtgtggaa agtgcctgtc tgtggaggac gccctggggc tgggcgagcc tgaggggtca 240
10 gggctgcccc cgggcccggg cctggaggcc aggtacgtcg cccgcctcag tgccgcggcc 300
gtcctgtacc tcagcaaccg cgagggcacc tgtgaggaca ctggggctgg cctctggggc 360
tctcatgcag accacctcct ggccctgtc gagagcccca aggcctgac cccgggcctg 420
agctggctgc tgagaggat gcaggcccg gctgccggcc agaccccca gacggcctgc 480
gtagatatcc ctacgtgtt ggaggaggcg gtggggggcg gggctccggg cagtgtgtgc 540
15 ggcgtccttg ctgccctgtt ggaccatgtc aggagcgggt cttgcttcca cgcttggcg 600
agccctcagt acttcgtgga ctttgtgttc cagcagcaca gcagcgaggt ccctatgacg 660
ctggccgagc tgtcagcctt gatgcagcgc ctgggggttg gcagggaggc ccacagtgc 720
cacagtcatc ggcacagggg agccagcagc cgggaccctg tgccctcat cagctccagc 780
aacagctcca gtgtgtggga cacggtatgc ctgagtcca gggacgtgat ggctgcatat 840
20 ggactgtcgg aacaggctgg ggtgaccccg gaggcctggg cccaactgag ccctgccctg 900
ctccaacagc agctgagtgg agcctgcacc tccagtcca ggccccccgt ccaggaccag 960
ctcagccagt cagagaggta tctgtacggc tcctggcca cgctgctcat ctgcctctgc 1020
gcgggtcttg gctcctgtc gctgacctgc actggctgca ggggggtcgc ccactacatc 1080
ctgcagacct tctgagcct ggcagtgggt gcactcactg gggacgtgt cctgcatctg 1140
25 acgcccagg tgctggggct gcatacacac agcgaagagg gcctcagccc acagcccacc 1200

29 / 346

tggcgctcc tggetatgct ggccgggctc tacgccttct tcctgtttga gaacctcttc 1260
 aatctcctgc tgcccagga cccggaggac ctggaggacg ggccctgcgg ccacagcagc 1320
 catagccacg ggggccacag ccacggtgtg tccctgcagc tggcaccag cgagctccgg 1380
 cagcccaagc cccccacga gggctccgc gcagacctgg tggcggagga gagcccgag 1440
 5 ctgctgaacc ctgagcccag gagactgagc ccagagttga ggctactgcc ctatatgatc 1500
 actctgggcg acgccgtgca caacttcgcc gacgggctgg ccgtgggccc cgccttcgcg 1560
 tcctcctgga agaccgggct ggccacctcg ctggccgtgt totgccacga gttgccacac 1620
 gagctggggg acttcgccgc cttgctgcac gcggggctgt ccgtgcgcca agcactgctg 1680
 ctgaacctgg cctccgcgct cacggccttc gctggtctct acgtggcact cgcggttga 1740
 10 gtcagcgagg agagcgaggc ctggatcctg gcagtggcca ccggcctgtt cctctacgta 1800
 gcactctgcg acatgctccc ggcgatgttg aaagtacggg acccgcggcc ctggctcttc 1860
 ttctgctgc acaacgtggg cctgctgggc ggctggaccg tcctgctgct gctgtccctg 1920
 tacgaggatg acatcacctt ctga 1944

15 <210> 15
 <211> 1341
 <212> DNA
 <213> Homo sapiens
 <400> 15

20 atgctgcatc cagagacctc ccctggccgg gggcatctcc tggctgtgct cctggccctc 60
 cttggcaccg cctgggcaga ggtgtggcca cccagctgc aggagcaggc tccgatggcc 120
 ggagccctga acaggaagga gagtttcttg ctctctccc tgcacaaccg cctgcgcagc 180
 tgggtccagc ccctgcggc tgacatgcgg aggctggact ggagtgacag cctggcccaa 240
 ctggtcaag ccagggcagc cctctgtgga atcccaacct cgagcctggc gtccggcctg 300
 25 tggcgacccc tgcaagtggg ctggaacatg cagctgctgc ccgcggtt ggctccttt 360

30 / 346

gttgaagtgg tcagcctatg gtttgacagag gggcagcggg acagccacgc ggcaggagag 420
 tgtgctcgca acgccacctg caccactac acgcagctcg tgtgggccac ctcaagccag 480
 ctgggctgtg ggcggcacct gtgctctgca ggccaggcag cgatagaagc ctttgtctgt 540
 gcctactccc ccggaggcaa ctgggaggtc aacgggaaga caatcatccc ctataagaag 600
 5 ggtgcctggt gttcgctctg cacagccagt gtctcaggct gttcaaagc ctgggacccat 660
 gcagggggggc tctgtgaggt ccccaggaat ccttgtcgca tgagctgcca gaaccatgga 720
 cgtctcaaca tcagcacctg ccactgccac tgtccccctg gctacacggg cagatactgc 780
 caagtgaggt gcagcctgca gtgtgtgcac ggccgggtcc gggaggagga gtgctcgtgc 840
 gtctgtgaca tcggctacgg gggagcccag tgtgccacca aggtgcattt tcccttcac 900
 10 acctgtgacc tgaggatcga cggagactgc ttcattggtgt cttcagaggc agacacctat 960
 tacagagcca ggatgaaatg tcagaggaaa ggcgggggtgc tggcccagat caagagccag 1020
 aaagtgcagg acatcctcg cttctatctg ggccgcctgg agaccaccaa cgaggtgatt 1080
 gacagtgact tcgagaccag gaacttctgg atcgggctca cctacaagac cgccaaggac 1140
 tccttccgct gggccacagg ggagcaccag gccttcacca gttttgcctt tgggcagcct 1200
 15 gacaaccacg gggttggaac ctgcgtggag ctgcaggctt cagctgcctt caactggaac 1260
 aaccagcgct gcaaaacccg aaaccgttac atctgccagt ttgcccagga gcacatctcc 1320
 cgggtggggcc cagggtcctg a 1341

<210> 16
 20 <211> 594
 <212> DNA
 <213> Homo sapiens
 <400> 16

atgccacccg cggggctccg ccgggcgcgc ccgtcaccg caatcgctct gttggtgctg 60
 25 ggggctcccc tgggtgctggc cggcgaggac tgctgtggt acctggaccg gaatggctcc 120

31 / 346

tggcatccgg ggtttaactg cgagttcttc accttctgct gcgggacctg ctaccatcgg 180
tactgctgca gggacctgac cttgcttata accgagaggc agcagaagca ctgcctggcc 240
ttcagcccca agaccatagc aggcacgccc tcagctgtga tcctctttgt tgctgtgggt 300
gccaccacca tctgctgctt cctctgttcc tgttgctacc tgtaccgccg gcgccagcag 360
5 ctccagagcc catttgaagg ccaggagatt ccaatgacag gcatcccagt gcagccagta 420
taccataacc ccaggaccc caaagctggc cctgcacccc cacagcctgg cttcatatac 480
ccacctagtg gtccctgctcc ccaatatcca ctctaccag ctgggcccc agtctacaac 540
cctgcagctc ctctcccta tatgccacca cagccctctt accggggagc ctga 594

10 <210> 17
<211> 1623
<212> DNA
<213> Homo sapiens
<400> 17

15 atggcgactt ctggcgggc ctcggcggag ctggtgatcg gctggtgcat attcggcctc 60
ttactactgg ctatcttggc attctgctgg atatatgttc gtaaatacca aagtcggcgg 120
gaaagtgaag ttgtctccac cataacagca atttttctc tagcaattgc acttatcaca 180
tcagcacttc taccagtga tatatcttg gtttcttaca tgaaaaatca aaatggtaca 240
tttaaggact gggctaagc taatgtcagc agacagattg aggacactgt attatacgg 300
20 tactatactt tatattctgt tatattgttc tgtgtgttct tctggatccc ttttgtctac 360
ttctattatg aagaaaagga tgatgatgat actagtaa atgtactcaa taaaacggca 420
ctcaagtata ctttgggatt tgtgtgatt tgtgcactgc ttcttttagt tgggtgcctt 480
gttcattga atgttccaa taacaaaaat tctacagagt gggaaaaagt gaagtcccta 540
tttgaagaac ttggaagtag tcatggttta gctgcattgt cattttctat cagttctctg 600
25 accttgattg gaatgttggc agctataact tacacagcct atggcatgtc tgcgttacct 660

32 / 346

ttaaattctga taaaaggcac tagaagcgct gcttatgaac gtttggaata cactgaagac 720
 attgaagaag tagaacaaca cattcaaacg attaaatcaa aaagcaaaga tggctcgacct 780
 ttgccagcaa gggataaacg cgccttaaaa caatttgaag aaagggttacg aacacttaag 840
 aagagagaga ggcattttaga attcattgaa aacagctggt ggacaaaatt ttgtggcgct 900
 5 ctgcgtcccc tgaagatcgt ctggggaata tttttcatct tagttgcatt gctgtttgta 960
 atttctctct tcttgtcaaa tttagataaa gctcttcatt cagctggaat agattctggt 1020
 ttcataattt ttggagctaa cctgagtaat ccactgaata tgcttttgcc tttactacaa 1080
 acagttttcc ctcttgatta tattcttata acaattatta ttatgtactt tatttttact 1140
 tcaatggcag gaattcgaaa tattggcata tggttctttt ggattagatt atataaaatc 1200
 10 agaagaggta gaaccaggcc ccaagcactc ctttttctct gcatgatact tctgcttatt 1260
 gtccttcaca ctagctacat gatttatagt cttgctcccc aatatgttat gtatggaagc 1320
 caaaattact taatagagac taatataact tctgataatc ataaaggcaa ttcaaccctt 1380
 tctgtgcaa agagatgtga tgcagatgct cctgaagatc agtgtactgt taccgggaca 1440
 tacctattcc ttcacaagtt ctggttcttc agtgctgctt actatttttg taactgggccc 1500
 15 tttcttgggg tatttttgat tggattaatt gtatcctggt gtaaagggaa gaaatcggtt 1560
 attgaaggag tagatgaaga ttcagacata agtgatgatg agccctctgt ctattctgct 1620
 tga 1623

<210> 18

20 <211> 1329

<212> DNA

<213> Homo sapiens

<400> 18

atggcgctgc catcccgaat cctgcttttg aaacttgtgc ttctgcagag ctctgctggt 60
 25 ctctgcact cagggtcctc ggtaccgcgc gctgctggca gctccgtggt gtccgagtcc 120

33 / 346

gcggtgagct gggaggcggg cgcccgggcg gtgctgcgct gccagagccc gcgcatggtg 180
 tggaccagcagg accggctgca cgaccgccag cgcgctgctcc actgggacct gcgcggcccc 240
 gggggtggcc ccgcgcggcg cctgctggac ttgtactcgg cgggcgagca gcgcgtgtac 300
 gaggcgcggg accgcggccg cctggagctc tcggcctcgg ccttcgacga cggcaacttc 360
 5 tcgctgctca tccgcgcggt ggaggagacg gacgcggggc tgtacacctg caacctgcac 420
 catcactact gccacctcta cgagagcctg gccgtccgcc tggaggtcac cgacggcccc 480
 ccggccacccc ccgcctactg ggacggcgag aaggagggtgc tggcgggtggc gcgcggcgca 540
 cccgcgcttc tgacctgcgt gaaccgcggg cacgtgtgga ccgaccggca cgtggaggag 600
 gctcaacagg tggtgcaactg ggaccggcag ccgcccgggg tcccgcacga ccgcgcggac 660
 10 cgctgctggt acctctacgc gtcgggcgag cgccgcgcct acgggcccct tttctgcgc 720
 gaccgcgtgg ctgtgggcgc ggatgccttt gagcgcggtg acttctcact gcgtatcgag 780
 ccgctggagg tcgccgacga gggcacctac tcctgccacc tgcaaccacca ttactgtggc 840
 ctgcacgaac gccgcgtctt ccacctgacg gtcgccgaac cccacgcgga gccgcccccc 900
 cggggctctc cgggcaacgg ctccagccac agcggcgccc caggcccaga cccacactg 960
 15 gcgcgcggcc acaacgtcat caatgtcatc gtccccgaga gccagagcca ottcttccag 1020
 cagctgggct acgtgctggc cacgctgctg ctcttcatcc tgctactggt cactgtcctc 1080
 ctggccgccc gcaggcgccg cggaggctac gaatactcgg accagaagtc gggaaagtca 1140
 aaggggaagg atgttaactt ggcggagttc gctgtggctg caggggacca gatgctttac 1200
 aggagtgagg acatccagct agattacaaa aacaacatcc tgaaggagag ggcggagctg 1260
 20 gccacagcc cctgcctgc caagtacatc gacctagaca aagggttccg gaaggagaac 1320
 tgcaaataag 1329

<210> 19

<211> 789

25 <212> DNA

34 / 346

<213> Homo sapiens

<400> 19

atgacgcccc aggaccaga ggaaccag ccgcttctgg ggctcctgg cggcagcgcg 60
ccccgcggcc gcccggtctt cctcgccgcc ttcccgctg ccctgggccc actcagcttc 120
5 ggcttcgcgc tcggctacag ctccccggcc atccctagcc tgcagcgcgc cgcgcccccg 180
gccccgcgcc tggacgacgc cgcgcctcc tggttcgggg ctgtcgtgac cctgggtgcc 240
gcggcggggg gagtgctggg cggctggctg gtggaccgcg ccggggcgaa gctgagcctc 300
ttgctgtgct ccgtgccctt cgtggccggc tttgccgtca tcaccgcggc ccaggacgtg 360
tggatgctgc tggggggccg cctcctcacc ggctggcct gcggtgttgc ctccctagtg 420
10 gccccggtct acatctccga aatcgctac ccagcagtcc gggggttgct cggtcctgt 480
gtgcagctaa tggtcgtcgt cggcctctc ctggcctacc tggcaggctg ggtgctggag 540
tggcgtggc tggctgtgct gggctgcgtg cccccctccc tcatgctgct tctcatgtgc 600
ttcatgccc agaccccg cttcctgctg actcagcaca ggcgccagga ggtgctcct 660
ggtctgtca ggtgtgtca tgggtttcag cacgagtgc ttccggcct acttcaagct 720
15 gaccagggt ggccctggca actcctcgca cgtggccatc tcggcgctg tctctgcaca 780
gcctgttga 789

<210> 20

<211> 459

20 <212> DNA

<213> Homo sapiens

<400> 20

atgcgcggac ccgggcaccc cctcctcctg gggctgctgc tggctgctgg ggccgggggg 60
cgccggccggg ggggcgcgga gccccgggag ccggcgacg gacaggcgt gctgcggctg 120
25 gtggtggaac tcgtccagga gctgcggaag caccactcgg cggagcaca gggcctgcag 180

35 / 346

ctcctcgggc gggactgccc cctgggcccgc gcggaggcgg cggggctggg gccttcgccg 240
gagcagcgag tggaaattgt tcctcgagat ctgaggatga aggacaagtt tctaaaacac 300
cttacaggcc ctctttattt tagtccaaag tgcagcaaac acttccatag actttatcac 360
aacaccagag actgcacat tcctgcatac tataaaagat gcgccaggct tcttaccggg 420
5 ctggctgtca gtccagtgtg catggaggat aagcagtga 459

<210> 21

<211> 2865

<212> DNA

10 <213> Homo sapiens

<220>

<221> CDS

<222> (338) .. (2074)

<400> 21

15 agtctaaaat taaagtcttc agtctccaca ttccctactt tccaaattca gctttcccg 60
gaggtctgga gcagctgcct ctctggggag atgctggagg tctcggaatc acctcacgg 120
gcctcagggc ccagttggag ccaccccaag tgacaccagc aggcagatga ccagagagcc 180
tgagcctccg gccccgagtc tgtgaagcct agccgctggg ctggagaagc cactgtgggc 240
accaccgtgg gggaaacagg cccgttgccc tggcctcttt gccctgggcc agcctttgtg 300
20 aagtgggccc ctcttctggg ccccttgagt aggttcc atg gca ttt tct gaa ctc 355

Met Ala Phe Ser Glu Leu

1

5

ctg gac ctc gtg ggt ggc ctg ggc agg ttc cag gtt ctc cag acg atg 403

Leu Asp Leu Val Gly Gly Leu Gly Arg Phe Gln Val Leu Gln Thr Met

25

10

15

20

36 /346

gct ctg atg gtc tcc atc atg tgg ctg tgt acc cag agc atg ctg gag 451
 Ala Leu Met Val Ser Ile Met Trp Leu Cys Thr Gln Ser Met Leu Glu
 25 30 35
 aac ttc tcg gcc gcc gtg ccc agc cac cgc tgc tgg gca ccc ctc ctg 499
 5 Asn Phe Ser Ala Ala Val Pro Ser His Arg Cys Trp Ala Pro Leu Leu
 40 45 50
 gac aac agc acg gct cag gcc agc atc cta ggg agc ttg agt cct gag 547
 Asp Asn Ser Thr Ala Gln Ala Ser Ile Leu Gly Ser Leu Ser Pro Glu
 55 60 65 70
 10 gcc ctc ctg gct att tcc atc ccg ccg ggc ccc aac cag agg ccc cac 595
 Ala Leu Leu Ala Ile Ser Ile Pro Pro Gly Pro Asn Gln Arg Pro His
 75 80 85
 cag tgc cgc cgc ttc cgc cag cca cag tgg cag ctc ttg gac ccc aat 643
 Gln Cys Arg Arg Phe Arg Gln Pro Gln Trp Gln Leu Leu Asp Pro Asn
 15 90 95 100
 gcc acg gcc acc agc tgg agc gag gcc gac acg gag ccg tgt gtg gat 691
 Ala Thr Ala Thr Ser Trp Ser Glu Ala Asp Thr Glu Pro Cys Val Asp
 105 110 115
 ggc tgg gtc tat gac cgc agc atc ttc acc tcc aca atc gtg gcc aag 739
 20 Gly Trp Val Tyr Asp Arg Ser Ile Phe Thr Ser Thr Ile Val Ala Lys
 120 125 130
 tgg aac ctc gtg tgt gac tct cat gct ctg aag ccc atg gcc cag tcc 787
 Trp Asn Leu Val Cys Asp Ser His Ala Leu Lys Pro Met Ala Gln Ser
 135 140 145 150
 25 atc tac ctg gct ggg att ctg gtg gga gct gct gcg tgc ggc cct gcc 835

37 /346

Ile Tyr Leu Ala Gly Ile Leu Val Gly Ala Ala Ala Cys Gly Pro Ala
 155 160 165
 tca gac agg ttt ggg cgc agg ctg gtg cta acc tgg agc tac ctt cag 883
 Ser Asp Arg Phe Gly Arg Arg Leu Val Leu Thr Trp Ser Tyr Leu Gln
 5 170 175 180
 atg gct gtg atg ggt acg gca gct gcc ttc gcc cct gcc ttc ccc gtg 931
 Met Ala Val Met Gly Thr Ala Ala Ala Phe Ala Pro Ala Phe Pro Val
 185 190 195
 tac tgc ctg ttc cgc ttc ctg ttg gcc ttt gcc gtg gca ggc gtc atg 979
 10 Tyr Cys Leu Phe Arg Phe Leu Leu Ala Phe Ala Val Ala Gly Val Met
 200 205 210
 atg aac acg ggc act ctc cgt agg tct ctg acc tgg cgc cat gca ggg 1027
 Met Asn Thr Gly Thr Leu Arg Arg Ser Leu Thr Trp Arg His Ala Gly
 215 220 225 230
 15 ggg ctc cat gca ggc tcc agg gct gaa cca ctc ggt ctc ctt gca gtg 1075
 Gly Leu His Ala Gly Ser Arg Ala Glu Pro Leu Gly Leu Leu Ala Val
 235 240 245
 atg gag tgg acg gcg gca cgg gcc cga ccc ttg gtg atg acc ttg aac 1123
 Met Glu Trp Thr Ala Ala Arg Ala Arg Pro Leu Val Met Thr Leu Asn
 20 250 255 260
 tct ctg ggc ttc agc ttc ggc cat ggc ctg aca gct gca gtg gcc tac 1171
 Ser Leu Gly Phe Ser Phe Gly His Gly Leu Thr Ala Ala Val Ala Tyr
 265 270 275
 ggt gtg cgg gac tgg aca ctg ctg cag ctg gtg gtc tcg gtc ccc ttc 1219
 25 Gly Val Arg Asp Trp Thr Leu Leu Gln Leu Val Val Ser Val Pro Phe

38 / 346

	280	285	290	
	ttc ctc tgc ttt ttg tac tcc tgg tgg ctg gca gag tcg gca cga tgg	1267		
	Phe Leu Cys Phe Leu Tyr Ser Trp Trp Leu Ala Glu Ser Ala Arg Trp			
	295	300	305	310
5	ctc ctc acc aca ggc agg ctg gat tgg ggc ctg cag gag ctg tgg agg	1315		
	Leu Leu Thr Thr Gly Arg Leu Asp Trp Gly Leu Gln Glu Leu Trp Arg			
	315	320	325	
	gtg gct gcc atc aac gga aag ggg gca gtg cag gac acc ctg acc cct	1363		
	Val Ala Ala Ile Asn Gly Lys Gly Ala Val Gln Asp Thr Leu Thr Pro			
10	330	335	340	
	gag gtc ttg ctt tca gcc atg cgg gag gag ctg agc atg ggc cag cct	1411		
	Glu Val Leu Leu Ser Ala Met Arg Glu Glu Leu Ser Met Gly Gln Pro			
	345	350	355	
	cct gcc agc ctg ggc acc ctg ctc cgc atg ccc gga ctg cgc ttc cgg	1459		
15	Pro Ala Ser Leu Gly Thr Leu Leu Arg Met Pro Gly Leu Arg Phe Arg			
	360	365	370	
	acc tgt atc tcc acg ttg tgc tgg ttc gcc ttt ggc ttc acc ttc ttc	1507		
	Thr Cys Ile Ser Thr Leu Cys Trp Phe Ala Phe Gly Phe Thr Phe Phe			
	375	380	385	390
20	ggc ctg gcc ctg gac ctg cag gcc ctg ggc agc aac atc ttc ctg ctc	1555		
	Gly Leu Ala Leu Asp Leu Gln Ala Leu Gly Ser Asn Ile Phe Leu Leu			
	395	400	405	
	caa atg ttc att ggt gtc gtg gac atc cca gcc aag atg ggc gcc ctg	1603		
	Gln Met Phe Ile Gly Val Val Asp Ile Pro Ala Lys Met Gly Ala Leu			
25	410	415	420	

39 /346

	ctg ctg ctg agc cac ctg ggc cgc cgc ccc acg ctg gcc gca tcc ctg	1651
	Leu Leu Leu Ser His Leu Gly Arg Arg Pro Thr Leu Ala Ala Ser Leu	
	425 430 435	
	ttg ctg gcg ggg ctc tgc att ctg gcc aac acg ctg gtg ccc cac gaa	1699
5	Leu Leu Ala Gly Leu Cys Ile Leu Ala Asn Thr Leu Val Pro His Glu	
	440 445 450	
	atg ggg gct ctg cgc tca gcc ctg gcc gtg ctg ggg ctg ggc ggg gtg	1747
	Met Gly Ala Leu Arg Ser Ala Leu Ala Val Leu Gly Leu Gly Gly Val	
	455 460 465 470	
10	ggg gct gcc ttc acc tgc atc acc atc tac agc agc gag ctc ttc ccc	1795
	Gly Ala Ala Phe Thr Cys Ile Thr Ile Tyr Ser Ser Glu Leu Phe Pro	
	475 480 485	
	act gtg ctc agg atg acg gca gtg ggc ttg ggc cag atg gca gcc cgt	1843
	Thr Val Leu Arg Met Thr Ala Val Gly Leu Gly Gln Met Ala Ala Arg	
15	490 495 500	
	gga gga gcc atc ctg ggg cct ctg gtc cgg ctg ctg ggt gtc cat ggc	1891
	Gly Gly Ala Ile Leu Gly Pro Leu Val Arg Leu Leu Gly Val His Gly	
	505 510 515	
	ccc tgg ctg ccc ttg ctg gtg tat ggg acg gtg cca gtg ctg agt ggc	1939
20	Pro Trp Leu Pro Leu Leu Val Tyr Gly Thr Val Pro Val Leu Ser Gly	
	520 525 530	
	ctg gcc gca ctg ctt ctg ccc gag acc cag agc ttg ccg ctg ccc gac	1987
	Leu Ala Ala Leu Leu Leu Pro Glu Thr Gln Ser Leu Pro Leu Pro Asp	
	535 540 545 550	
25	acc atc caa gat gtg cag aac cag gca gta aag aag gca aca cat ggc	2035

40 / 346

Thr Ile Gln Asp Val Gln Asn Gln Ala Val Lys Lys Ala Thr His Gly
555 560 565

acg ctg ggg aac tct gtc cta aaa tcc aca cag ttt tagcctcctg 2081

Thr Leu Gly Asn Ser Val Leu Lys Ser Thr Gln Phe

5 570 575

gggaacctgc gatgggacgg tcagaggaag agacttcttc tgttctctgg agaaggcagg 2141

aggaaagcaa agacctccat ttccagaggc ccagaggctg ccctctgagg tccccactct 2201

ccccagggc tgcccccca ggtgagccct gccctctca cagtccaagg ggcccccttc 2261

aatactgaag gggaaaagga cagtttgatt ggcaggaggt gaccagtgcc accatcaccc 2321

10 tgccctgccc tcgtggcttc ggagagcaga ggggtcaggc ccaggggaac gagctggcct 2381

tgccaaccct ctgcttgact ccgcactgcc acttgtcccc ccacaccgt ccacctgccc 2441

agagctcaga gctaaccacc atccatggtc aagacctctc ctagctccac acaagcagta 2501

gagtctcagc tccacagctt taccagaag ccctgtaagc ctggcccctg gccctcccc 2561

atgtccctcc aggcctcagc cacctgcccg ccacatcctc tgctgtgtgt ccccttccca 2621

15 ccctcatccc tgaccgactc cacttaacct ccaaaccag ccccccttc aggggtccag 2681

ggccagcctg agatgcccg gaaactccta ccacagtta cagccacaag cctgcctcct 2741

cccaccctgc cagcctatga gttcccagag ggttggggca gtcccatgac ccatgtccc 2801

agctccccac acagcgctgg gccagagagg cattggtgag agggattgaa taaagaaaca 2861

aatg 2865

20

<210> 22

<211> 3323

<212> DNA

<213> Homo sapiens

25 <220>

41 / 346

<221> CDS

<222> (46)..(777)

<400> 22

aactctggtc ccgggcagcc aagacaaagc gaaaggcaag gcagc atg agc cga tca 57

5

Met Ser Arg Ser

1

ccc ctc aat ccc agc caa ctc cga tca gtg ggc tcc cag gat gcc ctg 105

Pro Leu Asn Pro Ser Gln Leu Arg Ser Val Gly Ser Gln Asp Ala Leu

5

10

15

20

10

gcc ccc ttg cct cca cct gct ccc cag aat ccc tcc acc cac tct tgg 153

Ala Pro Leu Pro Pro Pro Ala Pro Gln Asn Pro Ser Thr His Ser Trp

25

30

35

gac cct ttg tgt gga tct ctg cct tgg ggc ctc agc tgt ctt ctg gct 201

Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly Leu Ser Cys Leu Leu Ala

15

40

45

50

ctg cag cat gtc ttg gtc atg gct tct ctg ctc tgt gtc tcc cac ctg 249

Leu Gln His Val Leu Val Met Ala Ser Leu Leu Cys Val Ser His Leu

55

60

65

ctc ctg ctt tgc agt ctc tcc cca gga gga ctc tct tac tcc cct tct 297

20

Leu Leu Leu Cys Ser Leu Ser Pro Gly Gly Leu Ser Tyr Ser Pro Ser

70

75

80

cag ctc ctg gcc tcc agc ttc ttt tca tgt ggt atg tct acc atc ctg 345

Gln Leu Leu Ala Ser Ser Phe Phe Ser Cys Gly Met Ser Thr Ile Leu

85

90

95

100

25

caa act tgg atg ggc agc agg ctg cct ctt gtc cag gct cca tcc tta 393

42 /346

Gln Thr Trp Met Gly Ser Arg Leu Pro Leu Val Gln Ala Pro Ser Leu
 105 110 115
 gag ttc ctt atc cct gct ctg gtg ctg acc agc cag aag cta ccc cgg 441
 Glu Phe Leu Ile Pro Ala Leu Val Leu Thr Ser Gln Lys Leu Pro Arg
 5 120 125 130
 gcc atc cag aca cct gga aac tcc tcc ctc atg ctg cac ctt tgt agg 489
 Ala Ile Gln Thr Pro Gly Asn Ser Ser Leu Met Leu His Leu Cys Arg
 135 140 145
 gga cct agc tgc cat ggc ctg ggg cac tgg aac act tct ctc cag gag 537
 10 Gly Pro Ser Cys His Gly Leu Gly His Trp Asn Thr Ser Leu Gln Glu
 150 155 160
 gtg tcc ggg gca gtg gta gta tct ggg ctg ctg cag ggc atg atg ggg 585
 Val Ser Gly Ala Val Val Val Ser Gly Leu Leu Gln Gly Met Met Gly
 165 170 175 180
 15 ctg ctg ggg agt ccc ggc cac gtg ttc ccc cac tgt ggg ccc ctg gtg 633
 Leu Leu Gly Ser Pro Gly His Val Phe Pro His Cys Gly Pro Leu Val
 185 190 195
 ctg gct ccc agc ctg gtt gtg gca ggg ctc tct gcc cac agg gag gta 681
 Leu Ala Pro Ser Leu Val Val Ala Gly Leu Ser Ala His Arg Glu Val
 20 200 205 210
 gcc cag ttc tgc ttc aca cac tgg ggg ttg gcc ttg ctg tac gtg agt 729
 Ala Gln Phe Cys Phe Thr His Trp Gly Leu Ala Leu Leu Tyr Val Ser
 215 220 225
 cct gag agg cgt ggg atg gtg ccc agt ggg ggt gta tgg ggg gac 774
 25 Pro Glu Arg Arg Gly Met Val Pro Ser Gly Gly Val Trp Gly Asp

	230	235	240	
	taggggaggg	cagaactgct	ggtcctatca	gattcagcag cgactggaat agggacatat 834
	tttatatttg	gaatccaaga	cttttccttg	attcatctgg tctccttgaa ttccacactg 894
	ttttctgctg	tcccccaagg	tcacttccta	ttcctttccat gggagtttcc ttctctggta 954
5	tcaccccccg	ctcttatgat	attctgcccc	ctccacctc ctttcccatc cctcaggata 1014
	cccactgcct	cttgcctcta	aagccttctg	tctcctaggg ttatcctgct catggtggtc 1074
	tgttctcagc	acctgggctc	ctgccagttt	catgtgtgcc cctggaggcg agcttcaacg 1134
	tcatcaactc	acaactcotct	ccctgtcttc	cggctccttt cgggtgctgat ccagtggtcc 1194
	tgtgtgtgga	ttgtttctgc	ctttgtggga	ttcagtggtta tccccagga actgtctgcc 1254
10	cccaccaagg	caccatggat	ttggctgcct	caccaggtg agtggaattg gcctttgctg 1314
	acgcccagag	ctctggctgc	aggcatctcc	atggccttgg cagcctccac cagttccctg 1374
	ggctgctatg	ccctgtgtgg	ccggctgctg	catttgcttc cccacctcc acatgcctgc 1434
	agtcgagggc	tgagcctgga	ggggctgggc	agtgtgctgg ccgggctgct gggaagcccc 1494
	atgggcaactg	catccagctt	ccccaacgtg	ggcaaagtgg gtcttatcca ggctggatct 1554
15	cagcaagtgg	ctcacttagt	ggggctactc	tgcgtggggc ttggactctc ccccaggttg 1614
	gctcagctcc	tcaccaccat	cccactgcct	gttgttggtg ggggtgctggg ggtgaccag 1674
	gctgtggttt	tgtctgctgg	attctccagc	ttctacctgg ctgacataga ctctgggcga 1734
	aatatcttca	ttgtgggctt	ctccatcttc	atggccttgc tgctgccaag atggtttcgg 1794
	gaagccccag	tcctgttcag	cacaggctgg	agccccttgg atgtattact gcactcactg 1854
20	ctgacacagc	ccatcttcct	ggctggactc	tcaggcttcc tactagagaa cacgattcct 1914
	ggcacacagc	ttgagcgagg	cctaggtcaa	gggctaccat ctcccttcac tgcccaagag 1974
	gctcgaatgc	ctcagaagcc	cagggagaag	gctgctcaag tatggaagaa ctggagcaag 2034
	gcctgttgat	gcagccatgg	gcgtggctac	agcttgcaag gaactccctc ttggccaagg 2094
	tttttatcac	caagcagggc	tatgccttgt	tggtttcaga tcttcaacag gtgtggcatg 2154
25	aacaggtgga	cactagtgtg	gtcagccagc	gagccaagga gctgaacaag cggctcactg 2214

44 / 346

ctcctcctgc agctttctctc tgtcatttgg ataattctctc tgcgccattg ttgaaggacg 2274
ctgctcaccc tagcgaagct accttctctc gtgatttgtt ggcagatgca ctgattctac 2334
gggtgcgaag tgagctctctc ggcctccctc tctattggaa tttccactgc atgctagcta 2394
gtccttccct ggtctccaa catttgatc gtcctctgat gggcatgagt ctggcattac 2454
5 agtgccaagt gagggagcta gcaacgttac ttcatatgaa agacctagag atccaagact 2514
accaggagag tggggctacg ctgattcgag atcgattgaa gacagaacca tttgaagaaa 2574
attccttctt ggaacaattt atgatagaga aactgccaga ggcattgcagc attgggtgatg 2634
gaaagccctt tgtcatgaat ctgcaggatc tgtatatggc agtcaccaca caagaggtcc 2694
aagtgggaca gaagcatcaa ggcgctggag atcctcatac ctcaaacagt gcttccctgc 2754
10 aaggaatcga tagccaatgt gtaaaccagc cagaacaact ggtctctca gccccaaccc 2814
tctcagcacc tgagaaagag tccacgggta cttcaggccc tctgcagaga cctcagctgt 2874
caaaggtcaa gaggaagaag ccaaggggtc tcttcagtta atctgttgtg gcctcagctg 2934
ctgaggatgg acttgagaa tagcttccaa gcttcacctt gaaagaagct tacatggcag 2994
caatatttct aaaatagtga tacagtcaga ggcctcctgt aagggcgaga gaactgaagt 3054
15 tgatgttgac aggccacag ggaattggcc ttccctgttc aagtggaagc cagtctctga 3114
gaatcccgtg ctctctctc ttttggtgga ggttctgtag gttcagggtt ctaccatgga 3174
ctttaggtat atagggcaag tcagcaagaa agcaccacac actcaggaag ctttgtctac 3234
ctttccctag cgtctctagc cagccagccc cagatactcc tcagagaccc acttctctct 3294
tttgcattgga ataaaaagca ctcacagtc 3323

20

<210> 23

<211> 1585

<212> DNA

<213> Homo sapiens

25

<220>

45 / 346

<221> CDS

<222> (73)..(1458)

<400> 23

```

aaaaaaaaa aaaaaaaaaa aaaaaaaagt tgtgtctgcc actcggctgc cggaggccga 60
5  aggtccctga ct atg gct ccc cag agc ctg cct tca tct agg atg gct cct 111
      Met Ala Pro Gln Ser Leu Pro Ser Ser Arg Met Ala Pro
              1              5              10
ctg ggc atg ctg ctt ggg ctg ctg atg gcc gcc tgc ttc acc ttc tgc 159
Leu Gly Met Leu Leu Gly Leu Leu Met Ala Ala Cys Phe Thr Phe Cys
10      15              20              25
ctc agt cat cag aac ctg aag gag ttt gcc ctg acc aac cca gag aag 207
Leu Ser His Gln Asn Leu Lys Glu Phe Ala Leu Thr Asn Pro Glu Lys
      30              35              40              45
agc agc acc aaa gaa aca gag aga aaa gaa acc aaa gcc gag gag gag 255
15  Ser Ser Thr Lys Glu Thr Glu Arg Lys Glu Thr Lys Ala Glu Glu Glu
              50              55              60
ctg gat gcc gaa gtc ctg gag gtg ttc cac ccg acg cat gag tgg cag 303
Leu Asp Ala Glu Val Leu Glu Val Phe His Pro Thr His Glu Trp Gln
              65              70              75
20  gcc ctt cag cca ggg cag gct gtc cct gca gga tcc cac gta cgg ctg 351
Ala Leu Gln Pro Gly Gln Ala Val Pro Ala Gly Ser His Val Arg Leu
              80              85              90
aat ctt cag act ggg gaa aga gag gca aaa ctc caa tat gag gac aag 399
Asn Leu Gln Thr Gly Glu Arg Glu Ala Lys Leu Gln Tyr Glu Asp Lys
25      95              100              105

```

46 / 346

	ttc cga aat aat ttg aaa ggc aaa agg ctg gat atc aac acc aac acc	447
	Phe Arg Asn Asn Leu Lys Gly Lys Arg Leu Asp Ile Asn Thr Asn Thr	
	110 115 120 125	
	tac aca tct cag gat ctc aag agt gca ctg gca aaa ttc aag gag ggg	495
5	Tyr Thr Ser Gln Asp Leu Lys Ser Ala Leu Ala Lys Phe Lys Glu Gly	
	130 135 140	
	gca gag atg gag agt tca aag gaa gac aag gca agg cag gct gag gta	543
	Ala Glu Met Glu Ser Ser Lys Glu Asp Lys Ala Arg Gln Ala Glu Val	
	145 150 155	
10	aag cgg ctc ttc cgc ccc att gag gaa ctg aag aaa gac ttt gat gag	591
	Lys Arg Leu Phe Arg Pro Ile Glu Glu Leu Lys Lys Asp Phe Asp Glu	
	160 165 170	
	ctg aat gtt gtc att gag act gac atg cag atc atg gta cgg ctg atc	639
	Leu Asn Val Val Ile Glu Thr Asp Met Gln Ile Met Val Arg Leu Ile	
15	175 180 185	
	aac aag ttc aat agt tcc agc tcc agt ttg gaa gag aag att gct gcg	687
	Asn Lys Phe Asn Ser Ser Ser Ser Ser Leu Glu Glu Lys Ile Ala Ala	
	190 195 200 205	
	ctc ttt gat ctt gaa tat tat gtc cat cag atg gac aat gcg cag gac	735
20	Leu Phe Asp Leu Glu Tyr Tyr Val His Gln Met Asp Asn Ala Gln Asp	
	210 215 220	
	ctg ctt tcc ttt ggt ggt ctt caa gtg gtg atc aat ggg ctg aac agc	783
	Leu Leu Ser Phe Gly Gly Leu Gln Val Val Ile Asn Gly Leu Asn Ser	
	225 230 235	
25	aca gag ccc ctc gtg aag gag tat gct gcg ttt gtg ctg ggc gct gcc	831

47 / 346

	Thr	Glu	Pro	Leu	Val	Lys	Glu	Tyr	Ala	Ala	Phe	Val	Leu	Gly	Ala	Ala		
	240					245					250							
	ttt	tcc	agc	aac	ccc	aag	gtc	cag	gtg	gag	gcc	atc	gaa	ggg	gga	gcc	879	
	Phe	Ser	Ser	Asn	Pro	Lys	Val	Gln	Val	Glu	Ala	Ile	Glu	Gly	Gly	Ala		
5	255					260					265							
	ctg	cag	aag	ctg	ctg	gtc	atc	ctg	gcc	acg	gag	cag	ccg	ctc	act	gca	927	
	Leu	Gln	Lys	Leu	Leu	Val	Ile	Leu	Ala	Thr	Glu	Gln	Pro	Leu	Thr	Ala		
	270					275					280					285		
	aag	aag	aag	gtc	ctg	ttt	gca	ctg	tgc	tcc	ctg	ctg	cgc	cac	ttc	ccc	975	
10	Lys	Lys	Lys	Val	Leu	Phe	Ala	Leu	Cys	Ser	Leu	Leu	Arg	His	Phe	Pro		
	290					295					300							
	tat	gcc	cag	cgg	cag	ttc	ctg	aag	ctc	ggg	ggg	ctg	cag	gtc	ctg	agg	1023	
	Tyr	Ala	Gln	Arg	Gln	Phe	Leu	Lys	Leu	Gly	Gly	Leu	Gln	Val	Leu	Arg		
	305					310					315							
15	acc	ctg	gtg	cag	gag	aag	ggc	acg	gag	gtg	ctc	gcc	gtg	cgc	gtg	gtc	1071	
	Thr	Leu	Val	Gln	Glu	Lys	Gly	Thr	Glu	Val	Leu	Ala	Val	Arg	Val	Val		
	320					325					330							
	aca	ctg	ctc	tac	gac	ctg	gtc	acg	gag	aag	atg	ttc	gcc	gag	gag	gag	1119	
	Thr	Leu	Leu	Tyr	Asp	Leu	Val	Thr	Glu	Lys	Met	Phe	Ala	Glu	Glu	Glu		
20	335					340					345							
	gct	gag	ctg	acc	cag	gag	atg	tcc	cca	gag	aag	ctg	cag	cag	tat	cgc	1167	
	Ala	Glu	Leu	Thr	Gln	Glu	Met	Ser	Pro	Glu	Lys	Leu	Gln	Gln	Tyr	Arg		
	350					355					360					365		
	cag	gta	cac	ctc	ctg	cca	ggc	ctg	tgg	gaa	cag	ggc	tgg	tgc	gag	atc	1215	
25	Gln	Val	His	Leu	Leu	Pro	Gly	Leu	Trp	Glu	Gln	Gly	Trp	Cys	Glu	Ile		

48 /346

	370	375	380	
	acg gcc cac ctc ctg gcg ctg ccc gag cat gat gcc cgt gag aag gtg	1263		
	Thr Ala His Leu Leu Ala Leu Pro Glu His Asp Ala Arg Glu Lys Val			
	385	390	395	
5	ctg cag aca ctg ggc gtc ctc ctg acc acc tgc cgg gac cgc tac cgt	1311		
	Leu Gln Thr Leu Gly Val Leu Leu Thr Thr Cys Arg Asp Arg Tyr Arg			
	400	405	410	
	cag gac ccc cag ctc ggc agg aca ctg gcc agc ctg cag gct gag tac	1359		
	Gln Asp Pro Gln Leu Gly Arg Thr Leu Ala Ser Leu Gln Ala Glu Tyr			
10	415	420	425	
	cag gtg ctg gcc agc ctg gag ctg cag gat ggt gag gac gag ggc tac	1407		
	Gln Val Leu Ala Ser Leu Glu Leu Gln Asp Gly Glu Asp Glu Gly Tyr			
	430	435	440	445
	ttc cag gag ctg ctg ggc tct gtc aac agc ttg ctg aag gag ctg aga	1455		
15	Phe Gln Glu Leu Leu Gly Ser Val Asn Ser Leu Leu Lys Glu Leu Arg			
	450	455	460	
	tgaggcccca caccaggact ggactgggat gccgctagtg aggctgaggg gtgccagcgt	1515		
	gggtgggctt ctcaggcagg aggacatctt ggcagtgtg gcttggccat taaatggaaa	1575		
	cctgaaggcc	1585		

20

<210> 24

<211> 2122

<212> DNA

<213> Homo sapiens

25

<220>

49 /346

<221> CDS

<222> (56) .. (1999)

<400> 24

```

agaagcactg ggccttggcc acagcaacac ccactgagca cgctgggagc tgagt atg  58
5
Met
1

gcg tcc ctg gtc tcg ctg gag ctg ggg ctg ctt ctg gct gtg ctg gtg  106
Ala Ser Leu Val Ser Leu Glu Leu Gly Leu Leu Leu Ala Val Leu Val
5 10 15

gtg acg gcg acg gcg tcc ccg cct gct ggt ctg ctg agc ctg ctc acc  154
10 Val Thr Ala Thr Ala Ser Pro Pro Ala Gly Leu Leu Ser Leu Leu Thr
20 25 30

tct ggc cag ggc gct ctg gat caa gag gct ctg ggc ggc ctg tta aat  202
Ser Gly Gln Gly Ala Leu Asp Gln Glu Ala Leu Gly Gly Leu Leu Asn
15 35 40 45

acg ctg gcg gac cgt gtg cac tgc acc aac ggg ccg tgt gga aag tgc  250
Thr Leu Ala Asp Arg Val His Cys Thr Asn Gly Pro Cys Gly Lys Cys
50 55 60 65

ctg tct gtg gag gac gcc ctg ggc ctg ggc gag cct gag ggg tca ggg  298
20 Leu Ser Val Glu Asp Ala Leu Gly Leu Gly Glu Pro Glu Gly Ser Gly
70 75 80

ctg ccc ccg ggc ccg gtc ctg gag gcc agg tac gtc gcc cgc ctc agt  346
Leu Pro Pro Gly Pro Val Leu Glu Ala Arg Tyr Val Ala Arg Leu Ser
85 90 95

gcc gcc gcc gtc ctg tac ctc agc aac ccc gag ggc acc tgt gag gac  394
25

```

50 /346

Ala Ala Ala Val Leu Tyr Leu Ser Asn Pro Glu Gly Thr Cys Glu Asp
100 105 110
act cgg gct ggc ctc tgg gcc tct cat gca gac cac ctc ctg gcc ctg 442
Thr Arg Ala Gly Leu Trp Ala Ser His Ala Asp His Leu Leu Ala Leu
5 115 120 125
ctc gag agc ccc aag gcc ctg acc ccg ggc ctg agc tgg ctg ctg cag 490
Leu Glu Ser Pro Lys Ala Leu Thr Pro Gly Leu Ser Trp Leu Leu Gln
130 135 140 145
agg atg cag gcc cgg gct gcc ggc cag acc ccc aag acg gcc tgc gta 538
10 Arg Met Gln Ala Arg Ala Ala Gly Gln Thr Pro Lys Thr Ala Cys Val
150 155 160
gat atc cct cag ctg ctg gag gag gcg gtg ggg gcg ggg gct ccg ggc 586
Asp Ile Pro Gln Leu Leu Glu Glu Ala Val Gly Ala Gly Ala Pro Gly
165 170 175
15 agt gct ggc ggc gtc ctg gct gcc ctg ctg gac cat gtc agg agc ggg 634
Ser Ala Gly Gly Val Leu Ala Ala Leu Leu Asp His Val Arg Ser Gly
180 185 190
tct tgc ttc cac gcc ttg ccg agc cct cag tac ttc gtg gac ttt gtg 682
Ser Cys Phe His Ala Leu Pro Ser Pro Gln Tyr Phe Val Asp Phe Val
20 195 200 205
ttc cag cag cac agc agc gag gtc cct atg acg ctg gcc gag ctg tca 730
Phe Gln Gln His Ser Ser Glu Val Pro Met Thr Leu Ala Glu Leu Ser
210 215 220 225
gcc ttg atg cag cgc ctg ggg gtg ggc agg gag gcc cac agt gac cac 778
25 Ala Leu Met Gln Arg Leu Gly Val Gly Arg Glu Ala His Ser Asp His

51 / 346

	230	235	240	
	agt cat cgg cac agg gga gcc agc agc cgg gac cct gtg ccc ctc atc	826		
	Ser His Arg His Arg Gly Ala Ser Ser Arg Asp Pro Val Pro Leu Ile			
	245	250	255	
5	agc tcc agc aac agc tcc agt gtg tgg gac acg gta tgc ctg agt gcc	874		
	Ser Ser Ser Asn Ser Ser Ser Val Trp Asp Thr Val Cys Leu Ser Ala			
	260	265	270	
	agg gac gtg atg gct gca tat gga ctg tcg gaa cag gct ggg gtg acc	922		
	Arg Asp Val Met Ala Ala Tyr Gly Leu Ser Glu Gln Ala Gly Val Thr			
10	275	280	285	
	ccg gag gcc tgg gcc caa ctg agc cct gcc ctg ctc caa cag cag ctg	970		
	Pro Glu Ala Trp Ala Gln Leu Ser Pro Ala Leu Leu Gln Gln Gln Leu			
	290	295	300	305
	agt gga gcc tgc acc tcc cag tcc agg ccc ccc gtc cag gac cag ctc	1018		
15	Ser Gly Ala Cys Thr Ser Gln Ser Arg Pro Pro Val Gln Asp Gln Leu			
	310	315	320	
	agc cag tca gag agg tat ctg tac ggc tcc ctg gcc acg ctg ctc atc	1066		
	Ser Gln Ser Glu Arg Tyr Leu Tyr Gly Ser Leu Ala Thr Leu Leu Ile			
	325	330	335	
20	tgc ctc tgc gcg gtc ttt ggc ctc ctg ctg ctg acc tgc act ggc tgc	1114		
	Cys Leu Cys Ala Val Phe Gly Leu Leu Leu Leu Thr Cys Thr Gly Cys			
	340	345	350	
	agg ggg gtc gcc cac tac atc ctg cag acc ttc ctg agc ctg gca gtg	1162		
	Arg Gly Val Ala His Tyr Ile Leu Gln Thr Phe Leu Ser Leu Ala Val			
25	355	360	365	

52 /346

	ggg gca ctc act ggg gac gct gtc ctg cat ctg acg ccc aag gtg ctg	1210
	Gly Ala Leu Thr Gly Asp Ala Val Leu His Leu Thr Pro Lys Val Leu	
	370 375 380 385	
	ggg ctg cat aca cac agc gaa gag ggc ctc agc cca cag ccc acc tgg	1258
5	Gly Leu His Thr His Ser Glu Glu Gly Leu Ser Pro Gln Pro Thr Trp	
	390 395 400	
	cgc ctc ctg gct atg ctg gcc ggg ctc tac gcc ttc ttc ctg ttt gag	1306
	Arg Leu Leu Ala Met Leu Ala Gly Leu Tyr Ala Phe Phe Leu Phe Glu	
	405 410 415	
10	aac ctc ttc aat ctc ctg ctg ccc agg gac ccg gag gac ctg gag gac	1354
	Asn Leu Phe Asn Leu Leu Leu Pro Arg Asp Pro Glu Asp Leu Glu Asp	
	420 425 430	
	ggg ccc tgc ggc cac agc agc cat agc cac ggg ggc cac agc cac ggt	1402
	Gly Pro Cys Gly His Ser Ser His Ser His Gly Gly His Ser His Gly	
15	435 440 445	
	gtg tcc ctg cag ctg gca ccc agc gag ctc cgg cag ccc aag ccc ccc	1450
	Val Ser Leu Gln Leu Ala Pro Ser Glu Leu Arg Gln Pro Lys Pro Pro	
	450 455 460 465	
	cac gag ggc tcc cgc gca gac ctg gtg gcg gag gag agc ccg gag ctg	1498
20	His Glu Gly Ser Arg Ala Asp Leu Val Ala Glu Glu Ser Pro Glu Leu	
	470 475 480	
	ctg aac cct gag ccc agg aga ctg agc cca gag ttg agg cta ctg ccc	1546
	Leu Asn Pro Glu Pro Arg Arg Leu Ser Pro Glu Leu Arg Leu Leu Pro	
	485 490 495	
25	tat atg atc act ctg ggc gac gcc gtg cac aac ttc gcc gac ggg ctg	1594

53 /346

Tyr Met Ile Thr Leu Gly Asp Ala Val His Asn Phe Ala Asp Gly Leu
 500 505 510
 gcc gtg ggc gcc gcc ttc gcg tcc tcc tgg aag acc ggg ctg gcc acc 1642
 Ala Val Gly Ala Ala Phe Ala Ser Ser Trp Lys Thr Gly Leu Ala Thr
 5 515 520 525
 tcg ctg gcc gtg ttc tgc cac gag ttg cca cac gag ctg ggg gac ttc 1690
 Ser Leu Ala Val Phe Cys His Glu Leu Pro His Glu Leu Gly Asp Phe
 530 535 540 545
 gcc gcc ttg ctg cac gcg ggg ctg tcc gtg cgc caa gca ctg ctg ctg 1738
 10 Ala Ala Leu Leu His Ala Gly Leu Ser Val Arg Gln Ala Leu Leu Leu
 550 555 560
 aac ctg gcc tcc gcg ctc acg gcc ttc gct ggt ctc tac gtg gca ctc 1786
 Asn Leu Ala Ser Ala Leu Thr Ala Phe Ala Gly Leu Tyr Val Ala Leu
 565 570 575
 15 gcg gtt gga gtc agc gag gag agc gag gcc tgg atc ctg gca gtg gcc 1834
 Ala Val Gly Val Ser Glu Glu Ser Glu Ala Trp Ile Leu Ala Val Ala
 580 585 590
 acc ggc ctg ttc ctc tac gta gca ctc tgc gac atg ctc ccg gcg atg 1882
 Thr Gly Leu Phe Leu Tyr Val Ala Leu Cys Asp Met Leu Pro Ala Met
 20 595 600 605
 ttg aaa gta cgg gac ccg cgg ccc tgg ctc ctc ttc ctg ctg cac aac 1930
 Leu Lys Val Arg Asp Pro Arg Pro Trp Leu Leu Phe Leu Leu His Asn
 610 615 620 625
 gtg ggc ctg ctg ggc ggc tgg acc gtc ctg ctg ctg tcc ctg tac 1978
 25 Val Gly Leu Leu Gly Gly Trp Thr Val Leu Leu Leu Leu Ser Leu Tyr

54 /346

630 635 640

gag gat gac atc acc ttc tgataccctg ccctagtccc ccacctttga 2026

Glu Asp Asp Ile Thr Phe

645

5 ctttaagatcc cacacctcac aaacctacag ccagaaaacc agaagcccct atagaggccc 2086

cagtcccaac tccagtaaag acactottgt ccttgg 2122

<210> 25

<211> 1775

10 <212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (62)..(1402)

15 <400> 25

aaaacaagcc ggttggtga gccaggctgt gcacggagtg cctgacgggc ccaacagacc 60

c atg ctg cat cca gag acc tcc cct ggc cgg ggg cat ctc ctg gct gtg 109

Met Leu His Pro Glu Thr Ser Pro Gly Arg Gly His Leu Leu Ala Val

1 5 10 15

20 ctc ctg gcc ctc ctt ggc acc gcc tgg gca gag gtg tgg cca ccc cag 157

Leu Leu Ala Leu Leu Gly Thr Ala Trp Ala Glu Val Trp Pro Pro Gln

20 25 30

ctg cag gag cag gct ccg atg gcc gga gcc ctg aac agg aag gag agt 205

Leu Gln Glu Gln Ala Pro Met Ala Gly Ala Leu Asn Arg Lys Glu Ser

25 35 40 45

55 / 346

	ttc ttg ctc ctc tcc ctg cac aac cgc ctg cgc agc tgg gtc cag ccc	253
	Phe Leu Leu Leu Ser Leu His Asn Arg Leu Arg Ser Trp Val Gln Pro	
	50 55 60	
	cct gcg gct gac atg cgg agg ctg gac tgg agt gac agc ctg gcc caa	301
5	Pro Ala Ala Asp Met Arg Arg Leu Asp Trp Ser Asp Ser Leu Ala Gln	
	65 70 75 80	
	ctg gct caa gcc agg gca gcc ctc tgt gga atc cca acc ccg agc ctg	349
	Leu Ala Gln Ala Arg Ala Ala Leu Cys Gly Ile Pro Thr Pro Ser Leu	
	85 90 95	
10	gcg tcc ggc ctg tgg cgc acc ctg caa gtg ggc tgg aac atg cag ctg	397
	Ala Ser Gly Leu Trp Arg Thr Leu Gln Val Gly Trp Asn Met Gln Leu	
	100 105 110	
	ctg ccc gcg ggc ttg gcg tcc ttt gtt gaa gtg gtc agc cta tgg ttt	445
	Leu Pro Ala Gly Leu Ala Ser Phe Val Glu Val Val Ser Leu Trp Phe	
15	115 120 125	
	gca gag ggg cag cgg tac agc cac gcg gca gga gag tgt gct cgc aac	493
	Ala Glu Gly Gln Arg Tyr Ser His Ala Ala Gly Glu Cys Ala Arg Asn	
	130 135 140	
	gcc acc tgc acc cac tac acg cag ctc gtg tgg gcc acc tca agc cag	541
20	Ala Thr Cys Thr His Tyr Thr Gln Leu Val Trp Ala Thr Ser Ser Gln	
	145 150 155 160	
	ctg ggc tgt ggg cgg cac ctg tgc tct gca ggc cag gca gcg ata gaa	589
	Leu Gly Cys Gly Arg His Leu Cys Ser Ala Gly Gln Ala Ala Ile Glu	
	165 170 175	
25	gcc ttt gtc tgt gcc tac tcc ccc gga ggc aac tgg gag gtc aac ggg	637

56 /346

Ala Phe Val Cys Ala Tyr Ser Pro Gly Gly Asn Trp Glu Val Asn Gly
180 185 190
aag aca atc atc ccc tat aag aag ggt gcc tgg tgt tcg ctc tgc aca 685
Lys Thr Ile Ile Pro Tyr Lys Lys Gly Ala Trp Cys Ser Leu Cys Thr
5 195 200 205
gcc agt gtc tca ggc tgc ttc aaa gcc tgg gac cat gca ggg ggg ctc 733
Ala Ser Val Ser Gly Cys Phe Lys Ala Trp Asp His Ala Gly Gly Leu
210 215 220
tgt gag gtc ccc agg aat cct tgt cgc atg agc tgc cag aac cat gga 781
10 Cys Glu Val Pro Arg Asn Pro Cys Arg Met Ser Cys Gln Asn His Gly
225 230 235 240
cgt ctc aac atc agc acc tgc cac tgc cac tgt ccc cct ggc tac acg 829
Arg Leu Asn Ile Ser Thr Cys His Cys His Cys Pro Pro Gly Tyr Thr
245 250 255
15 ggc aga tac tgc caa gtg agg tgc agc ctg cag tgt gtg cac ggc cgg 877
Gly Arg Tyr Cys Gln Val Arg Cys Ser Leu Gln Cys Val His Gly Arg
260 265 270
ttc cgg gag gag gag tgc tcg tgc gtc tgt gac atc ggc tac ggg gga 925
Phe Arg Glu Glu Glu Cys Ser Cys Val Cys Asp Ile Gly Tyr Gly Gly
20 275 280 285
gcc cag tgt gcc acc aag gtg cat ttt ccc ttc cac acc tgt gac ctg 973
Ala Gln Cys Ala Thr Lys Val His Phe Pro Phe His Thr Cys Asp Leu
290 295 300
agg atc gac gga gac tgc ttc atg gtg tct tca gag gca gac acc tat 1021
25 Arg Ile Asp Gly Asp Cys Phe Met Val Ser Ser Glu Ala Asp Thr Tyr

57 / 346

	305	310	315	320	
	tac aga gcc agg atg aaa tgt cag agg aaa ggc ggg gtg ctg gcc cag	1069			
	Tyr Arg Ala Arg Met Lys Cys Gln Arg Lys Gly Gly Val Leu Ala Gln				
		325	330	335	
5	atc aag agc cag aaa gtg cag gac atc ctc gcc ttc tat ctg ggc cgc	1117			
	Ile Lys Ser Gln Lys Val Gln Asp Ile Leu Ala Phe Tyr Leu Gly Arg				
		340	345	350	
	ctg gag acc acc aac gag gtg att gac agt gac ttc gag acc agg aac	1165			
	Leu Glu Thr Thr Asn Glu Val Ile Asp Ser Asp Phe Glu Thr Arg Asn				
10		355	360	365	
	ttc tgg atc ggg ctc acc tac aag acc gcc aag gac tcc ttc cgc tgg	1213			
	Phe Trp Ile Gly Leu Thr Tyr Lys Thr Ala Lys Asp Ser Phe Arg Trp				
		370	375	380	
	gcc aca ggg gag cac cag gcc ttc acc agt ttt gcc ttt ggg cag cct	1261			
15	Ala Thr Gly Glu His Gln Ala Phe Thr Ser Phe Ala Phe Gly Gln Pro				
		385	390	395	400
	gac aac cac ggg ttt ggc aac tgc gtg gag ctg cag gct tca gct gcc	1309			
	Asp Asn His Gly Phe Gly Asn Cys Val Glu Leu Gln Ala Ser Ala Ala				
		405	410	415	
20	ttc aac tgg aac aac cag cgc tgc aaa acc cga aac cgt tac atc tgc	1357			
	Phe Asn Trp Asn Asn Gln Arg Cys Lys Thr Arg Asn Arg Tyr Ile Cys				
		420	425	430	
	cag ttt gcc cag gag cac atc tcc cgg tgg ggc cca ggg tcc	1399			
	Gln Phe Ala Gln Glu His Ile Ser Arg Trp Gly Pro Gly Ser				
25		435	440	445	

58 / 346

tgaggcctga ccacatggct ccctcgctg ccctgggagc accggctctg cttacctgtc 1459
cgccacctg tctggaacaa gggccaggtt aagaccacat gcctcatgtc caaagaggtc 1519
tcagaccttg cacaatgcca gaagttgggc agagagaggc agggaggcca gtgagggcca 1579
gggagtgagt gttagaagaa gctggggccc ttcgcctgct tttgattggg aagatgggct 1639
5 tcaattagat ggcaaaggag aggacaccgc cagtgggtcca aaaaggctgc tctcttcac 1699
ctggcccaga ccctgtgggg cagcggagct tccctgtggc atgaaccca caggggtatta 1759
aattatgaat cagctg 1775

<210> 26
10 <211> 1372
<212> DNA
<213> Homo sapiens
<220>
<221> CDS
15 <222> (327)..(920)
<400> 26

aactgcccgc agtgcccatg gtggctcggg tgggaggaac caccgaggag ccggggacag 60
ggggagcagg gcagtgtctt gctgggtgag gggcacccag ctccagaggc taggtgggag 120
tcgctggtgg gtggactcct gggcgctgcg cggagccgcg ccggctgggt tagcgcgggc 180
20 ggggagctta gtcccaaccc cagaggaggc ggaagaggag cccgagcctg gccgcgggct 240
gggccccgcc gcagctccag ctggccggct tggctcctgcg gtccttctc tgggaggccc 300
gaccccgccc gcgcccagcc ccacc atg cca ccc gcg ggg ctc cgc cgg gcc 353

Met Pro Pro Ala Gly Leu Arg Arg Ala

1

5

25 gcg ccg ctc acc gca atc gct ctg ttg gtg ctg ggg gct ccc ctg gtg 401

59 /346

Ala Pro Leu Thr Ala Ile Ala Leu Leu Val Leu Gly Ala Pro Leu Val
 10 15 20 25
 ctg gcc ggc gag gac tgc ctg tgg tac ctg gac cgg aat ggc tcc tgg 449
 Leu Ala Gly Glu Asp Cys Leu Trp Tyr Leu Asp Arg Asn Gly Ser Trp
 5 30 35 40
 cat ccg ggg ttt aac tgc gag ttc ttc acc ttc tgc tgc ggg acc tgc 497
 His Pro Gly Phe Asn Cys Glu Phe Phe Thr Phe Cys Cys Gly Thr Cys
 45 50 55
 tac cat cgg tac tgc tgc agg gac ctg acc ttg ctt atc acc gag agg 545
 10 Tyr His Arg Tyr Cys Cys Arg Asp Leu Thr Leu Leu Ile Thr Glu Arg
 60 65 70
 cag cag aag cac tgc ctg gcc ttc agc ccc aag acc ata gca ggc atc 593
 Gln Gln Lys His Cys Leu Ala Phe Ser Pro Lys Thr Ile Ala Gly Ile
 75 80 85
 15 gcc tca gct gtg atc ctc ttt gtt gct gtg gtt gcc acc acc atc tgc 641
 Ala Ser Ala Val Ile Leu Phe Val Ala Val Val Ala Thr Thr Ile Cys
 90 95 100 105
 tgc ttc ctc tgt tcc tgt tgc tac ctg tac cgc cgg cgc cag cag ctc 689
 Cys Phe Leu Cys Ser Cys Cys Tyr Leu Tyr Arg Arg Arg Gln Gln Leu
 20 110 115 120
 cag agc cca ttt gaa ggc cag gag att cca atg aca ggc atc cca gtg 737
 Gln Ser Pro Phe Glu Gly Gln Glu Ile Pro Met Thr Gly Ile Pro Val
 125 130 135
 cag cca gta tac cca tac ccc cag gac ccc aaa gct ggc cct gca ccc 785
 25 Gln Pro Val Tyr Pro Tyr Pro Gln Asp Pro Lys Ala Gly Pro Ala Pro

60 /346

	140	145	150	
	cca cag cct ggc ttc ata tac cca cct agt ggt cct gct ccc caa tat	833		
	Pro Gln Pro Gly Phe Ile Tyr Pro Pro Ser Gly Pro Ala Pro Gln Tyr			
	155	160	165	
5	cca ctc tac cca gct ggg ccc cca gtc tac aac cct gca gct cct cct	881		
	Pro Leu Tyr Pro Ala Gly Pro Pro Val Tyr Asn Pro Ala Ala Pro Pro			
	170	175	180	185
	ccc tat atg cca cca cag ccc tct tac ccg gga gcc tgaggaacca	927		
	Pro Tyr Met Pro Pro Gln Pro Ser Tyr Pro Gly Ala			
10	190	195		
	gccatgtctc tgctgccct tcagtgatgc caaccttggg agatgccctc atcctgtacc	987		
	tgcatctggt cctgggggtg gcaggagtcc tccagccacc aggcccaga ccaagccaag	1047		
	ccctggggcc tactggggac agagccccag ggaagtggaa caggagctga actagaacta	1107		
	tgaggggttg gggggagggc ttggaattat gggctatttt tactgggggc aaggaggga	1167		
15	gatgacagcc tgggtcacag tgcctgtttt caaatagtcc ctctgctccc aagatcccag	1227		
	ccaggaaggc tggggcccta ctgtttgtcc cctctgggct ggggtggggg gagggaggag	1287		
	gttccgtcag cagctggcag tagccctcct ctctggctgc cccactggcc acatctctgg	1347		
	cctgctagat taaagctgta aagac	1372		
20	<210> 27			
	<211> 2074			
	<212> DNA			
	<213> Homo sapiens			
	<220>			
25	<221> CDS			

61 / 346

<222> (101)..(1723)

<400> 27

```

ctttagggtg cgcggggtgca gtatatctcg cgctctctcc cctttccccc tcccccttcc 60
ccaccccggg cgctcaggtt ggtctggacc ggaagcgaag atg gcg act tct ggc 115
5
Met Ala Thr Ser Gly
1 5
gcg gcc tcg gcg gag ctg gtg atc ggc tgg tgc ata ttc ggc ctc tta 163
Ala Ala Ser Ala Glu Leu Val Ile Gly Trp Cys Ile Phe Gly Leu Leu
10
cta ctg gct att ttg gca ttc tgc tgg ata tat gtt cgt aaa tac caa 211
Leu Leu Ala Ile Leu Ala Phe Cys Trp Ile Tyr Val Arg Lys Tyr Gln
25 30 35
agt cgg cgg gaa agt gaa gtt gtc tcc acc ata aca gca att ttt tct 259
Ser Arg Arg Glu Ser Glu Val Val Ser Thr Ile Thr Ala Ile Phe Ser
15
cta gca att gca ctt atc aca tca gca ctt cta cca gtg gat ata ttt 307
Leu Ala Ile Ala Leu Ile Thr Ser Ala Leu Leu Pro Val Asp Ile Phe
55 60 65
ttg gtt tct tac atg aaa aat caa aat ggt aca ttt aag gac tgg gct 355
Leu Val Ser Tyr Met Lys Asn Gln Asn Gly Thr Phe Lys Asp Trp Ala
20
aat gct aat gtc agc aga cag att gag gac act gta tta tac ggt tac 403
Asn Ala Asn Val Ser Arg Gln Ile Glu Asp Thr Val Leu Tyr Gly Tyr
90 95 100
tat act tta tat tct gtt ata ttg ttc tgt gtg ttc ttc tgg atc cct 451
25

```

62 / 346

Tyr Thr Leu Tyr Ser Val Ile Leu Phe Cys Val Phe Phe Trp Ile Pro
 105 110 115
 ttt gtc tac ttc tat tat gaa gaa aag gat gat gat gat act agt aaa 499
 Phe Val Tyr Phe Tyr Tyr Glu Glu Lys Asp Asp Asp Asp Thr Ser Lys
 5 120 125 130
 tgt act caa att aaa acg gca ctc aag tat act ttg gga ttt gtt gtg 547
 Cys Thr Gln Ile Lys Thr Ala Leu Lys Tyr Thr Leu Gly Phe Val Val
 135 140 145
 att tgt gca ctg ctt ctt tta gtt ggt gcc ttt gtt cca ttg aat gtt 595
 10 Ile Cys Ala Leu Leu Leu Leu Val Gly Ala Phe Val Pro Leu Asn Val
 150 155 160 165
 ccc aat aac aaa aat tct aca gag tgg gaa aaa gtg aag tcc cta ttt 643
 Pro Asn Asn Lys Asn Ser Thr Glu Trp Glu Lys Val Lys Ser Leu Phe
 170 175 180
 15 gaa gaa ctt gga agt agt cat ggt tta gct gca ttg tca ttt tct atc 691
 Glu Glu Leu Gly Ser Ser His Gly Leu Ala Ala Leu Ser Phe Ser Ile
 185 190 195
 agt tct ctg acc ttg att gga atg ttg gca gct ata act tac aca gcc 739
 Ser Ser Leu Thr Leu Ile Gly Met Leu Ala Ala Ile Thr Tyr Thr Ala
 20 200 205 210
 tat ggc atg tct gcg tta cct tta aat ctg ata aaa ggc act aga agc 787
 Tyr Gly Met Ser Ala Leu Pro Leu Asn Leu Ile Lys Gly Thr Arg Ser
 215 220 225
 gct gct tat gaa cgt ttg gaa aac act gaa gac att gaa gaa gta gaa 835
 25 Ala Ala Tyr Glu Arg Leu Glu Asn Thr Glu Asp Ile Glu Glu Val Glu

63 / 346

	230	235	240	245	
	caa cac att caa acg att aaa tca aaa agc aaa gat ggt cga cct ttg	883			
	Gln His Ile Gln Thr Ile Lys Ser Lys Ser Lys Asp Gly Arg Pro Leu				
	250	255	260		
5	cca gca agg gat aaa cgc gcc tta aaa caa ttt gaa gaa agg tta cga	931			
	Pro Ala Arg Asp Lys Arg Ala Leu Lys Gln Phe Glu Glu Arg Leu Arg				
	265	270	275		
	aca ctt aag aag aga gag agg cat tta gaa ttc att gaa aac agc tgg	979			
	Thr Leu Lys Lys Arg Glu Arg His Leu Glu Phe Ile Glu Asn Ser Trp				
10	280	285	290		
	tgg aca aaa ttt tgt ggc gct ctg cgt ccc ctg aag atc gtc tgg gga	1027			
	Trp Thr Lys Phe Cys Gly Ala Leu Arg Pro Leu Lys Ile Val Trp Gly				
	295	300	305		
	ata ttt ttc atc tta gtt gca ttg ctg ttt gta att tct ctc ttc ttg	1075			
15	Ile Phe Phe Ile Leu Val Ala Leu Leu Phe Val Ile Ser Leu Phe Leu				
	310	315	320	325	
	tca aat tta gat aaa gct ctt cat tca gct gga ata gat tct ggt ttc	1123			
	Ser Asn Leu Asp Lys Ala Leu His Ser Ala Gly Ile Asp Ser Gly Phe				
	330	335	340		
20	ata att ttt gga gct aac ctg agt aat cca ctg aat atg ctt ttg cct	1171			
	Ile Ile Phe Gly Ala Asn Leu Ser Asn Pro Leu Asn Met Leu Leu Pro				
	345	350	355		
	tta cta caa aca gtt ttc cct ctt gat tat att ctt ata aca att att	1219			
	Leu Leu Gln Thr Val Phe Pro Leu Asp Tyr Ile Leu Ile Thr Ile Ile				
25	360	365	370		

64 / 346

att atg tac ttt att ttt act tca atg gca gga att cga aat att ggc 1267
 Ile Met Tyr Phe Ile Phe Thr Ser Met Ala Gly Ile Arg Asn Ile Gly
 375 380 385
 ata tgg ttc ttt tgg att aga tta tat aaa atc aga aga ggt aga acc 1315
 5 Ile Trp Phe Phe Trp Ile Arg Leu Tyr Lys Ile Arg Arg Gly Arg Thr
 390 395 400 405
 agg ccc caa gca ctc ctt ttt ctc tgc atg ata ctt ctg ctt att gtc 1363
 Arg Pro Gln Ala Leu Leu Phe Leu Cys Met Ile Leu Leu Leu Ile Val
 410 415 420
 10 ctt cac act agc tac atg att tat agt ctt gct ccc caa tat gtt atg 1411
 Leu His Thr Ser Tyr Met Ile Tyr Ser Leu Ala Pro Gln Tyr Val Met
 425 430 435
 tat gga agc caa aat tac tta ata gag act aat ata act tct gat aat 1459
 Tyr Gly Ser Gln Asn Tyr Leu Ile Glu Thr Asn Ile Thr Ser Asp Asn
 15 440 445 450
 cat aaa ggc aat tca acc ctt tct gtg cca aag aga tgt gat gca gat 1507
 His Lys Gly Asn Ser Thr Leu Ser Val Pro Lys Arg Cys Asp Ala Asp
 455 460 465
 gct cct gaa gat cag tgt act gtt acc cgg aca tac cta ttc ctt cac 1555
 20 Ala Pro Glu Asp Gln Cys Thr Val Thr Arg Thr Tyr Leu Phe Leu His
 470 475 480 485
 aag ttc tgg ttc ttc agt gct gct tac tat ttt ggt aac tgg gcc ttt 1603
 Lys Phe Trp Phe Phe Ser Ala Ala Tyr Tyr Phe Gly Asn Trp Ala Phe
 490 495 500
 25 ctt ggg gta ttt ttg att gga tta att gta tcc tgt tgt aaa ggg aag 1651

65 / 346

Leu Gly Val Phe Leu Ile Gly Leu Ile Val Ser Cys Cys Lys Gly Lys
 505 510 515
 aaa tcg gtt att gaa gga gta gat gaa gat tca gac ata agt gat gat 1699
 Lys Ser Val Ile Glu Gly Val Asp Glu Asp Ser Asp Ile Ser Asp Asp
 5 520 525 530
 gag ccc tct gtc tat tct gct tgacagcctt ctgtcttaaa gggtttataa 1750
 Glu Pro Ser Val Tyr Ser Ala
 535 540
 tgctgactga atatctgtta tgcattttta aagtattaaa ctaacattag gatttgctaa 1810
 10 ctagctttca tcaaaaatgg gagcatggct ataagacaac tatattttat tatatgtttt 1870
 ctgaagtaac attgtatcat agattaacat tttaaattac cataatcatg ctatgtaaat 1930
 ataagactac tggctttgtg agggaatggt tgtgcaaaat tttttcctct aatgtataat 1990
 agtggttaaatt tgattaaaaa tcttccagaa ttaatatcc cttttgtcac tttttgaaaa 2050
 cataataaat catctgtatc tgtg 2074
 15
 <210> 28
 <211> 2252
 <212> DNA
 <213> Homo sapiens
 20 <220>
 <221> CDS
 <222> (12)..(1340)
 <400> 28
 gggcgggggc c atg gcg ctg cca tcc cga atc ctg ctt tgg aaa ctt gtg 50
 25 Met Ala Leu Pro Ser Arg Ile Leu Leu Trp Lys Leu Val

66 / 346

	1	5	10	
	ctt ctg cag agc tct gct gtt ctc ctg cac tca ggg tcc tcg gta ccc	98		
	Leu Leu Gln Ser Ser Ala Val Leu Leu His Ser Gly Ser Ser Val Pro			
	15	20	25	
5	gcc gct gct ggc agc tcc gtg gtg tcc gag tcc gcg gtg agc tgg gag	146		
	Ala Ala Ala Gly Ser Ser Val Val Ser Glu Ser Ala Val Ser Trp Glu			
	30	35	40	45
	gcg ggc gcc cgg gcg gtg ctg cgc tgc cag agc ccg cgc atg gtg tgg	194		
	Ala Gly Ala Arg Ala Val Leu Arg Cys Gln Ser Pro Arg Met Val Trp			
10	50	55	60	
	acc cag gac cgg ctg cac gac cgc cag cgc gtg ctc cac tgg gac ctg	242		
	Thr Gln Asp Arg Leu His Asp Arg Gln Arg Val Leu His Trp Asp Leu			
	65	70	75	
	cgc ggc ccc ggg ggt ggc ccc gcg cgg cgc ctg ctg gac ttg tac tcg	290		
15	Arg Gly Pro Gly Gly Gly Pro Ala Arg Arg Leu Leu Asp Leu Tyr Ser			
	80	85	90	
	gcg ggc gag cag cgc gtg tac gag gcg cgg gac cgc ggc cgc ctg gag	338		
	Ala Gly Glu Gln Arg Val Tyr Glu Ala Arg Asp Arg Gly Arg Leu Glu			
	95	100	105	
20	ctc tcg gcc tcg gcc ttc gac gac ggc aac ttc tcg ctg ctc atc cgc	386		
	Leu Ser Ala Ser Ala Phe Asp Asp Gly Asn Phe Ser Leu Leu Ile Arg			
	110	115	120	125
	gcg gtg gag gag acg gac gcg ggg ctg tac acc tgc aac ctg cac cat	434		
	Ala Val Glu Glu Thr Asp Ala Gly Leu Tyr Thr Cys Asn Leu His His			
25	130	135	140	

67 / 346

	cac tac tgc cac ctc tac gag agc ctg gcc gtc cgc ctg gag gtc acc	482
	His Tyr Cys His Leu Tyr Glu Ser Leu Ala Val Arg Leu Glu Val Thr	
	145 150 155	
	gac ggc ccc ccg gcc acc ccc gcc tac tgg gac ggc gag aag gag gtg	530
5	Asp Gly Pro Pro Ala Thr Pro Ala Tyr Trp Asp Gly Glu Lys Glu Val	
	160 165 170	
	ctg gcg gtg gcg cgc gcc gca ccc gcg ctt ctg acc tgc gtg aac cgc	578
	Leu Ala Val Ala Arg Gly Ala Pro Ala Leu Leu Thr Cys Val Asn Arg	
	175 180 185	
10	ggg cac gtg tgg acc gac cgg cac gtg gag gag gct caa cag gtg gtg	626
	Gly His Val Trp Thr Asp Arg His Val Glu Glu Ala Gln Gln Val Val	
	190 195 200 205	
	cac tgg gac cgg cag ccg ccc ggg gtc ccg cac gac cgc gcg gac cgc	674
	His Trp Asp Arg Gln Pro Pro Gly Val Pro His Asp Arg Ala Asp Arg	
15	210 215 220	
	ctg ctg gac ctc tac gcg tcg ggc gag cgc cgc gcc tac ggg ccc ctt	722
	Leu Leu Asp Leu Tyr Ala Ser Gly Glu Arg Arg Ala Tyr Gly Pro Leu	
	225 230 235	
	ttt ctg cgc gac cgc gtg gct gtg ggc gcg gat gcc ttt gag cgc ggt	770
20	Phe Leu Arg Asp Arg Val Ala Val Gly Ala Asp Ala Phe Glu Arg Gly	
	240 245 250	
	gac ttc tca ctg cgt atc gag ccg ctg gag gtc gcc gac gag ggc acc	818
	Asp Phe Ser Leu Arg Ile Glu Pro Leu Glu Val Ala Asp Glu Gly Thr	
	255 260 265	
25	tac tcc tgc cac ctg cac cac cat tac tgt ggc ctg cac gaa cgc cgc	866

68 /346

Tyr Ser Cys His Leu His His His Tyr Cys Gly Leu His Glu Arg Arg
 270 275 280 285
 gtc ttc cac ctg acg gtc gcc gaa ccc cac gcg gag ccg ccc ccc cgg 914
 Val Phe His Leu Thr Val Ala Glu Pro His Ala Glu Pro Pro Pro Arg
 5 290 295 300
 ggc tct ccg ggc aac ggc tcc agc cac agc ggc gcc cca ggc cca gac 962
 Gly Ser Pro Gly Asn Gly Ser Ser His Ser Gly Ala Pro Gly Pro Asp
 305 310 315
 ccc aca ctg gcg cgc ggc cac aac gtc atc aat gtc atc gtc ccc gag 1010
 10 Pro Thr Leu Ala Arg Gly His Asn Val Ile Asn Val Ile Val Pro Glu
 320 325 330
 agc cga gcc cac ttc ttc cag cag ctg ggc tac gtg ctg gcc acg ctg 1058
 Ser Arg Ala His Phe Phe Gln Gln Leu Gly Tyr Val Leu Ala Thr Leu
 335 340 345
 15 ctg ctc ttc atc ctg cta ctg gtc act gtc ctc ctg gcc gcc cgc agg 1106
 Leu Leu Phe Ile Leu Leu Leu Val Thr Val Leu Leu Ala Ala Arg Arg
 350 355 360 365
 cgc cgc gga ggc tac gaa tac tcg gac cag aag tcg gga aag tca aag 1154
 Arg Arg Gly Gly Tyr Glu Tyr Ser Asp Gln Lys Ser Gly Lys Ser Lys
 20 370 375 380
 ggg aag gat gtt aac ttg gcg gag ttc gct gtg gct gca ggg gac cag 1202
 Gly Lys Asp Val Asn Leu Ala Glu Phe Ala Val Ala Ala Gly Asp Gln
 385 390 395
 atg ctt tac agg agt gag gac atc cag cta gat tac aaa aac aac atc 1250
 25 Met Leu Tyr Arg Ser Glu Asp Ile Gln Leu Asp Tyr Lys Asn Asn Ile

69 /346

	400	405	410	
	ctg aag gag agg gcg gag ctg gcc cac agc ccc ctg cct gcc aag tac			1298
	Leu Lys Glu Arg Ala Glu Leu Ala His Ser Pro Leu Pro Ala Lys Tyr			
	415	420	425	
5	atc gac cta gac aaa ggg ttc cgg aag gag aac tgc aaa tagggaggcc			1347
	Ile Asp Leu Asp Lys Gly Phe Arg Lys Glu Asn Cys Lys			
	430	435	440	
	ctgggctcct ggctgggcca gcagctgcac ctctcctgtc tgtgctcctc ggggcatctc			1407
	ctgatgctcc ggggctcacc ccccttcag cgctgtgtcc cgctttcctg gaatttgcc			1467
10	tgggcgtatg cagaggccgc ctccacaccc ctccccagg ggttggtgg cagcatagcc			1527
	cccacccctg cggcctttgc tcacgggtgg cctgcccac cctggcaca accaaaatcc			1587
	cactgatgcc catcatgccc tcagaccctt ctgggctctg cccgctgggg gcctgaagac			1647
	attcctggag gacactccca tcagaacctg gcagcccca aactggggtc agcctcaggg			1707
	caggagtccc actcctccag ggtctgtctc gtccggggct gggagatgtt cctggaggag			1767
15	gacactccca tcagaacttg gcagccttga agttggggtc agcctcggca ggagtccac			1827
	tcctcctggg gtgctgctg ccaccaagag ctccccacc tgtaccacca tgtgggactc			1887
	caggcaccat ctgttctccc cagggacctg ctgacttgaa tgccagccct tgctcctctg			1947
	tggtgctttg ggccacctgg ggtgcaccc cctgcccttt ctctgcccc tccctaccct			2007
	agccttgctc tcagccaact tgatagtcac tgggctccct gtgacttctg accctgacac			2067
20	ccctcccttg gactctgcct gggctggagt ctagggtgtg ggctacattt ggcttctgta			2127
	ctggctgagg acaggggagg gagtgaagtt ggtttggggg ggcctgtgtt gccactctca			2187
	gcacccacaca tttgcatctg ctggtggacc tgccaccatc acaataaagt ccccatctga			2247
	ttttt			2252
25	<210> 29			

70 /346

<211> 1461

<212> DNA

<213> Homo sapiens

<220>

5 <221> CDS

<222> (61)..(849)

<400> 29

```

actcgcaggg cccgtggcgg ttcaggcgcc agagctggcc gatcggcgtt ggccgccgac 60
atg acg ccc gag gac cca gag gaa acc cag ccg ctt ctg ggg cct cct 108
10 Met Thr Pro Glu Asp Pro Glu Glu Thr Gln Pro Leu Leu Gly Pro Pro
    1          5          10          15
ggc ggc agc gcg ccc cgc ggc cgc cgc gtc ttc ctc gcc gcc ttc gcc 156
Gly Gly Ser Ala Pro Arg Gly Arg Arg Val Phe Leu Ala Ala Phe Ala
    20          25          30
15 gct gcc ctg ggc cca ctc agc ttc ggc ttc gcg ctc ggc tac agc tcc 204
Ala Ala Leu Gly Pro Leu Ser Phe Gly Phe Ala Leu Gly Tyr Ser Ser
    35          40          45
ccg gcc atc cct agc ctg cag cgc gcc gcg ccc ccg gcc ccg cgc ctg 252
Pro Ala Ile Pro Ser Leu Gln Arg Ala Ala Pro Pro Ala Pro Arg Leu
20    50          55          60
gac gac gcc gcc gcc tcc tgg ttc ggg gct gtc gtg acc ctg ggt gcc 300
Asp Asp Ala Ala Ala Ser Trp Phe Gly Ala Val Val Thr Leu Gly Ala
    65          70          75          80
gcg gcg ggg gga gtg ctg ggc ggc tgg ctg gtg gac cgc gcc ggg cgc 348
25 Ala Ala Gly Gly Val Leu Gly Gly Trp Leu Val Asp Arg Ala Gly Arg

```

71 /346

	85	90	95	
	aag ctg agc ctc ttg ctg tgc tcc gtg ccc ttc gtg gcc ggc ttt gcc	396		
	Lys Leu Ser Leu Leu Leu Cys Ser Val Pro Phe Val Ala Gly Phe Ala			
	100	105	110	
5	gtc atc acc gcg gcc cag gac gtg tgg atg ctg ctg ggg ggc cgc ctc	444		
	Val Ile Thr Ala Ala Gln Asp Val Trp Met Leu Leu Gly Gly Arg Leu			
	115	120	125	
	ctc acc ggc ctg gcc tgc ggt gtt gcc tcc cta gtg gcc ccg gtc tac	492		
	Leu Thr Gly Leu Ala Cys Gly Val Ala Ser Leu Val Ala Pro Val Tyr			
10	130	135	140	
	atc tcc gaa atc gcc tac cca gca gtc cgg ggg ttg ctc ggc tcc tgt	540		
	Ile Ser Glu Ile Ala Tyr Pro Ala Val Arg Gly Leu Leu Gly Ser Cys			
	145	150	155	160
	gtg cag cta atg gtc gtc gtc ggc atc ctc ctg gcc tac ctg gca ggc	588		
15	Val Gln Leu Met Val Val Val Gly Ile Leu Leu Ala Tyr Leu Ala Gly			
	165	170	175	
	tgg gtg ctg gag tgg cgc tgg ctg gct gtg ctg ggc tgc gtg ccc ccc	636		
	Trp Val Leu Glu Trp Arg Trp Leu Ala Val Leu Gly Cys Val Pro Pro			
	180	185	190	
20	tcc ctc atg ctg ctt ctc atg tgc ttc atg ccc gag acc ccg cgc ttc	684		
	Ser Leu Met Leu Leu Leu Met Cys Phe Met Pro Glu Thr Pro Arg Phe			
	195	200	205	
	ctg ctg act cag cac agg cgc cag gag gct gct cct ggt ctt gtc agg	732		
	Leu Leu Thr Gln His Arg Arg Gln Glu Ala Ala Pro Gly Leu Val Arg			
25	210	215	220	

72 /346

tgt ggt cat ggt gtt cag cac gag tgc ctt cgg cgc cta ctt caa gct 780
 Cys Gly His Gly Val Gln His Glu Cys Leu Arg Arg Leu Leu Gln Ala
 225 230 235 240
 gac cca ggg tgg ccc tgg caa ctc ctc gca cgt ggc cat ctc ggc gcc 828
 5 Asp Pro Gly Trp Pro Trp Gln Leu Leu Ala Arg Gly His Leu Gly Ala
 245 250 255
 tgt ctc tgc aca gcc tgt tgatgccagc gtggggctgg cctggctggc 876
 Cys Leu Cys Thr Ala Cys
 260
 10 cgtgggcagc atgtgcctct tcatogccgg aggtcctcag gccctatgga gccttctggc 936
 ttgcctccgc tttctgcac ttcagtgtcc ttttacttt gttctgtgtc cctgaaacta 996
 aaggaaagac tctggaacaa atcacagccc attttgaggg gcgatgacag ccaactacta 1056
 ggggatggag caagcctgtg actccaagct gggcccaagc ccagagcccc tgctgcccc 1116
 aggggagcca gaatccagcc ccttgagacc ttggtctgca gggccctcc ttctgtcat 1176
 15 gctccctcca gcccatgacc cggggctagg aggtcactg cctcctgttc cagctcctgc 1236
 tgctgctctg aggactcagg aacaccttgc agctttgcag acctgcggtc agccctccat 1296
 gcgcaagact aaagcagcgg aagaggaggt gggcctctag gatctttgtc ttctggctgg 1356
 aggtgctttt ggaggttggg tgctgggcat tcagtcgctc ctctcacgcg gctgccttat 1416
 cggaaggaa atttgtttgc caataaaga ctgacacaga aaatc 1461
 20
 <210> 30
 <211> 1122
 <212> DNA
 <213> Homo sapiens
 25 <220>

73 /346

<221> CDS

<222> (79)..(537)

<400> 30

```

tggtcctcgg ggtccgcgga gcgagcccag ctctcggcgc gtgtcggagt ctcccagccc 60
5  cgcgcccccg agcgcacg atg cgc gga ccc ggg cac ccc ctc ctc ctg ggg 111

      Met Arg Gly Pro Gly His Pro Leu Leu Leu Gly
              1              5              10

ctg ctg ctg gtg ctg ggg gcg gcg ggg cgc ggc cgg ggg ggc gcg gag 159
Leu Leu Leu Val Leu Gly Ala Ala Gly Arg Gly Arg Gly Gly Ala Glu

10              15              20              25

ccc cgg gag ccg gcg gac gga cag gcg ctg ctg cgg ctg gtg gtg gaa 207
Pro Arg Glu Pro Ala Asp Gly Gln Ala Leu Leu Arg Leu Val Val Glu

              30              35              40

ctc gtc cag gag ctg cgg aag cac cac tcg gcg gag cac aag ggc ctg 255
15  Leu Val Gln Glu Leu Arg Lys His His Ser Ala Glu His Lys Gly Leu

              45              50              55

cag ctc ctc ggg cgg gac tgc gcc ctg ggc cgc gcg gag gcg gcg ggg 303
Gln Leu Leu Gly Arg Asp Cys Ala Leu Gly Arg Ala Glu Ala Ala Gly

              60              65              70              75

ctg ggg cct tcg ccg gag cag cga gtg gaa att gtt cct cga gat ctg 351
20  Leu Gly Pro Ser Pro Glu Gln Arg Val Glu Ile Val Pro Arg Asp Leu

              80              85              90

agg atg aag gac aag ttt cta aaa cac ctt aca ggc cct ctt tat ttt 399
Arg Met Lys Asp Lys Phe Leu Lys His Leu Thr Gly Pro Leu Tyr Phe

25              95              100              105

```

74 /346

```

    agt cca aag tgc agc aaa cac ttc cat aga ctt tat cac aac acc aga    447
    Ser Pro Lys Cys Ser Lys His Phe His Arg Leu Tyr His Asn Thr Arg
          110                      115                      120
    gac tgc acc att cct gca tac tat aaa aga tgc gcc agg ctt ctt acc    495
5   Asp Cys Thr Ile Pro Ala Tyr Tyr Lys Arg Cys Ala Arg Leu Leu Thr
          125                      130                      135
    cgg ctg gct gtc agt cca gtg tgc atg gag gat aag cag tgagcagacc    544
    Arg Leu Ala Val Ser Pro Val Cys Met Glu Asp Lys Gln
          140                      145                      150
10  gtacaggagc agcacaccag gagccatgag aagtgccttg gaaaccaaca gggaaacaga 604
    actatcttta tacacatccc ctcatggaca agagatttat ttttcgagac agactcttcc 664
    ataagtcctt tgagttttgt atgttggtga cagtttgagc atatataatc gataaatcag 724
    tgtacttgac agtggttatct gtcacttatt taacacacacac aatgctccac 784
    atttgacgtg tagtgctata aaacacagaa ttttccattg tottcattag gtgaaatcgc 844
15  aaaaaatatt tctttagaaa cataagcaga atcttaaagt atattttcat ataacataat 904
    ttgatattct gtattacttt cactgttaaa ttctcagagt attatttgga acggcatgaa 964
    aaattaaaaat ttcggtcatg ttttagagac agtggagtgt aaatctgtgg ctaattctgt 1024
    tggtcgtttg tattataaat gtaaaatagt attccagcta ttgtgcaata tgtaaatagt 1084
    gtaaataaac acaagtaata aatgaagtgt ttgtttttt    1122
20
    <210> 31
    <211> 335
    <212> PRT
    <213> Homo sapiens
25  <400> 31

```


75 /346

Met Gly Ala Ser Ser Ser Ser Ala Leu Ala Arg Leu Gly Leu Pro Ala
 1 5 10 15
 Arg Pro Trp Pro Arg Trp Leu Gly Val Ala Ala Leu Gly Leu Ala Ala
 20 25 30
 5 Val Ala Leu Gly Thr Val Ala Trp Arg Arg Ala Trp Pro Arg Arg Arg
 35 40 45
 Arg Arg Leu Gln Gln Val Gly Thr Val Ala Lys Leu Trp Ile Tyr Pro
 50 55 60
 Val Lys Ser Cys Lys Gly Val Pro Val Ser Glu Ala Glu Cys Thr Ala
 10 65 70 75 80
 Met Gly Leu Arg Ser Gly Asn Leu Arg Asp Arg Phe Trp Leu Val Ile
 85 90 95
 Lys Glu Asp Gly His Met Val Thr Ala Arg Gln Glu Pro Arg Leu Val
 100 105 110
 15 Leu Ile Ser Ile Ile Tyr Glu Asn Asn Cys Leu Ile Phe Arg Ala Pro
 115 120 125
 Asp Met Asp Gln Leu Val Leu Pro Ser Lys Gln Pro Ser Ser Asn Lys
 130 135 140
 Leu His Asn Cys Arg Ile Phe Gly Leu Asp Ile Lys Gly Arg Asp Cys
 20 145 150 155 160
 Gly Asn Glu Ala Ala Lys Trp Phe Thr Asn Phe Leu Lys Thr Glu Ala
 165 170 175
 Tyr Arg Leu Val Gln Phe Glu Thr Asn Met Lys Gly Arg Thr Ser Arg
 180 185 190
 25 Lys Leu Leu Pro Thr Leu Asp Gln Asn Phe Gln Val Ala Tyr Pro Asp

76 /346

	195	200	205
	Tyr Cys Pro Leu Leu Ile Met Thr Asp Ala Ser Leu Val Asp Leu Asn		
	210	215	220
	Thr Arg Met Glu Lys Lys Met Lys Met Glu Asn Phe Arg Pro Asn Ile		
5	225	230	235 240
	Val Val Thr Gly Cys Asp Ala Phe Glu Glu Asp Thr Trp Asp Glu Leu		
	245	250	255
	Leu Ile Gly Ser Val Glu Val Lys Lys Val Met Ala Cys Pro Arg Cys		
	260	265	270
10	Ile Leu Thr Thr Val Asp Pro Asp Thr Gly Val Ile Asp Arg Lys Gln		
	275	280	285
	Pro Leu Asp Thr Leu Lys Ser Tyr Arg Leu Cys Asp Pro Ser Glu Arg		
	290	295	300
	Glu Leu Tyr Lys Leu Ser Pro Leu Phe Gly Ile Tyr Tyr Ser Val Glu		
15	305	310	315 320
	Lys Ile Gly Ser Leu Arg Val Gly Asp Pro Val Tyr Arg Met Val		
	325	330	335
	<210> 32		
20	<211> 208		
	<212> PRT		
	<213> Homo sapiens		
	<400> 32		
	Met Glu Leu Arg Ala Ala Leu Val Leu Val Val Leu Leu Ile Ala Gly		
25	1	5	10 15

77 /346

Gly Leu Phe Met Phe Thr Tyr Lys Ser Thr Gln Phe Asn Val Glu Gly
 20 25 30
 Phe Ala Leu Val Leu Gly Ala Ser Phe Ile Gly Gly Ile Arg Trp Thr
 35 40 45
 5 Leu Thr Gln Met Leu Leu Gln Lys Ala Glu Leu Gly Leu Gln Asn Pro
 50 55 60
 Ile Asp Thr Met Phe His Leu Gln Pro Leu Met Phe Leu Gly Leu Phe
 65 70 75 80
 Pro Leu Phe Ala Val Phe Glu Gly Leu His Leu Ser Thr Ser Glu Lys
 10 85 90 95
 Ile Phe Arg Phe Gln Asp Thr Gly Leu Leu Leu Arg Val Leu Gly Ser
 100 105 110
 Leu Phe Leu Gly Gly Ile Leu Ala Phe Gly Leu Gly Phe Ser Glu Phe
 115 120 125
 15 Leu Leu Val Ser Arg Thr Ser Ser Leu Thr Leu Ser Ile Ala Gly Ile
 130 135 140
 Phe Lys Glu Val Cys Thr Leu Leu Leu Ala Ala His Leu Leu Gly Asp
 145 150 155 160
 Gln Ile Ser Leu Leu Asn Trp Leu Gly Phe Ala Leu Cys Leu Ser Gly
 20 165 170 175
 Ile Ser Leu His Val Ala Leu Lys Ala Leu His Ser Arg Gly Asn Pro
 180 185 190
 Glu Ser Leu Pro Glu Ala Ser Val Phe Cys Ser Ser Pro Cys Asp Ser
 195 200 205

25

78 / 346

<210> 33

<211> 406

<212> PRT

<213> Homo sapiens

5 <400> 33

Met Ala Ala Gly Ala Gly Ala Gly Ser Ala Pro Arg Trp Leu Arg Ala

1 5 10 15

Leu Ser Glu Pro Leu Ser Ala Ala Gln Leu Arg Arg Leu Glu Glu His

20 25 30

10 Arg Tyr Ser Ala Ala Gly Val Ser Leu Leu Glu Pro Pro Leu Gln Leu

35 40 45

Tyr Trp Thr Trp Leu Leu Gln Trp Ile Pro Leu Trp Met Ala Pro Asn

50 55 60

Ser Ile Thr Leu Leu Gly Leu Ala Val Asn Val Val Thr Thr Leu Val

15 65 70 75 80

Leu Ile Ser Tyr Cys Pro Thr Ala Thr Glu Glu Ala Pro Tyr Trp Thr

85 90 95

Tyr Leu Leu Cys Ala Leu Gly Leu Phe Ile Tyr Gln Ser Leu Asp Ala

100 105 110

20 Ile Asp Gly Lys Gln Ala Arg Arg Thr Asn Ser Cys Ser Pro Leu Gly

115 120 125

Glu Leu Phe Asp His Gly Cys Asp Ser Leu Ser Thr Val Phe Met Ala

130 135 140

Val Gly Ala Ser Ile Ala Ala Arg Leu Gly Thr Tyr Pro Asp Trp Phe

25 145 150 155 160

79 / 346

	Phe	Phe	Cys	Ser	Phe	Ile	Gly	Met	Phe	Val	Phe	Tyr	Cys	Ala	His	Trp	
					165					170						175	
	Gln	Thr	Tyr	Val	Ser	Gly	Met	Leu	Arg	Phe	Gly	Lys	Val	Asp	Val	Thr	
					180					185						190	
5	Glu	Ile	Gln	Ile	Ala	Leu	Val	Ile	Val	Phe	Val	Leu	Ser	Ala	Phe	Gly	
					195					200						205	
	Gly	Ala	Thr	Met	Trp	Asp	Tyr	Thr	Ile	Pro	Ile	Leu	Glu	Ile	Lys	Leu	
		210						215						220			
	Lys	Ile	Leu	Pro	Val	Leu	Gly	Phe	Leu	Gly	Gly	Val	Ile	Phe	Ser	Cys	
10	225					230						235				240	
	Ser	Asn	Tyr	Phe	His	Val	Ile	Leu	His	Gly	Gly	Val	Gly	Lys	Asn	Gly	
					245					250						255	
	Ser	Thr	Ile	Ala	Gly	Thr	Ser	Val	Leu	Ser	Pro	Gly	Leu	His	Ile	Gly	
					260					265						270	
15	Leu	Ile	Ile	Ile	Leu	Ala	Ile	Met	Ile	Tyr	Lys	Lys	Ser	Ala	Thr	Asp	
					275					280						285	
	Val	Phe	Glu	Lys	His	Pro	Cys	Leu	Tyr	Ile	Leu	Met	Phe	Gly	Cys	Val	
		290						295						300			
	Phe	Ala	Lys	Val	Ser	Gln	Lys	Leu	Val	Val	Ala	His	Met	Thr	Lys	Ser	
20	305					310						315				320	
	Glu	Leu	Tyr	Leu	Gln	Asp	Thr	Val	Phe	Leu	Gly	Pro	Gly	Leu	Leu	Phe	
					325						330					335	
	Leu	Asp	Gln	Tyr	Phe	Asn	Asn	Phe	Ile	Asp	Glu	Tyr	Val	Val	Leu	Trp	
					340					345						350	
25	Met	Ala	Met	Val	Ile	Ser	Ser	Phe	Asp	Met	Val	Ile	Tyr	Phe	Ser	Ala	

80 /346

	355		360		365
	Leu Cys Leu Gln Ile Ser Arg His Leu His Leu Asn Ile Phe Lys Thr				
	370		375		380
	Ala Cys His Gln Ala Pro Glu Gln Val Gln Val Leu Ser Ser Lys Ser				
5	385		390		395 400
	His Gln Asn Asn Met Asp				
		405			
	<210> 34				
10	<211> 618				
	<212> PRT				
	<213> Homo sapiens				
	<400> 34				
	Met Glu Val Lys Asn Phe Ala Val Trp Asp Tyr Val Val Phe Ala Ala				
15	1		5		10 15
	Leu Phe Phe Ile Ser Ser Gly Ile Gly Val Phe Phe Ala Ile Lys Glu				
		20		25	30
	Arg Lys Lys Ala Thr Ser Arg Glu Phe Leu Val Gly Gly Arg Gln Met				
		35		40	45
20	Ser Phe Gly Pro Val Gly Leu Ser Leu Thr Ala Ser Phe Met Ser Ala				
		50		55	60
	Val Thr Val Leu Gly Thr Pro Ser Glu Val Tyr Arg Phe Gly Ala Ser				
		65		70	75 80
	Phe Leu Val Phe Phe Ile Ala Tyr Leu Phe Val Ile Leu Leu Thr Ser				
25			85		90 95

81 /346

Glu Leu Phe Leu Pro Val Phe Tyr Arg Ser Gly Ile Thr Ser Thr Tyr
 100 105 110
 Glu Tyr Leu Gln Leu Arg Phe Asn Lys Pro Val Arg Tyr Ala Ala Thr
 115 120 125
 5 Val Ile Tyr Ile Val Gln Thr Ile Leu Tyr Thr Gly Val Val Val Tyr
 130 135 140
 Ala Pro Ala Leu Ala Leu Asn Gln Val Thr Gly Phe Asp Leu Trp Gly
 145 150 155 160
 Ser Val Phe Ala Thr Gly Ile Val Cys Thr Phe Tyr Cys Thr Leu Gly
 10 165 170 175
 Gly Leu Lys Ala Val Val Trp Thr Asp Ala Phe Gln Met Val Val Met
 180 185 190
 Ile Val Gly Phe Leu Thr Val Leu Ile Gln Gly Ser Thr His Ala Gly
 195 200 205
 15 Gly Phe His Asn Val Leu Glu Gln Ser Thr Asn Gly Ser Arg Leu His
 210 215 220
 Ile Phe Asp Phe Asp Val Asp Pro Leu Arg Arg His Thr Phe Trp Thr
 225 230 235 240
 Ile Thr Val Gly Gly Thr Phe Thr Trp Leu Gly Ile Tyr Gly Val Asn
 20 245 250 255
 Gln Ser Thr Ile Gln Arg Cys Ile Ser Cys Lys Thr Glu Lys His Ala
 260 265 270
 Lys Leu Ala Leu Tyr Phe Asn Leu Leu Gly Leu Trp Ile Ile Leu Val
 275 280 285
 25 Cys Ala Val Phe Ser Gly Leu Ile Met Tyr Ser His Phe Lys Asp Cys

82 / 346

	290	295	300	
	Asp	Pro	Trp	Thr
	Ser	Gly	Ile	Ile
	Ser	Ala	Pro	Asp
	Gln	Leu	Met	Pro
	305	310	315	320
	Tyr	Phe	Val	Met
	Glu	Ile	Phe	Ala
	Thr	Met	Pro	Gly
	Leu	Pro	Gly	Leu
5	325	330	335	
	Phe	Val	Ala	Cys
	Ala	Phe	Ser	Gly
	Thr	Leu	Ser	Thr
	Val	Ala	Ser	Ser
	340	345	350	
	Ile	Asn	Ala	Leu
	Ala	Thr	Val	Thr
	Phe	Glu	Asp	Phe
	Val	Lys	Ser	Cys
	355	360	365	
10	Phe	Pro	His	Leu
	Ser	Asp	Lys	Leu
	Ser	Thr	Trp	Ile
	Ser	Lys	Gly	Leu
	370	375	380	
	Cys	Leu	Leu	Phe
	Gly	Val	Met	Cys
	Thr	Ser	Met	Ala
	Val	Ala	Ala	Ser
	385	390	395	400
	Val	Met	Gly	Gly
	Val	Gln	Ala	Ser
	Leu	Ser	Ile	His
	Gly	Met	Cys	
15	405	410	415	
	Gly	Gly	Pro	Met
	Leu	Gly	Leu	Phe
	Ser	Leu	Gly	Ile
	Val	Phe	Pro	Phe
	420	425	430	
	Val	Asn	Trp	Lys
	Gly	Ala	Leu	Gly
	Gly	Leu	Leu	Thr
	Gly	Ile	Thr	Leu
	435	440	445	
20	Ser	Phe	Trp	Val
	Ala	Ile	Gly	Ala
	Phe	Ile	Tyr	Pro
	Ala	Pro	Ala	Ser
	450	455	460	
	Lys	Thr	Trp	Pro
	Leu	Pro	Leu	Ser
	Thr	Asp	Gln	Cys
	Ile	Lys	Ser	Asn
	465	470	475	480
	Val	Thr	Ala	Thr
	Gly	Pro	Pro	Val
	Leu	Ser	Ser	Arg
	Pro	Gly	Ile	Ala
25	485	490	495	

83 /346

Asp Thr Trp Tyr Ser Ile Ser Tyr Leu Tyr Tyr Ser Ala Val Gly Cys
 500 505 510
 Leu Gly Cys Ile Val Ala Gly Val Ile Ile Ser Leu Ile Thr Gly Arg
 515 520 525
 5 Gln Arg Gly Glu Asp Ile Gln Pro Leu Leu Ile Arg Pro Val Cys Asn
 530 535 540
 Leu Phe Cys Phe Trp Ser Lys Lys Tyr Lys Thr Leu Cys Trp Cys Gly
 545 550 555 560
 Val Gln His Asp Ser Gly Thr Glu Gln Glu Asn Leu Glu Asn Gly Ser
 10 565 570 575
 Ala Arg Lys Gln Gly Ala Glu Ser Val Leu Gln Asn Gly Leu Arg Arg
 580 585 590
 Glu Ser Leu Val His Val Pro Gly Tyr Asp Pro Lys Asp Lys Ser Tyr
 595 600 605
 15 Asn Asn Met Ala Phe Glu Thr Thr His Phe
 610 615

 <210> 35
 <211> 208
 20 <212> PRT
 <213> Homo sapiens
 <400> 35
 Met Gly Leu Gly Ala Arg Gly Ala Trp Ala Ala Leu Leu Leu Gly Thr
 1 5 10 15
 25 Leu Gln Val Leu Ala Leu Leu Gly Ala Ala His Glu Ser Ala Ala Met

84 /346

	20	25	30
	Ala Ala Ser Ala Asn Ile Glu Asn Ser Gly Leu Pro His Asn Ser Ser		
	35	40	45
	Ala Asn Ser Thr Glu Thr Leu Gln His Val Pro Ser Asp His Thr Asn		
5	50	55	60
	Glu Thr Ser Asn Ser Thr Val Lys Pro Pro Thr Ser Val Ala Ser Asp		
	65	70	75 80
	Ser Ser Asn Thr Thr Val Thr Thr Met Lys Pro Thr Ala Ala Ser Asn		
	85	90	95
10	Thr Thr Thr Pro Gly Met Val Ser Thr Asn Met Thr Ser Thr Thr Leu		
	100	105	110
	Lys Ser Thr Pro Lys Thr Thr Ser Val Ser Gln Asn Thr Ser Gln Ile		
	115	120	125
	Ser Thr Ser Thr Met Thr Val Thr His Asn Ser Ser Val Thr Ser Ala		
15	130	135	140
	Ala Ser Ser Val Thr Ile Thr Thr Thr Met His Ser Glu Ala Lys Lys		
	145	150	155 160
	Gly Ser Lys Phe Asp Thr Gly Ser Phe Val Gly Gly Ile Val Leu Thr		
	165	170	175
20	Leu Gly Val Leu Ser Ile Leu Tyr Ile Gly Cys Lys Met Tyr Tyr Ser		
	180	185	190
	Arg Arg Gly Ile Arg Tyr Arg Thr Ile Asp Glu His Asp Ala Ile Ile		
	195	200	205
25	<210> 36		

85 /346

<211> 502

<212> PRT

<213> Homo sapiens

<400> 36

5 Met Ser Leu Val Leu Leu Ser Leu Ala Ala Leu Cys Arg Ser Ala Val
 1 5 10 15
 Pro Arg Glu Pro Thr Val Gln Cys Gly Ser Glu Thr Gly Pro Ser Pro
 20 25 30
 Glu Trp Met Leu Gln His Asp Leu Ile Pro Gly Asp Leu Arg Asp Leu
 10 35 40 45
 Arg Val Glu Pro Val Thr Thr Ser Val Ala Thr Gly Asp Tyr Ser Ile
 50 55 60
 Leu Met Asn Val Ser Trp Val Leu Arg Ala Asp Ala Ser Ile Arg Leu
 65 70 75 80
 15 Leu Lys Ala Thr Lys Ile Cys Val Thr Gly Lys Ser Asn Phe Gln Ser
 85 90 95
 Tyr Ser Cys Val Arg Cys Asn Tyr Thr Glu Ala Phe Gln Thr Gln Thr
 100 105 110
 Arg Pro Ser Gly Gly Lys Trp Thr Phe Ser Tyr Ile Gly Phe Pro Val
 20 115 120 125
 Glu Leu Asn Thr Val Tyr Phe Ile Gly Ala His Asn Ile Pro Asn Ala
 130 135 140
 Asn Met Asn Glu Asp Gly Pro Ser Met Ser Val Asn Phe Thr Ser Pro
 145 150 155 160
 25 Gly Cys Leu Asp His Ile Met Lys Tyr Lys Lys Lys Cys Val Lys Ala

86 / 346

	165	170	175
	Gly Ser Leu Trp Asp Pro Asn Ile Thr Ala Cys Lys Lys Asn Glu Glu		
	180	185	190
	Thr Val Glu Val Asn Phe Thr Thr Thr Pro Leu Gly Asn Arg Tyr Met		
5	195	200	205
	Ala Leu Ile Gln His Ser Thr Ile Ile Gly Phe Ser Gln Val Phe Glu		
	210	215	220
	Pro His Gln Lys Lys Gln Thr Arg Ala Ser Val Val Ile Pro Val Thr		
	225	230	235
10	240	245	250
	Gly Asp Ser Glu Gly Ala Thr Val Gln Leu Thr Pro Tyr Phe Pro Thr		
	255	260	265
	Cys Gly Ser Asp Cys Ile Arg His Lys Gly Thr Val Val Leu Cys Pro		
	270	275	280
	Gln Thr Gly Val Pro Phe Pro Leu Asp Asn Asn Lys Ser Lys Pro Gly		
15	285	290	295
	Gly Trp Leu Pro Leu Leu Leu Leu Ser Leu Leu Val Ala Thr Trp Val		
	300	305	310
	Leu Val Ala Gly Ile Tyr Leu Met Trp Arg His Glu Arg Ile Lys Lys		
	315	320	325
20	330	335	340
	Thr Ser Phe Ser Thr Thr Thr Leu Leu Pro Pro Ile Lys Val Leu Val		
	345	350	355
	Val Tyr Pro Ser Glu Ile Cys Phe His His Thr Ile Cys Tyr Phe Thr		
	360	365	370
	Glu Phe Leu Gln Asn His Cys Arg Ser Glu Val Ile Leu Glu Lys Trp		
25	375	380	385

87 /346

Gln Lys Lys Lys Ile Ala Glu Met Gly Pro Val Gln Trp Leu Ala Thr
 370 375 380
 Gln Lys Lys Ala Ala Asp Lys Val Val Phe Leu Leu Ser Asn Asp Val
 385 390 395 400
 5 Asn Ser Val Cys Asp Gly Thr Cys Gly Lys Ser Glu Gly Ser Pro Ser
 405 410 415
 Glu Asn Ser Gln Asp Leu Phe Pro Leu Ala Phe Asn Leu Phe Cys Ser
 420 425 430
 Asp Leu Arg Ser Gln Ile His Leu His Lys Tyr Val Val Val Tyr Phe
 10 435 440 445
 Arg Glu Ile Asp Thr Lys Asp Asp Tyr Asn Ala Leu Ser Val Cys Pro
 450 455 460
 Lys Tyr His Leu Met Lys Asp Ala Thr Ala Phe Cys Ala Glu Leu Leu
 465 470 475 480
 15 His Val Lys Gln Gln Val Ser Ala Gly Lys Arg Ser Gln Ala Cys His
 485 490 495
 Asp Gly Cys Cys Ser Leu
 500
 20 <210> 37
 <211> 336
 <212> PRT
 <213> Homo sapiens
 <400> 37
 25 Met Arg Ala Pro Ser Met Asp Arg Ala Ala Val Ala Arg Val Gly Ala

88 /346

	1		5		10		15
	Val	Ala	Ser	Ala	Ser	Val	Cys
	Ala	Ser	Val	Cys	Ala	Leu	Val
	Ala	Gly	Val	Val	Leu	Ala	
	20		25		30		
	Gln	Tyr	Ile	Phe	Thr	Leu	Lys
	Arg	Lys	Thr	Gly	Arg	Lys	Thr
	Lys	Thr	Lys	Ile			
5	35		40		45		
	Ile	Glu	Met	Met	Pro	Glu	Phe
	Gln	Lys	Ser	Ser	Val	Arg	Ile
	Lys	Asn					
	50		55		60		
	Pro	Thr	Arg	Val	Glu	Glu	Ile
	Ile	Ile	Cys	Gly	Leu	Ile	Lys
	Gly	Gly	Ala				
	65		70		75		80
10	Ala	Lys	Leu	Gln	Ile	Ile	Thr
	Asp	Phe	Asp	Met	Thr	Leu	Ser
	Arg	Phe					
	85		90		95		
	Ser	Tyr	Lys	Gly	Lys	Arg	Cys
	Pro	Thr	Cys	His	Asn	Ile	Ile
	Asp	Asn					
	100		105		110		
	Cys	Lys	Leu	Val	Thr	Asp	Glu
	Cys	Arg	Lys	Lys	Leu	Leu	Gln
	Leu	Lys					
15	115		120		125		
	Glu	Lys	Tyr	Tyr	Ala	Ile	Glu
	Val	Asp	Pro	Val	Leu	Thr	Val
	Glu	Glu					
	130		135		140		
	Lys	Tyr	Pro	Tyr	Met	Val	Glu
	Trp	Tyr	Thr	Lys	Ser	His	Gly
	Leu	Leu					
	145		150		155		160
20	Val	Gln	Gln	Ala	Leu	Pro	Lys
	Ala	Lys	Leu	Lys	Glu	Ile	Val
	Ala	Glu					
	165		170		175		
	Ser	Asp	Val	Met	Leu	Lys	Glu
	Gly	Tyr	Glu	Asn	Phe	Phe	Asp
	Lys	Leu					
	180		185		190		
	Gln	Gln	His	Ser	Ile	Pro	Val
	Phe	Ile	Phe	Ser	Ala	Gly	Ile
	Gly	Asp					
25	195		200		205		

89 /346

Val Leu Glu Glu Val Ile Arg Gln Ala Gly Val Tyr His Pro Asn Val
210 215 220
Lys Val Val Ser Asn Phe Met Asp Phe Asp Glu Thr Gly Val Leu Lys
225 230 235 240
5 Gly Phe Lys Gly Glu Leu Ile His Val Phe Asn Lys His Asp Gly Ala
245 250 255
Leu Arg Asn Thr Glu Tyr Phe Asn Gln Leu Lys Asp Asn Ser Asn Ile
260 265 270
Ile Leu Leu Gly Asp Ser Gln Gly Asp Leu Arg Met Ala Asp Gly Val
10 275 280 285
Ala Asn Val Glu His Ile Leu Lys Ile Gly Tyr Leu Asn Asp Arg Val
290 295 300
Asp Glu Leu Leu Glu Lys Tyr Met Asp Ser Tyr Asp Ile Val Leu Val
305 310 315 320
15 Gln Asp Glu Ser Leu Glu Val Ala Asn Ser Ile Leu Gln Lys Ile Leu
325 330 335

<210> 38
<211> 340
20 <212> PRT
<213> Homo sapiens
<400> 38

Met Glu Pro Gly Arg Thr Gln Ile Lys Leu Asp Pro Arg Tyr Thr Ala
1 5 10 15
25 Asp Leu Leu Glu Val Leu Lys Thr Asn Tyr Gly Ile Pro Ser Ala Cys

90 /346

	20	25	30
	Phe Ser Gln Pro Pro Thr Ala Ala Gln Leu Leu Arg Ala Leu Gly Pro		
	35	40	45
	Val Glu Leu Ala Leu Thr Ser Ile Leu Thr Leu Leu Ala Leu Gly Ser		
5	50	55	60
	Ile Ala Ile Phe Leu Glu Asp Ala Val Tyr Leu Tyr Lys Asn Thr Leu		
	65	70	75 80
	Cys Pro Ile Lys Arg Arg Thr Leu Leu Trp Lys Ser Ser Ala Pro Thr		
	85	90	95
10	Val Val Ser Val Leu Cys Cys Phe Gly Leu Trp Ile Pro Arg Ser Leu		
	100	105	110
	Val Leu Val Glu Met Thr Ile Thr Ser Phe Tyr Ala Val Cys Phe Tyr		
	115	120	125
	Leu Leu Met Leu Val Met Val Glu Gly Phe Gly Gly Lys Glu Ala Val		
15	130	135	140
	Leu Arg Thr Leu Arg Asp Thr Pro Met Met Val His Thr Gly Pro Cys		
	145	150	155 160
	Cys Cys Cys Cys Pro Cys Cys Pro Arg Leu Leu Leu Thr Arg Lys Lys		
	165	170	175
20	Leu Gln Leu Leu Met Leu Gly Pro Phe Gln Tyr Ala Phe Leu Lys Ile		
	180	185	190
	Thr Leu Thr Leu Val Gly Leu Phe Leu Ile Pro Asp Gly Ile Tyr Asp		
	195	200	205
	Pro Ala Asp Ile Ser Glu Gly Ser Thr Ala Leu Trp Ile Asn Thr Phe		
25	210	215	220

91 / 346

Leu Gly Val Ser Thr Leu Leu Ala Leu Trp Thr Leu Gly Ile Ile Ser
 225 230 235 240
 Arg Gln Ala Arg Leu His Leu Gly Glu Gln Asn Met Gly Ala Lys Phe
 245 250 255
 5 Ala Leu Phe Gln Val Leu Leu Ile Leu Thr Ala Leu Gln Pro Ser Ile
 260 265 270
 Phe Ser Val Leu Ala Asn Gly Gly Gln Ile Ala Cys Ser Pro Pro Tyr
 275 280 285
 Ser Ser Lys Thr Arg Ser Gln Val Met Asn Cys His Leu Leu Ile Leu
 10 290 295 300
 Glu Thr Phe Leu Met Thr Val Leu Thr Arg Met Tyr Tyr Arg Arg Lys
 305 310 315 320
 Asp His Lys Val Gly Tyr Glu Thr Phe Ser Ser Pro Asp Leu Asp Leu
 325 330 335
 15 Asn Leu Lys Ala
 340

 <210> 39
 <211> 223
 20 <212> PRT

 <213> Homo sapiens

 <400> 39

 Met Leu Trp Arg Gln Leu Ile Tyr Trp Gln Leu Leu Ala Leu Phe Phe
 1 5 10 15
 25 Leu Pro Phe Cys Leu Cys Gln Asp Glu Tyr Met Glu Val Ser Gly Arg

92 /346

	20	25	30
	Thr Asn Lys Val Val Ala Arg Ile Val Gln Ser His Gln Gln Thr Gly		
	35	40	45
	Arg Ser Gly Ser Arg Arg Glu Lys Val Arg Glu Arg Ser His Pro Lys		
5	50	55	60
	Thr Gly Thr Val Asp Asn Asn Thr Ser Thr Asp Leu Lys Ser Leu Arg		
	65	70	75 80
	Pro Asp Glu Leu Pro His Pro Glu Val Asp Asp Leu Ala Gln Ile Thr		
	85	90	95
10	Thr Phe Trp Gly Gln Ser Pro Gln Thr Gly Gly Leu Pro Pro Asp Cys		
	100	105	110
	Ser Lys Cys Cys His Gly Asp Tyr Ser Phe Arg Gly Tyr Gln Gly Pro		
	115	120	125
	Pro Gly Pro Pro Gly Pro Pro Gly Ile Pro Gly Asn His Gly Asn Asn		
15	130	135	140
	Gly Asn Asn Gly Ala Thr Gly His Glu Gly Ala Lys Gly Glu Lys Gly		
	145	150	155 160
	Asp Lys Gly Asp Leu Gly Pro Arg Gly Glu Arg Gly Gln His Gly Pro		
	165	170	175
20	Lys Gly Glu Lys Gly Tyr Pro Gly Ile Pro Pro Glu Leu Gln Ile Ala		
	180	185	190
	Phe Met Ala Ser Leu Ala Thr His Phe Ser Asn Gln Asn Ser Gly Ile		
	195	200	205
	Ile Phe Ser Ser Val Glu Thr Asn Ile Gly Asn Phe Leu Met Ser		
25	210	215	220

93 / 346

<210> 40

<211> 309

<212> PRT

5 <213> Homo sapiens

<400> 40

Met Ala Thr Leu Ser Val Ile Gly Ser Ser Ser Leu Ile Ala Tyr Ala
1 5 10 15
Val Phe His Asn Ile Gln Lys Ser Pro Glu Ile Arg Pro Leu Phe Tyr
10 20 25 30
Leu Ser Phe Cys Asp Leu Leu Leu Gly Leu Cys Trp Leu Thr Glu Thr
35 40 45
Leu Leu Tyr Gly Ala Ser Val Ala Asn Lys Asp Ile Ile Cys Tyr Asn
50 55 60
15 Leu Gln Ala Val Gly Gln Ile Phe Tyr Ile Ser Ser Phe Leu Tyr Thr
65 70 75 80
Val Asn Tyr Ile Trp Tyr Leu Tyr Thr Glu Leu Arg Met Lys His Thr
85 90 95
Gln Ser Gly Gln Ser Thr Ser Pro Leu Val Ile Asp Tyr Thr Cys Arg
20 100 105 110
Val Cys Gln Met Ala Phe Val Phe Ser Arg Cys Ile Leu Met His Ser
115 120 125
Pro Pro Ser Ala Met Ala Glu Leu Pro Pro Ser Ala Asn Thr Ser Val
130 135 140
25 Cys Ser Thr Leu Tyr Phe Tyr Gly Ile Ala Ile Phe Leu Gly Ser Phe

94 / 346

145 150 155 160
Val Leu Ser Leu Leu Thr Ile Met Val Leu Leu Ile Arg Ala Gln Thr
165 170 175
Leu Tyr Lys Lys Phe Val Lys Ser Thr Gly Phe Leu Gly Ser Glu Gln
5 180 185 190
Trp Ala Val Ile His Ile Val Asp Gln Arg Val Arg Phe Tyr Pro Val
195 200 205
Ala Phe Phe Cys Cys Trp Gly Pro Ala Val Ile Leu Met Ile Ile Lys
210 215 220
10 Leu Thr Lys Pro Gln Asp Thr Lys Leu His Met Ala Leu Tyr Val Leu
225 230 235 240
Gln Ala Leu Thr Ala Thr Ser Gln Gly Leu Leu Asn Cys Gly Val Tyr
245 250 255
Gly Trp Thr Gln His Lys Phe His Gln Leu Lys Gln Glu Ala Arg Arg
15 260 265 270
Asp Ala Asp Thr Gln Thr Pro Leu Leu Cys Ser Gln Lys Arg Phe Tyr
275 280 285
Ser Arg Gly Leu Asn Ser Leu Glu Ser Thr Leu Thr Phe Pro Ala Ser
290 295 300
20 Thr Ser Thr Ile Phe
305

<210> 41

<211> 1008

25 <212> DNA

95 /346

<213> Homo sapiens

<400> 41

atggggcgctt ccagctcctc cgcgctggcc cgctcggcc tcccagcccg gccctggccc 60
aggtggctcg gggtcgccgc gctaggactg gccgccgtgg ccctggggac tgtcgcttg 120
5 cgccgcgcat ggcccaggcg gcgccggcgg ctgcagcagg tgggcaccgt ggcgaagctc 180
tggatctacc cggtgaaatc ctgcaaaggg gtgccggtga gcgaggctga gtgcacggcc 240
atggggctgc gcagcggcaa cctgcgggac aggttttggc tggtgattaa ggaagatgga 300
cacatggtca ctgcccgaca ggagcctcgc ctctgtctca tctccatcat ttatgagaat 360
aactgcctga tcttcagggc tccagacatg gaccagctgg ttttgctag caagcagcct 420
10 tctcaaaca aactccacaa ctgcaggata tttggccttg acattaaagg cagagactgt 480
ggcaatgagg cagctaagtg gttcaccaac ttcttgaaaa ctgaagcgta tagattgggt 540
caatttgaga caaacatgaa gggaagaaca tcaagaaaac ttctccccac tcttgatcag 600
aatttccagg tggcctaccc agactactgc ccgtcctga tcatgacaga tgcctccctg 660
gtagatttga ataccaggat ggagaagaaa atgaaaatgg agaatttcag gccaaatatt 720
15 gtggtgaccg gctgtgatgc ttttgaggag gatacctggg atgaactcct aattggtagt 780
gtagaagtga aaaaggtaat ggcatgcccc aggtgtattt tgacaacggt ggaccagac 840
actggagtca tagacaggaa acagccactg gacaccctga agagctaccg cctgtgtgat 900
ccttctgaga gggaattgta caagtgtct ccactttttg ggatctatta ttcagtggaa 960
aaaattggaa gcctgagagt tggtgaccct gtgtatcgga tgggtgtag 1008

20

<210> 42

<211> 627

<212> DNA

<213> Homo sapiens

25

<400> 42

96 / 346

atggagctgc gcgcggcact ggtcctggtg gtctctctca tcgccggggg tctcttcatg 60
 ttcacctaca agtccacaca gttcaacgtg gagggcttcg ccttggtgct gggggcctcg 120
 ttcacggtg gcattcgctg gacctcacc cagatgctcc tgcagaaggc tgaactcggc 180
 ctccagaatc ccatcgacac catgttccac ctgcagccac tcatgttctt ggggctcttc 240
 5 cctctctttg ctgtatttga aggtctccat ttgtccacat ctgagaaaat cttccgtttc 300
 caggacacag ggctgctcct gcgggtactt gggagcctct tccttggcgg gattctcgcc 360
 tttggtttgg gcttctctga gttcctcctg gtctccagaa cctccagcct cactctctcc 420
 attgccggca tttttaagga agtctgcaact ttgctgttgg cagctcatct gctgggcgat 480
 cagatcagcc tcctgaactg gctgggcttc gccctctgcc tctcggaat atccctccac 540
 10 gttgccctca aagccctgca ttccagaggt aaccagagt cccttcaga agcctctgtt 600
 ttctgttctt ctccctgtga ctcttag 627

<210> 43

15 <211> 1221

<212> DNA

<213> Homo sapiens

<400> 43

atggcggcag gcgcggggc cggtccgcg ccgcgctggc tgagggcgct gagcgagccg 60
 20 ctgagcgcg cgagctgcg gcgactggag gagcaccgct acagcgcggc gggcgctctg 120
 ctgctcgagc cgccgctgca gctctactgg acctggctgc tccagtggat cccgctctgg 180
 atggcccca actccatcac cctgctgggg ctgccgtca acgtggtcac cacgctcgtg 240
 ctcatctcct actgtccac ggccaccgaa gaggcacat actggacata cttttatgt 300
 gcactgggac tttttattta ccagtcaact gatgctattg atgggaaaca agccagaaga 360
 25 acaaactctt gttcccctt aggggagctc ttgaccatg gctgtgactc ttttccaca 420

98 / 346

cctgtgttct acagatctgg taccaccagc acttatgagt acttacaact acgattcaac 360
aaaccagttc gctatgctgc cacagtcac tacattgtac agacgattct ctacacagga 420
gtggtggtgt atgctcctgc cctggcactc aatcaagtga ctgggtttga tctctggggc 480
tctgtgtttg caacaggaat tgtttgcaca ttctactgta ccctgggagg attaaaagca 540
5 gtggtgtgga cagatgcatt tcagatggtt gtcatgattg tgggcttctt aacggttctc 600
attcaaggat caactcatgc tgggggattc cacaatgtat tagagcaatc aacaaatgga 660
tctcgactac atatatttga ctttgatgta gatcctctca ggcgacacac tttttggact 720
atcacagtgg gaggaacttt tacttggctc ggaatctatg gggatcaatc atcaactatt 780
cagcgatgca tctcttgcaa aacagaaaag catgctaagc ttgccttgta ttttaacttg 840
10 ctgggtctct ggatcattct ggtgtgtgct gtcttctctg gcttaatcat gtactctcac 900
tttaaagact gtgacccttg gacttctggc atcatctcag caccagacca gctgatgccg 960
tactttgtca tggagatatt tgccacaatg ccaggactgc caggactttt tgtggcttgt 1020
gccttcagtg gaactctgag caccgtggct tccagcatca atgccttggc aacagtgacc 1080
tttgaggatt ttgtcaagag ctgttttcct catctctccg acaagctgag cacctggatc 1140
15 agtaaaggct tatgtctctt atttggcgtg atgtgtacct ctatggctgt ggctgcatct 1200
gtcatgggag gtgttgtgca ggcttccctc agcattcacg gcatgtgtgg aggaccaatg 1260
ctgggcttat tctccctggg aatcgtgttc ctttttgtga actggaaggg tgcactagga 1320
ggtcttctta ctggaatcac cttgtcattt tgggtggcca ttggggcctt catttaccct 1380
gcaccagcct ctaagacatg gcctttgcct ctatcaacag accaatgtat caaatcaaat 1440
20 gtgacagcaa cagggcctcc agtactatcc agcagacctg gaatagctga tacctggtac 1500
tcgatctcct acctttacta cagtgcagtg ggctgcttag gatgcattgt tgctggagta 1560
atcatcagcc tcataacagg tcgccaagaa ggtgaggata ttcaaccact gttaattaga 1620
ccagtttgta atttattttg cttttggctc aagaagtaca aaacactatg ctgggtgcga 1680
gttcagcatg acagtgggac agagcaggaa aaccttgaga atggcagtgc ccggaaacag 1740
25 ggggctgaat ctgtcttaca gaacggactc agaagagaaa gcctggtaca tggtccaggc 1800

97 / 346

gtatttatgg cagtgggagc ttcaattgcc gctcgcttag gaacttatcc tgactggttt 480
tttttctgct cttttattgg gatgtttgtg ttttattgcg ctcataggca gacttatgtt 540
tcaggcatgt tgagatttgg aaaagtggat gtaactgaaa ttcagatagc tttagtgtt 600
gtctttgtgt tgtctgcatt tggaggagca acaatgtggg actatacgat tcctattcta 660
5 gaaataaaat tgaagatcct tccagttcct ggatttctag gtggagtaat attttcctgt 720
tcaaattatt tccatgttat cctccatggg ggtgttggca agaattggatc cactatagca 780
ggcaccagtgt tcttgtcacc tggactccac ataggactaa ttattatact ggcaataatg 840
atctataaaa agtcagcaac tgatgtgttt gaaaagcatc cttgtcttta ttcctaatg 900
tttggatgtg tctttgctaa agtctcacia aaattagtgg tagctcacat gaccaaagt 960
10 gaactatata ttcaagacac tgtctttttg gggccagggtc ttttgttttt agaccagtac 1020
tttaataact ttatagacga atatgttgtt ctatggatgg caatggatg ttcttcattt 1080
gatatggtga tatacttttag tgctttgtgc ctgcaaattt caagacacct tcatctaaat 1140
atattcaaga ctgcatgtca tcaagcacct gaacagggtc aagttctttc ttcaaagagt 1200
catcagaata acatggattg a 1221

15

<210> 44

<211> 1857

<212> DNA

<213> Homo sapiens

20

<400> 44

atggagggtga agaactttgc agtttgggat tatgttgtat ttgcagccct ctttttcatt 60
tcctctggaa ttggggtgtt ctttgccatt aaggagagaa aaaaggcaac ttcccgagag 120
ttcctgggtg ggggaaggca aatgagcttt ggccctgtcg gcttgtctct gacagccagc 180
ttcatgtcag ctgtcacggt cctggggacc ccttctgaag tctaccgctt tggggcatcc 240
25 ttctagtct tcttcattgc ttacctattt gtcacctct taacatcaga gctctttctc 300

99 / 346

tatgatccta aggacaaaag ctacaacaat atggcatttg agactacca tttctaa 1857

<210> 45

<211> 627

5 <212> DNA

<213> Homo sapiens

<400> 45

atgggactcg gcgcgcgagg tgcttgggcc gcgctgctcc tggggacgct gcaggtgcta 60
gcgctgctgg gggccgcccc tgaaagcgca gccatggcgg catctgcaaa catagagaat 120
10 tctgggcttc cacacaactc cagtgcatac tcaacagaga ctctccaaca tgtgccttct 180
gaccatacaa atgaaacttc caacagtact gtgaaaccac caacttcagt tgcctcagac 240
tccagtaata caacggtcac caccatgaaa cctacagcgg catctaatac aacaacacca 300
gggatggctc caacaaatat gacttctacc accttaaagt ctacacccaa aacaacaagt 360
gtttcacaga acacatctca gatataca tccacaatga cggtaaccca caatagttca 420
15 gtgacatctg ctgcttcac agtaacaatc acaacaacta tgcattctga agcaaagaaa 480
ggatcaaaat ttgatactgg gagctttggt ggtgggtattg tattaacgct gggagtttta 540
tctattcttt acattggatg caaaatgtat tactcaagaa gaggcattcg gtatcgaacc 600
atagatgaac atgatgccat catttaa 627

20 <210> 46

<211> 1509

<212> DNA

<213> Homo sapiens

<400> 46

25 atgtcgctcg tgctgctaag cctggccgcg ctgtgcagga gcgccgtacc ccgagagccg 60

100/346

accgttcaat gtggctctga aactgggcca tctccagagt ggatgctaca acatgatcta 120
atccccgggag acttgaggga cctccgagta gaacctgtta caactagtgt tgcaacaggg 180
gactattcaa ttttgatgaa tgtaagctgg gtactccggg cagatgccag catccgcttg 240
ttgaaggcca ccaagatttg tgtgacgggc aaaagcaact tccagtccca cagctgtgtg 300
5 aggtgcaatt acacagaggc cttccagact cagaccagac cctctggtgg taaatggaca 360
ttttcctaca tcggcttccc tgtagagctg aacacagtct atttcattgg ggcccataat 420
attcctaata caaatatgaa tgaagatggc ccttccatgt ctgtgaattt cacctacca 480
ggctgcctag accacataat gaaatataaa aaaaagtgtg tcaaggccgg aagcctgtgg 540
gatccgaaca tcactgcttg taagaagaat gaggagacag tagaagtga cttcacaacc 600
10 actcccctgg gaaacagata catggctctt atccaacaca gcactatcat cgggttttct 660
caggtgtttg agccacacca gaagaaacaa acgcgagctt cagtggatgat tccagtgact 720
gggtagatgt aaggtgctac ggtgcagctg actccatatt ttctacttg tggcagcgac 780
tgcacccgac ataaaggaac agttgtgctc tgcccacaaa caggcgctcc tttccctctg 840
gataacaaca aaagcaagcc gggaggctgg ctgcctctcc tctgctgtc tctgctggtg 900
15 gccacatggg tgctggtggc agggatctat ctaatgtgga ggcacgaaag gatcaagaag 960
acttcctttt ctaccaccac actactgccc cccattaagg ttcttgtggt ttacccatct 1020
gaaatatggt tccatcacac aattgttac ttactgaat ttcttcaaaa ccattgcaga 1080
agtgaggtca tccttgaaaa gtggcagaaa aagaaaatag cagagatggg tccagtgcag 1140
tggcttgcca ctcaaaagaa ggcagcagac aaagtctctt tccttctttc caatgacgtc 1200
20 aacagtgtgt gcgatggtac ctgtggcaag agcgagggca gtcccagtga gaactctcaa 1260
gacctcttcc cccttgctt taaccttttc tgcatgatc taagaagcca gattcatctg 1320
cacaatacgt tgggtgtcta ctttagagag attgatacaa aagacgatta caatgctctc 1380
agtgtctgcc ccaagtacca cctcatgaag gatgccactg ctttctgtgc agaacttctc 1440
catgtcaagc agcaggtgtc agcaggaaaa agatcacaag cctgccacga tggctgctgc 1500
25 tccttgtag 1509

101/346

<210> 47

<211> 1011

<212> DNA

5 <213> Homo sapiens

<400> 47

atgagggccc cgtccatgga ccgcgcggcc gtggcgaggg tgggcgcggt agcgagcggc 60
agcgtgtgcg ccctggtggc gggggtggtg ctggctcagt acatattcac cttgaagagg 120
aagacggggc ggaagaccaa gatcatcgag atgatgccag aattccagaa aagttcagtt 180
10 cgaatcaaga accctacaag agtagaagaa attatctgtg gtcttatcaa aggaggagct 240
gccaaacttc agataataac ggactttgat atgacactca gtagattttc atataaaggg 300
aaaagatgcc caacatgtca taatatcatt gacaactgta agctggttac agatgaatgt 360
agaaaaaagt tattgcaact aaaggaaaaa tattacgcta ttgaagttga tcctgttctt 420
actgtagaag agaagtaccc ttatatggtg gaatggtata ctaaatacaca tggtttgctt 480
15 gttcagcaag ctttaccaaa agctaaactt aaagaaattg tggcagaatc tgacgttatg 540
ctcaaagaag gatatgagaa tttctttgat aagctccaac aacatagcat ccccggtgtc 600
atattttcgg ctggaatcgg cgatgtacta gaggaagtta ttcgtcaagc tgggtgtttat 660
catcccaatg tcaaagttgt gtccaatfff atggatfff atgaaactgg ggtgctcaaa 720
ggattttaaag gagaactaat tcatgtatff aacaacatg atggtgcctt gaggaataca 780
20 gaatatttca atcaactaaa agacaatagt aacataattc ttctgggaga ctccaagga 840
gacttaagaa tggcagatgg agtggccaat gttgagcaca ttctgaaaat tggatatcta 900
aatgatagag tggatgagct tttagaaaag tacatggact cttatgatat tgttttagta 960
caagatgaat cattagaagt agccaactct attttacaga agattctata a 1011

25 <210> 48

102/346

<211> 1023

<212> DNA

<213> Homo sapiens

<400> 48

5 atggagccgg gcaggaccca gataaaagctt gaccccaggt acacagcaga tcttctggag 60
gtgctgaaga ccaattacgg catccccctcc gctgtcttct ctcagcctcc cacagcagcc 120
caactcctga gagccctggg cctgttgaa cttgccctca ctagcatcct gaccttgctg 180
gcgctgggct ccattgccat cttcctggag gatgccgtct acctgtacaa gaacaccctt 240
tgccccatca agaggcggac tctgtctctg aagagctcgg caccacgggt ggtgtctgtg 300
10 ctgtgctgct ttggtctctg gatccctcgt tccctggtgc tgggtgaaat gaccatcacc 360
tcgttttatg ccgtgtgctt ttacctgctg atgctggtca tgggtggaag ctttgggggg 420
aaggaggcag tgctgaggac gctgagggac accccgatga tgggtccacac agggccctgc 480
tgctgctgct gccctgctg tccacggctg ctgctcacca ggaagaagct tcagctgctg 540
atgttgggcc ctttccaata cgccttcttg aagataacgc tgaccctggt gggcctgttt 600
15 ctcatccccg acggcatcta tgaccagca gacatttctg aggggagcac agctctatgg 660
atcaacactt tccttggcgt gtccacactg ctggctctct ggaccctggg catcatttcc 720
cgtcaagcca ggctacacct gggtgagcag aacatgggag ccaaatttgc tctgttccag 780
gttctcctca tctgactgc cctacagccc tccatcttct cagtcttggc caacggtggg 840
cagattgctt gttcgctcc ctattcctct aaaaccaggt ctcaagtgat gaattgccac 900
20 ctctcatcac tggagacttt tctaatgact gtgctgacac gaatgtacta ccgaaggaaa 960
gaccacaagg ttgggtatga aactttctct tctccagacc tggacttgaa cctcaaagcc 1020
taa 1023

<210> 49

25 <211> 672

103/346

<212> DNA

<213> Homo sapiens

<400> 49

atgcttttggg ggcagctcat ctattggcaa ctgctggctt tgtttttcct ccctttttgc 60
5 ctgtgtcaag atgaatacat ggaggtgagc ggaagaacta ataaagtggg ggcaagaata 120
gtgcaaagcc accagcagac tggccgtagc ggctccagga gggagaaagt gagagagcgg 180
agccatccta aaactgggac tgttgataat aacacttcta cagacctaaa atccctgaga 240
ccagatgagc taccgcaccc cgaggtagat gacctagccc agatcaccac attctggggc 300
cagtctccac aaaccggagg actaccccca gactgcagta agtggtgtca tggagactac 360
10 agcttttcgag gctaccaagg cccccctggg ccaccgggcc ctcttgatcat tccaggaaac 420
catggaaaca atggcaacaa tggagccact ggtcatgaag gagccaaagg tgagaagggc 480
gacaaagggtg acctgggggcc tcgaggggag cgggggcagc atggccccaagg gagagagaag 540
ggctaccggg ggattccacc agaacttcag attgcattca tggcttctct ggcaaccac 600
ttcagcaatc agaacagtgg gattatcttc agcagtgttg agaccaacat tggaaacttc 660
15 ttgatgtcat ga 672

<210> 50

<211> 930

<212> DNA

20 <213> Homo sapiens

<400> 50

atggctactc tgagtgttat aggttcaagt tcacttattg cctatgctgt attccataat 60
atacagaaat ctccagagat aagaccactt ttttatctga gcttctgtga cctgctcctg 120
ggactttgct ggctcacgga gacacttctc tatggagctt cagtagcaaa taaggacatc 180
25 atctgctata acctacaagc agttggacag atattctaca tttcctcatt tctctacacc 240

104/346

gtcaattaca tctggtatTT gtacacagag ctgaggatga aacacaccca gaggggacag 300
agcacatctc cactggtgat agattatact tgtcgagttt gtcaaatggc ctttgttttc 360
tcaaggtgta tcttgatgca ctaccacca tcagccatgg ctgaacttcc accttctgcc 420
aacacatctg tctgtagcac actttatTTt tatggtatcg ccattttcct gggcagcttt 480
5 gtactcagcc tccttaccat tatggtctta cttatccgag ccagacatt gtataagaag 540
tttgtgaagt caactggctt tctggggagt gaacagtggg cagtgattca cattgtggac 600
caacgggtgc gcttctaccc agtggccttc ttttgctgct ggggccagc tgcattcta 660
atgatcataa agctgactaa gccacaggac accaagcttc acatggccct ttatgttctc 720
caggctctaa cggcaacatc tcagggtcta ctcaactgtg gagtatatgg ctggacgcag 780
10 cacaaattcc accaactaaa gcaggaggct cggcgtgatg cagataccca gacaccatta 840
ttatgctcac agaagagatt ctatagcagg ggcttaaatt cactggaatc caccctgact 900
tttcctgccg gtactttctac cttttttga 930

<210> 51
15 <211> 1617
<212> DNA
<213> Homo sapiens
<220>
<221> CDS
20 <222> (255)..(1262)
<400> 51

cacggcgccc agggtaaccc cgcgctgtc tgcctgtctt cctccattac cgcgcaggct 60
tggtcaccgc attaaggcat tccgctctc cgcggaactg ctctgccgtc tcggcgggtga 120
aagtgtgaga gggctccgtag ttgggtcaac ttgactcct ctgcctgcc cggatcctta 180
25 agggcctcct cgtcctcccg gtctccggtc gctgccgggt ctgtgcgccg gtccgcgcc 240

105/346

gccctcgctc tgcc atg ggc gct tcc agc tcc tcc gcg ctg gcc cgc ctc 290
 Met Gly Ala Ser Ser Ser Ser Ala Leu Ala Arg Leu
 1 5 10
 ggc ctc cca gcc cgg ccc tgg ccc agg tgg ctc ggg gtc gcc gcg cta 338
 5 Gly Leu Pro Ala Arg Pro Trp Pro Arg Trp Leu Gly Val Ala Ala Leu
 15 20 25
 gga ctg gcc gcc gtg gcc ctg ggg act gtc gcc tgg cgc cgc gca tgg 386
 Gly Leu Ala Ala Val Ala Leu Gly Thr Val Ala Trp Arg Arg Ala Trp
 30 35 40
 10 ccc agg cgg cgc cgg cgg ctg cag cag gtg ggc acc gtg gcg aag ctc 434
 Pro Arg Arg Arg Arg Arg Leu Gln Gln Val Gly Thr Val Ala Lys Leu
 45 50 55 60
 tgg atc tac ccg gtg aaa tcc tgc aaa ggg gtg ccg gtg agc gag gct 482
 Trp Ile Tyr Pro Val Lys Ser Cys Lys Gly Val Pro Val Ser Glu Ala
 15 65 70 75
 gag tgc acg gcc atg ggg ctg cgc agc ggc aac ctg cgg gac agg ttt 530
 Glu Cys Thr Ala Met Gly Leu Arg Ser Gly Asn Leu Arg Asp Arg Phe
 80 85 90
 tgg ctg gtg att aag gaa gat gga cac atg gtc act gcc cga cag gag 578
 20 Trp Leu Val Ile Lys Glu Asp Gly His Met Val Thr Ala Arg Gln Glu
 95 100 105
 cct cgc ctc gtg ctc atc tcc atc att tat gag aat aac tgc ctg atc 626
 Pro Arg Leu Val Leu Ile Ser Ile Ile Tyr Glu Asn Asn Cys Leu Ile
 110 115 120
 25 ttc agg gct cca gac atg gac cag ctg gtt ttg cct agc aag cag cct 674

106/346

Phe Arg Ala Pro Asp Met Asp Gln Leu Val Leu Pro Ser Lys Gln Pro
 125 130 135 140
 tcc tca aac aaa ctc cac aac tgc agg ata ttt ggc ctt gac att aaa 722
 Ser Ser Asn Lys Leu His Asn Cys Arg Ile Phe Gly Leu Asp Ile Lys
 5 145 150 155
 ggc aga gac tgt ggc aat gag gca gct aag tgg ttc acc aac ttc ttg 770
 Gly Arg Asp Cys Gly Asn Glu Ala Ala Lys Trp Phe Thr Asn Phe Leu
 160 165 170
 aaa act gaa gcg tat aga ttg gtt caa ttt gag aca aac atg aag gga 818
 10 Lys Thr Glu Ala Tyr Arg Leu Val Gln Phe Glu Thr Asn Met Lys Gly
 175 180 185
 aga aca tca aga aaa ctt ctc ccc act ctt gat cag aat ttc cag gtg 866
 Arg Thr Ser Arg Lys Leu Leu Pro Thr Leu Asp Gln Asn Phe Gln Val
 190 195 200
 15 gcc tac cca gac tac tgc ccg ctc ctg atc atg aca gat gcc tcc ctg 914
 Ala Tyr Pro Asp Tyr Cys Pro Leu Leu Ile Met Thr Asp Ala Ser Leu
 205 210 215 220
 gta gat ttg aat acc agg atg gag aag aaa atg aaa atg gag aat ttc 962
 Val Asp Leu Asn Thr Arg Met Glu Lys Lys Met Lys Met Glu Asn Phe
 20 225 230 235
 agg cca aat att gtg gtg acc ggc tgt gat gct ttt gag gag gat acc 1010
 Arg Pro Asn Ile Val Val Thr Gly Cys Asp Ala Phe Glu Glu Asp Thr
 240 245 250
 tgg gat gaa ctc cta att ggt agt gta gaa gtg aaa aag gta atg gca 1058
 25 Trp Asp Glu Leu Leu Ile Gly Ser Val Glu Val Lys Lys Val Met Ala

107/346

	255	260	265	
	tgc ccc agg tgt att ttg aca acg gtg gac cca gac act gga gtc ata	1106		
	Cys Pro Arg Cys Ile Leu Thr Thr Val Asp Pro Asp Thr Gly Val Ile			
	270	275	280	
5	gac agg aaa cag cca ctg gac acc ctg aag agc tac cgc ctg tgt gat	1154		
	Asp Arg Lys Gln Pro Leu Asp Thr Leu Lys Ser Tyr Arg Leu Cys Asp			
	285	290	295	300
	cct tct gag agg gaa ttg tac aag ttg tct cca ctt ttt ggg atc tat	1202		
	Pro Ser Glu Arg Glu Leu Tyr Lys Leu Ser Pro Leu Phe Gly Ile Tyr			
10	305	310	315	
	tat tca gtg gaa aaa att gga agc ctg aga gtt ggt gac cct gtg tat	1250		
	Tyr Ser Val Glu Lys Ile Gly Ser Leu Arg Val Gly Asp Pro Val Tyr			
	320	325	330	
	cgg atg gtg tagtgatgag tgatggatcc actagggatga tatggcttca	1299		
15	Arg Met Val			
	335			
	gcaaccagga gggattgact gagatcttaa caacagcagc aacgatacat cagcaaattcc	1359		
	ttattatcca gccttcaact atctttaacc tggaaaacaa tctcgatttt tgacttttca	1419		
	aagttgtgta tgctccaggt taatgcaagg aaagtattag aggggggaat atgaaagtat	1479		
20	atatataaat tttaggtact gaaggcttta aaaataatta agatcatcaa aaatgctatt	1539		
	ttgaatgtta tcatggctat tacactttta cttcctgact ttaatatatga tgaataaagc	1599		
	aagtttaatg aatcaact	1617		
	<210> 52			
25	<211> 1749			

108/346

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

5 <222> (159)..(785)

<400> 52

gcacttccgg tggggagatt ccggcctgga gctcccaggg ccgagcagac cttgggacct 60
gtgagcgctg catccaatta accatgggaa gggtcagcac cagccaccag ccccttaggt 120
gaggactctc cctggggctc tgctgatggg tccgaatc atg gag ctg cgc gcg gca 176

10 Met Glu Leu Arg Ala Ala

1

5

ctg gtc ctg gtg gtc ctc ctc atc gcc ggg ggt ctc ttc atg ttc acc 224

Leu Val Leu Val Val Leu Leu Ile Ala Gly Gly Leu Phe Met Phe Thr

10

15

20

15 tac aag tcc aca cag ttc aac gtg gag ggc ttc gcc ttg gtg ctg ggg 272

Tyr Lys Ser Thr Gln Phe Asn Val Glu Gly Phe Ala Leu Val Leu Gly

25

30

35

gcc tcg ttc atc ggt ggc att cgc tgg acc ctc acc cag atg ctc ctg 320

Ala Ser Phe Ile Gly Gly Ile Arg Trp Thr Leu Thr Gln Met Leu Leu

20 40 45 50

cag aag gct gaa ctc ggc ctc cag aat ccc atc gac acc atg ttc cac 368

Gln Lys Ala Glu Leu Gly Leu Gln Asn Pro Ile Asp Thr Met Phe His

55

60

65

70

ctg cag cca ctc atg ttc ctg ggg ctc ttc cct ctc ttt gct gta ttt 416

25 Leu Gln Pro Leu Met Phe Leu Gly Leu Phe Pro Leu Phe Ala Val Phe

109/346

	75	80	85	
	gaa ggt ctc cat ttg tcc aca tct gag aaa atc ttc cgt ttc cag gac			464
	Glu Gly Leu His Leu Ser Thr Ser Glu Lys Ile Phe Arg Phe Gln Asp			
	90	95	100	
5	aca ggg ctg ctc ctg cgg gta ctt ggg agc ctc ttc ctt ggc ggg att			512
	Thr Gly Leu Leu Leu Arg Val Leu Gly Ser Leu Phe Leu Gly Gly Ile			
	105	110	115	
	ctc gcc ttt ggt ttg ggc ttc tct gag ttc ctc ctg gtc tcc aga acc			560
	Leu Ala Phe Gly Leu Gly Phe Ser Glu Phe Leu Leu Val Ser Arg Thr			
10	120	125	130	
	tcc agc ctc act ctc tcc att gcc ggc att ttt aag gaa gtc tgc act			608
	Ser Ser Leu Thr Leu Ser Ile Ala Gly Ile Phe Lys Glu Val Cys Thr			
	135	140	145	150
	ttg ctg ttg gca gct cat ctg ctg ggc gat cag atc agc ctc ctg aac			656
15	Leu Leu Leu Ala Ala His Leu Leu Gly Asp Gln Ile Ser Leu Leu Asn			
	155	160	165	
	tgg ctg ggc ttc gcc ctc tgc ctc tcg gga ata tcc ctc cac gtt gcc			704
	Trp Leu Gly Phe Ala Leu Cys Leu Ser Gly Ile Ser Leu His Val Ala			
	170	175	180	
20	ctc aaa gcc ctg cat tcc aga ggt aac cca gag tcc ctt cca gaa gcc			752
	Leu Lys Ala Leu His Ser Arg Gly Asn Pro Glu Ser Leu Pro Glu Ala			
	185	190	195	
	tct gtt ttc tgt tct tct ccc tgt gac tct tagtgattct gatgcaggaa			802
	Ser Val Phe Cys Ser Ser Pro Cys Asp Ser			
25	200	205		

110/346

gtgtgcccggtggctctgctgccgtcactcctctaggaagatgtgggggtcatctccaga 862
gtgggtgggtggggcctgggtgactcagcacatgcaaa tcagagcaaa ccaagaaaac 922
cacgactgggcctgtaactgtgtctctctctatoccaaagtgatgggtggccccaggcc 982
ttgaaggggtgggtccagccccgacctgagctgctgtccggagcagccagcgggag 1042
5 gaaggtgacaatgaggaggaggagtactttgtggcccaggggcagcagtgaccagccagg 1102
gcaaattggcttagaagcaggcactccccaacctgctgccagcactcactgtgtcaagc 1162
cgccaggggtcatcatggtagctgggagctgtggacggggtaccaggtggggggcca 1222
agccaggggacctatgacttttgccctcccctcagagcctgtcacacaa ggggcgagca 1282
ccaggccagcctgggactggccagagctggcccaagctgcgtggaatcgcagcaggag 1342
10 aggggagtggtgtgtttcttcccaccactcccaggtctgacagccgagactcatttcc 1402
aaggcacagcagctttctaaagggactgagtttgactgggttttgacc tccagggggt 1462
ggagcttcatcacctgggca gtgtcttttc tcagagagcaggtttcttta tagtttgga 1522
ataaatggtcacgggtccactggccgcctgtgttgctggagacgtgggggcagggagg 1582
gacagtgtgggcctggccttcctttccttccctgcctggagccttcttcaaagtctg 1642
15 gtcttaagccaggcctcctcattttctctcctgttagaacaccagtc cctcccccag 1702
tggggccccactgcacactgtggcaggaaa taaatgaatgtttactg 1749

<210> 53

<211> 1402

20 <212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (60)..(1280)

25 <400> 53

111/346

```

tgccccccagc gccaggcgcg ggctgcgctc ggtggcggcg gcggggccct caggcggcc 59
atg gcg gca ggc gcc ggg gcc ggg tcc gcg ccg cgc tgg ctg agg gcg 107
Met Ala Ala Gly Ala Gly Ala Gly Ser Ala Pro Arg Trp Leu Arg Ala
      1              5              10              15
5  ctg agc gag ccg ctg agc gcg gcg cag ctg cgg cga ctg gag gag cac 155
Leu Ser Glu Pro Leu Ser Ala Ala Gln Leu Arg Arg Leu Glu Glu His
      20              25              30
cgc tac agc gcg gcg ggc gtc tcg ctg ctc gag ccg ccg ctg cag ctc 203
Arg Tyr Ser Ala Ala Gly Val Ser Leu Leu Glu Pro Pro Leu Gln Leu
10      35              40              45
tac tgg acc tgg ctg ctc cag tgg atc ccg ctc tgg atg gcc ccc aac 251
Tyr Trp Thr Trp Leu Leu Gln Trp Ile Pro Leu Trp Met Ala Pro Asn
      50              55              60
tcc atc acc ctg ctg ggg ctc gcc gtc aac gtg gtc acc acg ctc gtg 299
15 Ser Ile Thr Leu Leu Gly Leu Ala Val Asn Val Val Thr Thr Leu Val
      65              70              75              80
ctc atc tcc tac tgt ccc acg gcc acc gaa gag gca cca tac tgg aca 347
Leu Ile Ser Tyr Cys Pro Thr Ala Thr Glu Glu Ala Pro Tyr Trp Thr
      85              90              95
20 tac ctt tta tgt gca ctg gga ctt ttt att tac cag tca ctg gat gct 395
Tyr Leu Leu Cys Ala Leu Gly Leu Phe Ile Tyr Gln Ser Leu Asp Ala
      100              105              110
att gat ggg aaa caa gcc aga aga aca aac tct tgt tcc cct tta ggg 443
Ile Asp Gly Lys Gln Ala Arg Arg Thr Asn Ser Cys Ser Pro Leu Gly
25      115              120              125

```

112/346

gag ctc ttt gac cat ggc tgt gac tct ctt tcc aca gta ttt atg gca 491
 Glu Leu Phe Asp His Gly Cys Asp Ser Leu Ser Thr Val Phe Met Ala
 130 135 140
 gtg gga gct tca att gcc gct cgc tta gga act tat cct gac tgg ttt 539
 5 Val Gly Ala Ser Ile Ala Ala Arg Leu Gly Thr Tyr Pro Asp Trp Phe
 145 150 155 160
 ttt ttc tgc tct ttt att ggg atg ttt gtg ttt tat tgc gct cat tgg 587
 Phe Phe Cys Ser Phe Ile Gly Met Phe Val Phe Tyr Cys Ala His Trp
 165 170 175
 10 cag act tat gtt tca ggc atg ttg aga ttt gga aaa gtg gat gta act 635
 Gln Thr Tyr Val Ser Gly Met Leu Arg Phe Gly Lys Val Asp Val Thr
 180 185 190
 gaa att cag ata gct tta gtg att gtc ttt gtg ttg tct gca ttt gga 683
 Glu Ile Gln Ile Ala Leu Val Ile Val Phe Val Leu Ser Ala Phe Gly
 15 195 200 205
 gga gca aca atg tgg gac tat acg att cct att cta gaa ata aaa ttg 731
 Gly Ala Thr Met Trp Asp Tyr Thr Ile Pro Ile Leu Glu Ile Lys Leu
 210 215 220
 aag atc ctt cca gtt ctt gga ttt cta ggt gga gta ata ttt tcc tgt 779
 20 Lys Ile Leu Pro Val Leu Gly Phe Leu Gly Gly Val Ile Phe Ser Cys
 225 230 235 240
 tca aat tat ttc cat gtt atc ctc cat ggt ggt gtt ggc aag aat gga 827
 Ser Asn Tyr Phe His Val Ile Leu His Gly Gly Val Gly Lys Asn Gly
 245 250 255
 25 tcc act ata gca ggc acc agt gtc ttg tca cct gga ctc cac ata gga 875

113/346

Ser Thr Ile Ala Gly Thr Ser Val Leu Ser Pro Gly Leu His Ile Gly
 260 265 270
 cta att att ata ctg gca ata atg atc tat aaa aag tca gca act gat 923
 Leu Ile Ile Ile Leu Ala Ile Met Ile Tyr Lys Lys Ser Ala Thr Asp
 5 275 280 285
 gtg ttt gaa aag cat cct tgt ctt tat atc cta atg ttt gga tgt gtc 971
 Val Phe Glu Lys His Pro Cys Leu Tyr Ile Leu Met Phe Gly Cys Val
 290 295 300
 ttt gct aaa gtc tca caa aaa tta gtg gta gct cac atg acc aaa agt 1019
 10 Phe Ala Lys Val Ser Gln Lys Leu Val Val Ala His Met Thr Lys Ser
 305 310 315 320
 gaa cta tat ctt caa gac act gtc ttt ttg ggg cca ggt ctt ttg ttt 1067
 Glu Leu Tyr Leu Gln Asp Thr Val Phe Leu Gly Pro Gly Leu Leu Phe
 325 330 335
 15 tta gac cag tac ttt aat aac ttt ata gac gaa tat gtt gtt cta tgg 1115
 Leu Asp Gln Tyr Phe Asn Asn Phe Ile Asp Glu Tyr Val Val Leu Trp
 340 345 350
 atg gca atg gtg att tct tca ttt gat atg gtg ata tac ttt agt gct 1163
 Met Ala Met Val Ile Ser Ser Phe Asp Met Val Ile Tyr Phe Ser Ala
 20 355 360 365
 ttg tgc ctg caa att tca aga cac ctt cat cta aat ata ttc aag act 1211
 Leu Cys Leu Gln Ile Ser Arg His Leu His Leu Asn Ile Phe Lys Thr
 370 375 380
 gca tgt cat caa gca cct gaa cag gtt caa gtt ctt tct tca aag agt 1259
 25 Ala Cys His Gln Ala Pro Glu Gln Val Gln Val Leu Ser Ser Lys Ser

114/346

```

385              390              395              400
cat cag aat aac atg gat tgaagagact tccgaacact tgctatctct      1307
His Gln Asn Asn Met Asp

              405
5  tgctgctgct gtttcatgga aggagatatt aaacatttgt ttaattttta tttaagtgtt 1367
   atacctattt cagcaaataa aatatttcat tgctt      1402

<210> 54
<211> 2474
10 <212> DNA
   <213> Homo sapiens
   <220>
   <221> CDS
   <222> (345)..(2201)
15 <400> 54
   tccacccccca gtggttatta atttcagaac acatctgaat tcottctctg tggcatatgc 60
   tttaggagag gagcagacag ctcttagcta gggtcagatt tcaaattctc atctcttggt 120
   gccaatacca ccaccagatt cttctttgaa gtcaactttt gagatcttca ctaagtacac 180
   gttggtgtct gaagattcac acgagtgcc tggtaatca ttttcttcag ggaatcacag 240
20 tctctctctc cagcaaagca tccactgtac tgaactttgc ttttggaac atcttcttcc 300
   tgagacctcg ttgaaagaaa ctctctggtg tcatactttc caat atg gag gtg aag 356

                                   Met Glu Val Lys

                                   1

aac ttt gca gtt tgg gat tat gtt gta ttt gca gcc ctc ttt ttc att      404
25 Asn Phe Ala Val Trp Asp Tyr Val Val Phe Ala Ala Leu Phe Phe Ile

```


115/346

	5	10	15	20	
	tcc tct gga att ggg gtg ttc ttt gcc att aag gag aga aaa aag gca	452			
	Ser Ser Gly Ile Gly Val Phe Phe Ala Ile Lys Glu Arg Lys Lys Ala				
	25	30	35		
5	act tcc cga gag ttc ctg gtt ggg gga agg caa atg agc ttt ggc cct	500			
	Thr Ser Arg Glu Phe Leu Val Gly Gly Arg Gln Met Ser Phe Gly Pro				
	40	45	50		
	gtc ggc ttg tct ctg aca gcc agc ttc atg tca gct gtc acg gtc ctg	548			
	Val Gly Leu Ser Leu Thr Ala Ser Phe Met Ser Ala Val Thr Val Leu				
10	55	60	65		
	ggg acc cct tct gaa gtc tac cgc ttt ggg gca tcc ttc cta gtc ttc	596			
	Gly Thr Pro Ser Glu Val Tyr Arg Phe Gly Ala Ser Phe Leu Val Phe				
	70	75	80		
	ttc att gct tac cta ttt gtc atc ctc tta aca tca gag ctc ttt ctc	644			
15	Phe Ile Ala Tyr Leu Phe Val Ile Leu Leu Thr Ser Glu Leu Phe Leu				
	85	90	95	100	
	cct gtg ttc tac aga tct ggt atc acc agc act tat gag tac tta caa	692			
	Pro Val Phe Tyr Arg Ser Gly Ile Thr Ser Thr Tyr Glu Tyr Leu Gln				
	105	110	115		
20	cta cga ttc aac aaa cca gtt cgc tat gct gcc aca gtc atc tac att	740			
	Leu Arg Phe Asn Lys Pro Val Arg Tyr Ala Ala Thr Val Ile Tyr Ile				
	120	125	130		
	gta cag acg att ctc tac aca gga gtg gtg gtg tat gct cct gcc ctg	788			
	Val Gln Thr Ile Leu Tyr Thr Gly Val Val Val Tyr Ala Pro Ala Leu				
25	135	140	145		

116/346

	gca ctc aat caa gtg act ggg ttt gat ctc tgg ggc tct gtg ttt gca	836
	Ala Leu Asn Gln Val Thr Gly Phe Asp Leu Trp Gly Ser Val Phe Ala	
	150 155 160	
	aca gga att gtt tgc aca ttc tac tgt acc ctg gga gga tta aaa gca	884
5	Thr Gly Ile Val Cys Thr Phe Tyr Cys Thr Leu Gly Gly Leu Lys Ala	
	165 170 175 180	
	gtg gtg tgg aca gat gca ttt cag atg gtt gtc atg att gtg ggc ttc	932
	Val Val Trp Thr Asp Ala Phe Gln Met Val Val Met Ile Val Gly Phe	
	185 190 195	
10	tta acg gtt ctc att caa gga tca act cat gct ggg gga ttc cac aat	980
	Leu Thr Val Leu Ile Gln Gly Ser Thr His Ala Gly Gly Phe His Asn	
	200 205 210	
	gta tta gag caa tca aca aat gga tct cga cta cat ata ttt gac ttt	1028
	Val Leu Glu Gln Ser Thr Asn Gly Ser Arg Leu His Ile Phe Asp Phe	
15	215 220 225	
	gat gta gat cct ctc agg cga cac act ttt tgg act atc aca gtg gga	1076
	Asp Val Asp Pro Leu Arg Arg His Thr Phe Trp Thr Ile Thr Val Gly	
	230 235 240	
	gga act ttt act tgg ctc gga atc tat ggg gtc aat caa tca act att	1124
20	Gly Thr Phe Thr Trp Leu Gly Ile Tyr Gly Val Asn Gln Ser Thr Ile	
	245 250 255 260	
	cag cga tgc atc tct tgc aaa aca gaa aag cat gct aag ctt gcc ttg	1172
	Gln Arg Cys Ile Ser Cys Lys Thr Glu Lys His Ala Lys Leu Ala Leu	
	265 270 275	
25	tat ttt aac ttg ctg ggt ctc tgg atc att ctg gtg tgt gct gtc ttc	1220

117/346

Tyr Phe Asn Leu Leu Gly Leu Trp Ile Ile Leu Val Cys Ala Val Phe
 280 285 290
 tct ggc tta atc atg tac tct cac ttt aaa gac tgt gac cct tgg act 1268
 Ser Gly Leu Ile Met Tyr Ser His Phe Lys Asp Cys Asp Pro Trp Thr
 5 295 300 305
 tct ggc atc atc tca gca cca gac cag ctg atg ccg tac ttt gtc atg 1316
 Ser Gly Ile Ile Ser Ala Pro Asp Gln Leu Met Pro Tyr Phe Val Met
 310 315 320
 gag ata ttt gcc aca atg cca gga ctg cca gga ctt ttt gtg gct tgt 1364
 10 Glu Ile Phe Ala Thr Met Pro Gly Leu Pro Gly Leu Phe Val Ala Cys
 325 330 335 340
 gcc ttc agt gga act ctg agc acc gtg gct tcc agc atc aat gcc ttg 1412
 Ala Phe Ser Gly Thr Leu Ser Thr Val Ala Ser Ser Ile Asn Ala Leu
 345 350 355
 15 gca aca gtg acc ttt gag gat ttt gtc aag agc tgt ttt cct cat ctc 1460
 Ala Thr Val Thr Phe Glu Asp Phe Val Lys Ser Cys Phe Pro His Leu
 360 365 370
 tcc gac aag ctg agc acc tgg atc agt aaa ggc tta tgt ctc tta ttt 1508
 Ser Asp Lys Leu Ser Thr Trp Ile Ser Lys Gly Leu Cys Leu Leu Phe
 20 375 380 385
 ggc gtg atg tgt acc tct atg gct gtg gct gca tct gtc atg gga ggt 1556
 Gly Val Met Cys Thr Ser Met Ala Val Ala Ala Ser Val Met Gly Gly
 390 395 400
 gtt gtg cag gct tcc ctc agc att cac ggc atg tgt gga gga cca atg 1604
 25 Val Val Gln Ala Ser Leu Ser Ile His Gly Met Cys Gly Gly Pro Met

118/346

	405	410	415	420	
	ctg ggc tta ttc tcc ctg gga atc gtg ttc cct ttt gtg aac tgg aag	1652			
	Leu Gly Leu Phe Ser Leu Gly Ile Val Phe Pro Phe Val Asn Trp Lys				
	425	430	435		
5	ggg gca cta gga ggt ctt ctt act gga atc acc ttg tca ttt tgg gtg	1700			
	Gly Ala Leu Gly Gly Leu Leu Thr Gly Ile Thr Leu Ser Phe Trp Val				
	440	445	450		
	gcc att ggg gcc ttc att tac cct gca cca gcc tct aag aca tgg cct	1748			
	Ala Ile Gly Ala Phe Ile Tyr Pro Ala Pro Ala Ser Lys Thr Trp Pro				
10	455	460	465		
	ttg cct cta tca aca gac caa tgt atc aaa tca aat gtg aca gca aca	1796			
	Leu Pro Leu Ser Thr Asp Gln Cys Ile Lys Ser Asn Val Thr Ala Thr				
	470	475	480		
	ggg cct cca gta cta tcc agc aga cct gga ata gct gat acc tgg tac	1844			
15	Gly Pro Pro Val Leu Ser Ser Arg Pro Gly Ile Ala Asp Thr Trp Tyr				
	485	490	495	500	
	tcg atc tcc tac ctt tac tac agt gca gtg ggc tgc tta gga tgc att	1892			
	Ser Ile Ser Tyr Leu Tyr Tyr Ser Ala Val Gly Cys Leu Gly Cys Ile				
	505	510	515		
20	gtt gct gga gta atc atc agc ctc ata aca ggt cgc caa aga ggt gag	1940			
	Val Ala Gly Val Ile Ile Ser Leu Ile Thr Gly Arg Gln Arg Gly Glu				
	520	525	530		
	gat att caa cca ctg tta att aga cca gtt tgt aat tta ttt tgc ttt	1988			
	Asp Ile Gln Pro Leu Leu Ile Arg Pro Val Cys Asn Leu Phe Cys Phe				
25	535	540	545		

119/346

tgg tct aag aag tac aaa aca cta tgc tgg tgc gga gtt cag cat gac 2036
Trp Ser Lys Lys Tyr Lys Thr Leu Cys Trp Cys Gly Val Gln His Asp
550 555 560
agt ggg aca gag cag gaa aac ctt gag aat ggc agt gcc cgg aaa cag 2084
5 Ser Gly Thr Glu Gln Glu Asn Leu Glu Asn Gly Ser Ala Arg Lys Gln
565 570 575 580
ggg gct gaa tct gtc tta cag aac gga ctc aga aga gaa agc ctg gta 2132
Gly Ala Glu Ser Val Leu Gln Asn Gly Leu Arg Arg Glu Ser Leu Val
585 590 595
10 cat gtt cca ggc tat gat cct aag gac aaa agc tac aac aat atg gca 2180
His Val Pro Gly Tyr Asp Pro Lys Asp Lys Ser Tyr Asn Asn Met Ala
600 605 610
ttt gag act acc cat ttc taaggcaata cctgtatgaa tgcacacaca 2228
Phe Glu Thr Thr His Phe
15 615
cacgtgcaat acacacacac acacacaaac tccacatact tcttgcctac ttgttagtag 2288
atatgtatag ttgccattgc tagaagacag ggatgtctgg tgcctatttc tacttattta 2348
taactacatg caaaatgact gtctctcggg atattctttg aaagactcca actttcacag 2408
agaaaagcca acctgctcca aatgcccttg actacttcct tcttgaataa attagggctg 2468
20 gatttc 2474

<210> 55

<211> 3296

<212> DNA

25 <213> Homo sapiens

120/346

<220>

<221> CDS

<222> (142)..(768)

<400> 55

```

5   ttcggggggc aagcggcggg aggggaaacg tgcgcggccg aaggggaagc ggagccggcg 60
    ccggctgcgc agaggagccg ctctcgccgc cgccacctcg gctgggagcc caggagctg 120
    ccgcatcctg cctcgggaac a atg gga ctc ggc gcg cga ggt gct tgg gcc 171
                                Met Gly Leu Gly Ala Arg Gly Ala Trp Ala
                                1             5             10
10  gcg ctg ctc ctg ggg acg ctg cag gtg cta gcg ctg ctg ggg gcc gcc 219
    Ala Leu Leu Leu Gly Thr Leu Gln Val Leu Ala Leu Leu Gly Ala Ala
                                15             20             25
    cat gaa agc gca gcc atg gcg gca tct gca aac ata gag aat tct ggg 267
    His Glu Ser Ala Ala Met Ala Ala Ser Ala Asn Ile Glu Asn Ser Gly
15                                30             35             40
    ctt cca cac aac tcc agt gct aac tca aca gag act ctc caa cat gtg 315
    Leu Pro His Asn Ser Ser Ala Asn Ser Thr Glu Thr Leu Gln His Val
                                45             50             55
    cct tct gac cat aca aat gaa act tcc aac agt act gtg aaa cca cca 363
20  Pro Ser Asp His Thr Asn Glu Thr Ser Asn Ser Thr Val Lys Pro Pro
                                60             65             70
    act tca gtt gcc tca gac tcc agt aat aca acg gtc acc acc atg aaa 411
    Thr Ser Val Ala Ser Asp Ser Ser Asn Thr Thr Val Thr Thr Met Lys
                                75             80             85             90
25  cct aca gcg gca tct aat aca aca aca cca ggg atg gtc tca aca aat 459

```

121/346

Pro Thr Ala Ala Ser Asn Thr Thr Thr Pro Gly Met Val Ser Thr Asn
 95 100 105
 atg act tct acc acc tta aag tct aca ccc aaa aca aca agt gtt tca 507
 Met Thr Ser Thr Thr Leu Lys Ser Thr Pro Lys Thr Thr Ser Val Ser
 5 110 115 120
 cag aac aca tct cag ata tca aca tcc aca atg acc gta acc cac aat 555
 Gln Asn Thr Ser Gln Ile Ser Thr Ser Thr Met Thr Val Thr His Asn
 125 130 135
 agt tca gtg aca tct gct gct tca tca gta aca atc aca aca act atg 603
 10 Ser Ser Val Thr Ser Ala Ala Ser Ser Val Thr Ile Thr Thr Thr Met
 140 145 150
 cat tct gaa gca aag aaa gga tca aaa ttt gat act ggg agc ttt gtt 651
 His Ser Glu Ala Lys Lys Gly Ser Lys Phe Asp Thr Gly Ser Phe Val
 155 160 165 170
 15 ggt ggt att gta tta acg ctg gga gtt tta tct att ctt tac att gga 699
 Gly Gly Ile Val Leu Thr Leu Gly Val Leu Ser Ile Leu Tyr Ile Gly
 175 180 185
 tgc aaa atg tat tac tca aga aga ggc att cgg tat cga acc ata gat 747
 Cys Lys Met Tyr Tyr Ser Arg Arg Gly Ile Arg Tyr Arg Thr Ile Asp
 20 190 195 200
 gaa cat gat gcc atc att taaggaaatc catggaccaa ggatggaata 795
 Glu His Asp Ala Ile Ile
 205
 cagattgatg ctgccctatc aattaatttt ggtttattaa tagtttaaaa caatattctc 855
 25 tttttgaaaa tagtataaac aggccatgca tataatgtac agtgtattac gtaaatatgt 915

122/346

aaagattctt caaggtaaca agggtttggg ttttgaaata aacatctgga tcttatagac 975
cgttcataca atggtttttag caagttcata gtaagacaaa caagtcctat cttttttttt 1035
ggctgggggtg ggggcattgg tcacatatga ccagtaattg aaagacgtca tcaactgaaag 1095
acagaatgcc atctgggcat acaaataaga agtttgtcac agcactcagg attttgggta 1155
5 tctttttag ctacataaa gaacttcagt gcttttcaga gctggatata tcttaattac 1215
taatgccaca cagaaattat acaatcaaac tagatctgaa gcataattta agaaaaacat 1275
caacattttt tgtgctttaa actgtagtag ttggtctaga aacaaaatac tccaagaaaa 1335
agaaaatttt caaataaaac ccaaaataat agctttgctt agcctgtta gggatccatt 1395
ggagcattaa ggagcacata tttttattaa cttcttttga gctttcaatg ttgatgtaat 1455
10 ttttgttctc tgtgtaattt aggtaaactg cagtgtttta cataataatg ttttaaagac 1515
ttagttgtca gtattaaata atcctggcat tatagggaaa aaacctccta gaagttagat 1575
tatttgctac tgtgagaata ttgtcaccac tggaagttac tttagttcat ttaattttta 1635
ttttatatat tgtgaatatt ttaagaactg tagagctgct ttcaatatct agaaattttt 1695
aattgagtgt aaacacacct aactttaaga aaaagaaccg cttgtatgat tttcaaaaga 1755
15 acatttagaa ttctatagag tcaaaactat agcgtaatgc tgtgtttatt aagccaggga 1815
ttgtgggact tccccaggc aactaaacct gcaggatgaa aatgctatat tttctttcat 1875
gcactgtcga tattactcag atttggggaa atgacatttt tataactaaa caaacaccaa 1935
aatatttttag aataaattct tagaaagttt tgagaggaat ttttagagag gacatttcct 1995
ccttcctgat ttggatattc cctcaaatcc ctctcttac tccatgctga aggagaagta 2055
20 ctctcagatg cattatgtta atggagagaa aaagcacagt attgtagaga caccaatatt 2115
agctaagtga ttttggagtg ttttccattt tacagtttat attccagcac tcaaaactca 2175
gggtcaagtt ttaacaaaag aggtatgtag tcacagtaaa tactaagatg gcatttctat 2235
ctcagagggc caaagtgaat cacaccagtt tctgaaggtc ctaaaaatag ctcagatgtc 2295
ctaatgaaca tgcacctaca tttaatagga gtacaataaa actgttgtca gcttttgttt 2355
25 tacagagaac gctagatatt aagaattttg aatggatca tttctacttg ctgtgcattt 2415

123/346

taaccaataa tctgatgaat atagaaaaaa atgatccaaa atatggatat gattggatgt 2475
atgtaacaca tacatggagt atggaggaaa ttttctgaaa aatacattta gattagttta 2535
gtttgaagga gaggtgggct gatggctgag ttgtatgtta ctaacttggc cctgactggg 2595
tgtgcaacca ttgcttcatt tctttgcaaa atgtagttaa gatatacttt attotaatga 2655
5 aggcctttta aatttgtcca ctgcattctt ggtatttcac tacttcaagt cagtcagaac 2715
ttcgtagacc gacctgaagt ttctttttga atacttgttt ctttagcact ttgaagatag 2775
aaaaaccact ttttaagtac taagtcatca tttgccttga aagtttcctc tgcattgggt 2835
ttgaagtagt ttagttatgt ctttttctct gtatgtaagt agtataattt gttactttca 2895
aatacccgtc ctttgaatgt aggttttttt gttgttggtta tctataaaaa ttgagggaaa 2955
10 tggttatgca aaaaaatatt ttgctttgga ccatatttct taagcataaa aaaaatgctc 3015
agttttgctt gcattccttg agaatgtatt tatctgaaga tcaaacaaca caatccagat 3075
gtataagtac taggcagaag ccaattttta aatttccttg aataatccat gaaaggaata 3135
attcaaatac agataaacag agttggcagt atattatagt gataattttg tattttcaca 3195
aaaaaaaaagt taaactotte ttttcttttt attataatga ccagcttttg gtatttcatt 3255
15 gttaccaagt tctattttta gaataaaatt gttctccttc t 3296

<210> 56

<211> 1818

<212> DNA

20 <213> Homo sapiens

<220>

<221> CDS

<222> (26)..(1534)

<400> 56

25 aaaaaacccg cgagtgggc cggcg atg tcg ctc gtg ctg cta agc ctg gcc 52

125/346

	125	130	135	
	gcc cat aat att cct aat gca aat atg aat gaa gat ggc cct tcc atg	484		
	Ala His Asn Ile Pro Asn Ala Asn Met Asn Glu Asp Gly Pro Ser Met			
	140	145	150	
5	tct gtg aat ttc acc tca cca ggc tgc cta gac cac ata atg aaa tat	532		
	Ser Val Asn Phe Thr Ser Pro Gly Cys Leu Asp His Ile Met Lys Tyr			
	155	160	165	
	aaa aaa aag tgt gtc aag gcc gga agc ctg tgg gat ccg aac atc act	580		
	Lys Lys Lys Cys Val Lys Ala Gly Ser Leu Trp Asp Pro Asn Ile Thr			
10	170	175	180	185
	gct tgt aag aag aat gag gag aca gta gaa gtg aac ttc aca acc act	628		
	Ala Cys Lys Lys Asn Glu Glu Thr Val Glu Val Asn Phe Thr Thr Thr			
	190	195	200	
	ccc ctg gga aac aga tac atg gct ctt atc caa cac agc act atc atc	676		
15	Pro Leu Gly Asn Arg Tyr Met Ala Leu Ile Gln His Ser Thr Ile Ile			
	205	210	215	
	ggg ttt tct cag gtg ttt gag cca cac cag aag aaa caa acg cga gct	724		
	Gly Phe Ser Gln Val Phe Glu Pro His Gln Lys Lys Gln Thr Arg Ala			
	220	225	230	
20	tca gtg gtg att cca gtg act ggg gat agt gaa ggt gct acg gtg cag	772		
	Ser Val Val Ile Pro Val Thr Gly Asp Ser Glu Gly Ala Thr Val Gln			
	235	240	245	
	ctg act cca tat ttt cct act tgt ggc agc gac tgc atc cga cat aaa	820		
	Leu Thr Pro Tyr Phe Pro Thr Cys Gly Ser Asp Cys Ile Arg His Lys			
25	250	255	260	265

126/346

	gga aca gtt gtg ctc tgc cca caa aca ggc gtc cct ttc cct ctg gat	868
	Gly Thr Val Val Leu Cys Pro Gln Thr Gly Val Pro Phe Pro Leu Asp	
	270 275 280	
	aac aac aaa agc aag ccg gga ggc tgg ctg cct ctc ctc ctg ctg tct	916
5	Asn Asn Lys Ser Lys Pro Gly Gly Trp Leu Pro Leu Leu Leu Ser	
	285 290 295	
	ctg ctg gtg gcc aca tgg gtg ctg gtg gca ggg atc tat cta atg tgg	964
	Leu Leu Val Ala Thr Trp Val Leu Val Ala Gly Ile Tyr Leu Met Trp	
	300 305 310	
10	agg cac gaa agg atc aag aag act tcc ttt tct acc acc aca cta ctg	1012
	Arg His Glu Arg Ile Lys Lys Thr Ser Phe Ser Thr Thr Thr Leu Leu	
	315 320 325	
	ccc ccc att aag gtt ctt gtg gtt tac cca tct gaa ata tgt ttc cat	1060
	Pro Pro Ile Lys Val Leu Val Val Tyr Pro Ser Glu Ile Cys Phe His	
15	330 335 340 345	
	cac aca att tgt tac ttc act gaa ttt ctt caa aac cat tgc aga agt	1108
	His Thr Ile Cys Tyr Phe Thr Glu Phe Leu Gln Asn His Cys Arg Ser	
	350 355 360	
	gag gtc atc ctt gaa aag tgg cag aaa aag aaa ata gca gag atg ggt	1156
20	Glu Val Ile Leu Glu Lys Trp Gln Lys Lys Lys Ile Ala Glu Met Gly	
	365 370 375	
	cca gtg cag tgg ctt gcc act caa aag aag gca gca gac aaa gtc gtc	1204
	Pro Val Gln Trp Leu Ala Thr Gln Lys Lys Ala Ala Asp Lys Val Val	
	380 385 390	
25	ttc ctt ctt tcc aat gac gtc aac agt gtg tgc gat ggt acc tgt ggc	1252

127/346

Phe Leu Leu Ser Asn Asp Val Asn Ser Val Cys Asp Gly Thr Cys Gly
 395 400 405
 aag agc gag ggc agt ccc agt gag aac tct caa gac ctc ttc ccc ctt 1300
 Lys Ser Glu Gly Ser Pro Ser Glu Asn Ser Gln Asp Leu Phe Pro Leu
 5 410 415 420 425
 gcc ttt aac ctt ttc tgc agt gat cta aga agc cag att cat ctg cac 1348
 Ala Phe Asn Leu Phe Cys Ser Asp Leu Arg Ser Gln Ile His Leu His
 430 435 440
 aaa tac gtg gtg gtc tac ttt aga gag att gat aca aaa gac gat tac 1396
 10 Lys Tyr Val Val Val Tyr Phe Arg Glu Ile Asp Thr Lys Asp Asp Tyr
 445 450 455
 aat gct ctc agt gtc tgc ccc aag tac cac ctc atg aag gat gcc act 1444
 Asn Ala Leu Ser Val Cys Pro Lys Tyr His Leu Met Lys Asp Ala Thr
 460 465 470
 15 gct ttc tgt gca gaa ctt ctc cat gtc aag cag cag gtg tca gca gga 1492
 Ala Phe Cys Ala Glu Leu Leu His Val Lys Gln Gln Val Ser Ala Gly
 475 480 485
 aaa aga tca caa gcc tgc cac gat ggc tgc tgc tcc ttg tagcccccc 1541
 Lys Arg Ser Gln Ala Cys His Asp Gly Cys Cys Ser Leu
 20 490 495 500
 atgagaagca agagacctta aaggcttctt atcccaccaa ttacagggaa aaaacgtgtg 1601
 atgatcctga agcttactat gcagcctaca aacagcctta gtaattaaaa cattttatac 1661
 caataaaatt ttcaaataatt gctaactaat gtagcattaa ctaacgattg gaaactacat 1721
 ttacaacttc aaagctgttt tatacataga aatcaattac agttttaatt gaaaactata 1781
 25 accattttga taatgcaaca ataaagcatc ttcagcc 1818

128/346

```

<210> 57
<211> 1646
<212> DNA
5  <213> Homo sapiens
    <220>
    <221> CDS
    <222> (37)..(1047)
    <400> 57
10  acgcgagctg cctgtttttt tcctgcttgg acgcgc atg agg gcc ccg tcc atg 54
                                     Met Arg Ala Pro Ser Met
                                     1           5
    gac cgc gcg gcc gtg gcg agg gtg ggc gcg gta gcg agc gcc agc gtg 102
    Asp Arg Ala Ala Val Ala Arg Val Gly Ala Val Ala Ser Ala Ser Val
15          10          15          20
    tgc gcc ctg gtg gcg ggg gtg gtg ctg gct cag tac ata ttc acc ttg 150
    Cys Ala Leu Val Ala Gly Val Val Leu Ala Gln Tyr Ile Phe Thr Leu
          25          30          35
    aag agg aag acg ggg cgg aag acc aag atc atc gag atg atg cca gaa 198
20  Lys Arg Lys Thr Gly Arg Lys Thr Lys Ile Ile Glu Met Met Pro Glu
          40          45          50
    ttc cag aaa agt tca gtt cga atc aag aac cct aca aga gta gaa gaa 246
    Phe Gln Lys Ser Ser Val Arg Ile Lys Asn Pro Thr Arg Val Glu Glu
          55          60          65          70
25  att atc tgt ggt ctt atc aaa gga gga gct gcc aaa ctt cag ata ata 294

```

129/346

```

Ile Ile Cys Gly Leu Ile Lys Gly Gly Ala Ala Lys Leu Gln Ile Ile
              75                      80                      85
acg gac ttt gat atg aca ctc agt aga ttt tca tat aaa ggg aaa aga 342
Thr Asp Phe Asp Met Thr Leu Ser Arg Phe Ser Tyr Lys Gly Lys Arg
5              90                      95                      100
tgc cca aca tgt cat aat atc att gac aac tgt aag ctg gtt aca gat 390
Cys Pro Thr Cys His Asn Ile Ile Asp Asn Cys Lys Leu Val Thr Asp
              105                      110                      115
gaa tgt aga aaa aag tta ttg caa cta aag gaa aaa tat tac gct att 438
10 Glu Cys Arg Lys Lys Leu Leu Gln Leu Lys Glu Lys Tyr Tyr Ala Ile
              120                      125                      130
gaa gtt gat cct gtt ctt act gta gaa gag aag tac cct tat atg gtg 486
Glu Val Asp Pro Val Leu Thr Val Glu Glu Lys Tyr Pro Tyr Met Val
              135                      140                      145                      150
15 gaa tgg tat act aaa tca cat ggt ttg ctt gtt cag caa gct tta cca 534
Glu Trp Tyr Thr Lys Ser His Gly Leu Leu Val Gln Gln Ala Leu Pro
              155                      160                      165
aaa gct aaa ctt aaa gaa att gtg gca gaa tct gac gtt atg ctc aaa 582
Lys Ala Lys Leu Lys Glu Ile Val Ala Glu Ser Asp Val Met Leu Lys
              170                      175                      180
20 gaa gga tat gag aat ttc ttt gat aag ctc caa caa cat agc atc ccc 630
Glu Gly Tyr Glu Asn Phe Phe Asp Lys Leu Gln Gln His Ser Ile Pro
              185                      190                      195
gtg ttc ata ttt tcg gct gga atc ggc gat gta cta gag gaa gtt att 678
25 Val Phe Ile Phe Ser Ala Gly Ile Gly Asp Val Leu Glu Glu Val Ile

```

130/346

	200	205	210	
	cgt caa gct ggt gtt tat cat ccc aat gtc aaa gtt gtg tcc aat ttt	726		
	Arg Gln Ala Gly Val Tyr His Pro Asn Val Lys Val Val Ser Asn Phe			
	215	220	225	230
5	atg gat ttt gat gaa act ggg gtg ctc aaa gga ttt aaa gga gaa cta	774		
	Met Asp Phe Asp Glu Thr Gly Val Leu Lys Gly Phe Lys Gly Glu Leu			
	235	240	245	
	att cat gta ttt aac aaa cat gat ggt gcc ttg agg aat aca gaa tat	822		
	Ile His Val Phe Asn Lys His Asp Gly Ala Leu Arg Asn Thr Glu Tyr			
10	250	255	260	
	ttc aat caa cta aaa gac aat agt aac ata att ctt ctg gga gac tcc	870		
	Phe Asn Gln Leu Lys Asp Asn Ser Asn Ile Ile Leu Leu Gly Asp Ser			
	265	270	275	
	caa gga gac tta aga atg gca gat gga gtg gcc aat gtt gag cac att	918		
15	Gln Gly Asp Leu Arg Met Ala Asp Gly Val Ala Asn Val Glu His Ile			
	280	285	290	
	ctg aaa att gga tat cta aat gat aga gtg gat gag ctt tta gaa aag	966		
	Leu Lys Ile Gly Tyr Leu Asn Asp Arg Val Asp Glu Leu Leu Glu Lys			
	295	300	305	310
20	tac atg gac tct tat gat att gtt tta gta caa gat gaa tca tta gaa	1014		
	Tyr Met Asp Ser Tyr Asp Ile Val Leu Val Gln Asp Glu Ser Leu Glu			
	315	320	325	
	gta gcc aac tct att tta cag aag att cta taaacaagca ttctccaaga	1064		
	Val Ala Asn Ser Ile Leu Gln Lys Ile Leu			
25	330	335		

131/346

agacctctct cctgtgggtg caattgaact gttcatccgt tcattcttgc gagagactta 1124
tttataatat atccttactc tcgaagtgtt ccctttgtat aactgaagta ttttcagata 1184
tggtgaatgc attgactgga agctcctttt ctccacctct ctcaacacac tcctcaccgt 1244
atcttttaac ccatttaaaa aaaaaaaaaa gctaaaatta gaaaaataac tccctacttt 1304
5 tccaaagtga attttgtagt ttaatgttat catgcagctt ttgaggagtc ttttactg 1364
ggaaagtttg tagaaatttt aaaataagtt ttatgaaatg gtgaaataat atgcatgatt 1424
ttaagtattg ccatttttgt aatttgggtt attatgctga tggatcacc atctcttgaa 1484
attgtgttag gtttggttat ttgtctggg gaaaaatat ttactggaaa agactagcag 1544
ttagtgttgg aaaaacctgg tgggttttac aatgttgcta atcattacaa aacattctat 1604
10 attgaagcac tgataataaa tatgaaatgc aaacctttt tt 1646

<210> 58

<211> 1416

<212> DNA

15 <213> Homo sapiens

<220>

<221> CDS

<222> (174)..(1196)

<400> 58

20 aaaagttggc ccggaagct caaggaggga gagcggcaga ggggaagact ctgcaattct 60
gcttgcccc caccocggcc caggcaagcc accctgcccc cggccccac ctgccccccc 120
cgctgcctt tcctcaccoc ggtgcctgcg ggattgctgg agagaacgcg gcg atg 176

Met

1

25 gag ccg ggc agg acc cag ata aag ctt gac ccc agg tac aca gca gat 224

	Glu	Pro	Gly	Arg	Thr	Gln	Ile	Lys	Leu	Asp	Pro	Arg	Tyr	Thr	Ala	Asp	
					5					10					15		
	ctt	ctg	gag	gtg	ctg	aag	acc	aat	tac	ggc	atc	ccc	tcc	gcc	tgc	ttc	272
	Leu	Leu	Glu	Val	Leu	Lys	Thr	Asn	Tyr	Gly	Ile	Pro	Ser	Ala	Cys	Phe	
5			20					25						30			
	tct	cag	cct	ccc	aca	gca	gcc	caa	ctc	ctg	aga	gcc	ctg	ggc	cct	gtg	320
	Ser	Gln	Pro	Pro	Thr	Ala	Ala	Gln	Leu	Leu	Arg	Ala	Leu	Gly	Pro	Val	
			35					40						45			
	gaa	ctt	gcc	ctc	act	agc	atc	ctg	acc	ttg	ctg	gcg	ctg	ggc	tcc	att	368
10	Glu	Leu	Ala	Leu	Thr	Ser	Ile	Leu	Thr	Leu	Leu	Ala	Leu	Gly	Ser	Ile	
		50					55					60				65	
	gcc	atc	ttc	ctg	gag	gat	gcc	gtc	tac	ctg	tac	aag	aac	acc	ctt	tgc	416
	Ala	Ile	Phe	Leu	Glu	Asp	Ala	Val	Tyr	Leu	Tyr	Lys	Asn	Thr	Leu	Cys	
					70					75					80		
15	ccc	atc	aag	agg	cgg	act	ctg	ctc	tgg	aag	agc	tcg	gca	ccc	acg	gtg	464
	Pro	Ile	Lys	Arg	Arg	Thr	Leu	Leu	Trp	Lys	Ser	Ser	Ala	Pro	Thr	Val	
				85						90					95		
	gtg	tct	gtg	ctg	tgc	tgc	ttt	ggc	ctc	tgg	atc	cct	cgt	tcc	ctg	gtg	512
	Val	Ser	Val	Leu	Cys	Cys	Phe	Gly	Leu	Trp	Ile	Pro	Arg	Ser	Leu	Val	
20			100							105					110		
	ctg	gtg	gaa	atg	acc	atc	acc	tcg	ttt	tat	gcc	gtg	tgc	ttt	tac	ctg	560
	Leu	Val	Glu	Met	Thr	Ile	Thr	Ser	Phe	Tyr	Ala	Val	Cys	Phe	Tyr	Leu	
			115							120					125		
	ctg	atg	ctg	gtc	atg	gtg	gaa	ggc	ttt	ggg	ggg	aag	gag	gca	gtg	ctg	608
25	Leu	Met	Leu	Val	Met	Val	Glu	Gly	Phe	Gly	Gly	Lys	Glu	Ala	Val	Leu	

133/346

	130	135	140	145	
	agg acg ctg agg gac acc ccg atg atg gtc cac aca ggc ccc tgc tgc				656
	Arg Thr Leu Arg Asp Thr Pro Met Met Val His Thr Gly Pro Cys Cys				
	150	155	160		
5	tgc tgc tgc ccc tgc tgt cca cgg ctg ctg ctc acc agg aag aag ctt				704
	Cys Cys Cys Pro Cys Cys Pro Arg Leu Leu Leu Thr Arg Lys Lys Leu				
	165	170	175		
	cag ctg ctg atg ttg ggc cct ttc caa tac gcc ttc ttg aag ata acg				752
	Gln Leu Leu Met Leu Gly Pro Phe Gln Tyr Ala Phe Leu Lys Ile Thr				
10	180	185	190		
	ctg acc ctg gtg ggc ctg ttt ctc atc ccc gac ggc atc tat gac cca				800
	Leu Thr Leu Val Gly Leu Phe Leu Ile Pro Asp Gly Ile Tyr Asp Pro				
	195	200	205		
	gca gac att tct gag ggg agc aca gct cta tgg atc aac act ttc ctt				848
15	Ala Asp Ile Ser Glu Gly Ser Thr Ala Leu Trp Ile Asn Thr Phe Leu				
	210	215	220	225	
	ggc gtg tcc aca ctg ctg gct ctc tgg acc ctg ggc atc att tcc cgt				896
	Gly Val Ser Thr Leu Leu Ala Leu Trp Thr Leu Gly Ile Ile Ser Arg				
	230	235	240		
20	caa gcc agg cta cac ctg ggt gag cag aac atg gga gcc aaa ttt gct				944
	Gln Ala Arg Leu His Leu Gly Glu Gln Asn Met Gly Ala Lys Phe Ala				
	245	250	255		
	ctg ttc cag gtt ctc ctc atc ctg act gcc cta cag ccc tcc atc ttc				992
	Leu Phe Gln Val Leu Leu Ile Leu Thr Ala Leu Gln Pro Ser Ile Phe				
25	260	265	270		

134/346

tca gtc ttg gcc aac ggt ggg cag att gct tgt tcg cct ccc tat tcc 1040
 Ser Val Leu Ala Asn Gly Gly Gln Ile Ala Cys Ser Pro Pro Tyr Ser
 275 280 285
 tct aaa acc agg tct caa gtg atg aat tgc cac ctc ctc ata ctg gag 1088
 5 Ser Lys Thr Arg Ser Gln Val Met Asn Cys His Leu Leu Ile Leu Glu
 290 295 300 305
 act ttt cta atg act gtg ctg aca cga atg tac tac cga agg aaa gac 1136
 Thr Phe Leu Met Thr Val Leu Thr Arg Met Tyr Tyr Arg Arg Lys Asp
 310 315 320
 10 cac aag gtt ggg tat gaa act ttc tct tct cca gac ctg gac ttg aac 1184
 His Lys Val Gly Tyr Glu Thr Phe Ser Ser Pro Asp Leu Asp Leu Asn
 325 330 335
 ctc aaa gcc taaggtggat ggcttggaca atgaaaggat gctgtactca 1233
 Leu Lys Ala
 15 340
 ttagaataca agattccttt actgtccctc aaccttgacc aaatgggaag cattccccct 1293
 tgtcaacaca agctggcaga tacatttgac tctacagatg aaggtgaaca atgttagaat 1353
 aaaattgctt tggatcttgc ctggaagggtg ttttaagttt tgtaataaac aagatgatgt 1413
 ctg 1416
 20
 <210> 59
 <211> 1927
 <212> DNA
 <213> Homo sapiens
 25 <220>

135/346

<221> CDS

<222> (89)..(760)

<400> 59

```

agctccagtc ctggcatctg cccgaggaga ccacgctcct ggagctctgc tgtcttctca 60
5  gggagactct gaggctctgt tgagaatc atg ctt tgg agg cag ctc atc tat 112
                                     Met Leu Trp Arg Gln Leu Ile Tyr
                                     1             5

tgg caa ctg ctg gct ttg ttt ttc ctc cct ttt tgc ctg tgt caa gat 160
Trp Gln Leu Leu Ala Leu Phe Phe Leu Pro Phe Cys Leu Cys Gln Asp
10      10             15             20

gaa tac atg gag gtg agc gga aga act aat aaa gtg gtg gca aga ata 208
Glu Tyr Met Glu Val Ser Gly Arg Thr Asn Lys Val Val Ala Arg Ile
      25             30             35             40

gtg caa agc cac cag cag act ggc cgt agc ggc tcc agg agg gag aaa 256
15  Val Gln Ser His Gln Gln Thr Gly Arg Ser Gly Ser Arg Arg Glu Lys
      45             50             55

gtg aga gag cgg agc cat cct aaa act ggg act gtg gat aat aac act 304
Val Arg Glu Arg Ser His Pro Lys Thr Gly Thr Val Asp Asn Asn Thr
      60             65             70

tct aca gac cta aaa tcc ctg aga cca gat gag cta ccg cac ccc gag 352
20  Ser Thr Asp Leu Lys Ser Leu Arg Pro Asp Glu Leu Pro His Pro Glu
      75             80             85

gta gat gac cta gcc cag atc acc aca ttc tgg ggc cag tct cca caa 400
Val Asp Asp Leu Ala Gln Ile Thr Thr Phe Trp Gly Gln Ser Pro Gln
25      90             95             100

```

136/346

acc gga gga cta ccc cca gac tgc agt aag tgt tgt cat gga gac tac 448
 Thr Gly Gly Leu Pro Pro Asp Cys Ser Lys Cys Cys His Gly Asp Tyr
 105 110 115 120
 agc ttt cga ggc tac caa ggc ccc cct ggg cca ccg ggc cct cct ggc 496
 5 Ser Phe Arg Gly Tyr Gln Gly Pro Pro Gly Pro Pro Gly Pro Pro Gly
 125 130 135
 att cca gga aac cat gga aac aat ggc aac aat gga gcc act ggt cat 544
 Ile Pro Gly Asn His Gly Asn Asn Gly Asn Asn Gly Ala Thr Gly His
 140 145 150
 10 gaa gga gcc aaa ggt gag aag ggc gac aaa ggt gac ctg ggg cct cga 592
 Glu Gly Ala Lys Gly Glu Lys Gly Asp Lys Gly Asp Leu Gly Pro Arg
 155 160 165
 ggg gag cgg ggg cag cat ggc ccc aaa gga gag aag ggc tac ccg ggg 640
 Gly Glu Arg Gly Gln His Gly Pro Lys Gly Glu Lys Gly Tyr Pro Gly
 15 170 175 180
 att cca cca gaa ctt cag att gca ttc atg gct tct ctg gca acc cac 688
 Ile Pro Pro Glu Leu Gln Ile Ala Phe Met Ala Ser Leu Ala Thr His
 185 190 195 200
 ttc agc aat cag aac agt ggg att atc ttc agc agt gtt gag acc aac 736
 20 Phe Ser Asn Gln Asn Ser Gly Ile Ile Phe Ser Ser Val Glu Thr Asn
 205 210 215
 att gga aac ttc ttg atg tca tgactggtag atttggggcc ccagtatcag 787
 Ile Gly Asn Phe Leu Met Ser
 220
 25 gtgtgtattt cttcaccttc agcatgatga agcatgagga tggtgaggaa gtgtatgtgt 847

137/346

accttatgca caatggcaac acagtcttca gcatgtacag ctatgaaatg aagggcaaat 907
cagatacatc cagcaatcat gctgtgctga agctagccaa aggggatgag gtttggctgc 967
gaatgggcaa tggcgctctc catggggacc accaacgctt ctccaccttt gcaggattcc 1027
tgctctttga aactaagtaa atatatgact agaatagctc cactttgggg aagacttgta 1087
5 gctgagctga tttgttacga tctgaggaac attaaagttg agggttttac attgctgtat 1147
tcaaaaaatt attggttgca atgttggttca cgctacaggt acaccaataa tgttggacaa 1207
ttcaggggct cagaagaatc aaccacaaaa tagtcttctc agatgacctt gactaatata 1267
ctcagcatct ttatcactct ttccttggca cctaaaagat aattctctc tgacgcaggt 1327
tggaatatt ttttctatc acagaagtca tttgcaaaga attttgacta ctctgctttt 1387
10 aatttaatac cagttttcag gaaccctga agttttaagt tcattattct ttataacatt 1447
tgagagaatc ggatgtagtg atatgacagg gctggggcaa gaacaggggc actagctgcc 1507
ttattagcta atttagtgcc ctccgtgttc agcttagcct ttgacccttt ccttttgatc 1567
cacaaaatac attaaaactc tgaattcaca tacaatgcta ttttaaagtc aatagatttt 1627
agctataaag tgcttgacca gtaatgtggt tgtaattttg tgtatgttcc cccacatcgc 1687
15 ccccaacttc ggatgtgggg tcaggagggt gaggttcact attaacaaat gtcataaata 1747
tctcatagag gtacagtgcc aatagatatt caaatgttgc atgttgacca gagggatttt 1807
atatctgaag aacatacact attaataaat accttagaga aagattttga cctggcttta 1867
gataaaactg tggcaagaaa aatgtaatga gcaatatatg gaaataaaca cacctttggt 1927

20 <210> 60

<211> 1419

<212> DNA

<213> Homo sapiens

<220>

25 <221> CDS

138/346

<222> (172)..(1101)

<400> 60

```

gaagcgccaa gtgcgcatgg ggacgctata gcaattcggt tgctgtcctt cctctccttc 60
gaagatgaca aggcctacca tcgtttcttc ctgcctttgg gccgtcaggc agttggttgg 120
5  gacccgctcc aaccctcggt tcttcctgca atacagtgga tacaatttgt c atg gct 177
                                     Met Ala
                                     1
act ctg agt gtt ata ggt tca agt tca ctt att gcc tat gct gta ttc 225
Thr Leu Ser Val Ile Gly Ser Ser Ser Leu Ile Ala Tyr Ala Val Phe
10      5              10              15
cat aat ata cag aaa tct cca gag ata aga cca ctt ttt tat ctg agc 273
His Asn Ile Gln Lys Ser Pro Glu Ile Arg Pro Leu Phe Tyr Leu Ser
      20              25              30
ttc tgt gac ctg ctc ctg gga ctt tgc tgg ctc acg gag aca ctt ctc 321
15  Phe Cys Asp Leu Leu Leu Gly Leu Cys Trp Leu Thr Glu Thr Leu Leu
      35              40              45              50
tat gga gct tca gta gca aat aag gac atc atc tgc tat aac cta caa 369
Tyr Gly Ala Ser Val Ala Asn Lys Asp Ile Ile Cys Tyr Asn Leu Gln
      55              60              65
20  gca gtt gga cag ata ttc tac att tcc tca ttt ctc tac acc gtc aat 417
Ala Val Gly Gln Ile Phe Tyr Ile Ser Ser Phe Leu Tyr Thr Val Asn
      70              75              80
tac atc tgg tat ttg tac aca gag ctg agg atg aaa cac acc cag agt 465
Tyr Ile Trp Tyr Leu Tyr Thr Glu Leu Arg Met Lys His Thr Gln Ser
25      85              90              95

```


139/346

gga cag agc aca tct cca ctg gtg ata gat tat act tgt cga gtt tgt 513
 Gly Gln Ser Thr Ser Pro Leu Val Ile Asp Tyr Thr Cys Arg Val Cys
 100 105 110
 caa atg gcc ttt gtt ttc tca agg tgt atc ttg atg cac tca cca cca 561
 5 Gln Met Ala Phe Val Phe Ser Arg Cys Ile Leu Met His Ser Pro Pro
 115 120 125 130
 tca gcc atg gct gaa ctt cca cct tct gcc aac aca tct gtc tgt agc 609
 Ser Ala Met Ala Glu Leu Pro Pro Ser Ala Asn Thr Ser Val Cys Ser
 135 140 145
 10 aca ctt tat ttt tat ggt atc gcc att ttc ctg ggc agc ttt gta ctc 657
 Thr Leu Tyr Phe Tyr Gly Ile Ala Ile Phe Leu Gly Ser Phe Val Leu
 150 155 160
 agc ctc ctt acc att atg gtc tta ctt atc cga gcc cag aca ttg tat 705
 Ser Leu Leu Thr Ile Met Val Leu Leu Ile Arg Ala Gln Thr Leu Tyr
 15 165 170 175
 aag aag ttt gtg aag tca act ggc ttt ctg ggg agt gaa cag tgg gca 753
 Lys Lys Phe Val Lys Ser Thr Gly Phe Leu Gly Ser Glu Gln Trp Ala
 180 185 190
 gtg att cac att gtg gac caa cgg gtg cgc ttc tac cca gtg gcc ttc 801
 20 Val Ile His Ile Val Asp Gln Arg Val Arg Phe Tyr Pro Val Ala Phe
 195 200 205 210
 ttt tgc tgc tgg ggc cca gct gtc att cta atg atc ata aag ctg act 849
 Phe Cys Cys Trp Gly Pro Ala Val Ile Leu Met Ile Ile Lys Leu Thr
 215 220 225
 25 aag cca cag gac acc aag ctt cac atg gcc ctt tat gtt ctc cag gct 897

140/346

Lys Pro Gln Asp Thr Lys Leu His Met Ala Leu Tyr Val Leu Gln Ala
 230 235 240
 cta acg gca aca tct cag ggt cta ctc aac tgt gga gta tat ggc tgg 945
 Leu Thr Ala Thr Ser Gln Gly Leu Leu Asn Cys Gly Val Tyr Gly Trp
 5 245 250 255
 acg cag cac aaa ttc cac caa cta aag cag gag gct cgg cgt gat gca 993
 Thr Gln His Lys Phe His Gln Leu Lys Gln Glu Ala Arg Arg Asp Ala
 260 265 270
 gat acc cag aca cca tta tta tgc tca cag aag aga ttc tat agc agg 1041
 10 Asp Thr Gln Thr Pro Leu Leu Cys Ser Gln Lys Arg Phe Tyr Ser Arg
 275 280 285 290
 ggc tta aat tca ctg gaa tcc acc ctg act ttt cct gcc agt act tct 1089
 Gly Leu Asn Ser Leu Glu Ser Thr Leu Thr Phe Pro Ala Ser Thr Ser
 295 300 305
 15 acc att ttt tgaaactaca atactggaac atccaggaac tggagttatt 1138
 Thr Ile Phe
 ctacgcta at ggattggaaa gaatgttggg aaaggacatc ttaaactctt tctaactatg 1198
 ccctaaactg cagaactcaa aggaaatata gtgccattgt tagtagtcat tctagatgaa 1258
 ttgggagtat ctctccagtt attcccagat tcactagtga tccttaaagt ctctattcag 1318
 20 ggagaggaag acactttcca tctcagagat agactcgtgt taccttgatg gatattggat 1378
 ttgtctaagt ctcttctaga aaaaataaat tctagattat t 1419
 <210> 61
 <211> 599
 25 <212> PRT

141/346

<213> Homo sapiens

<400> 61

Met Pro Ser Ser Leu Pro Gly Ser Gln Val Pro His Pro Thr Leu Asp
 5 1 5 10 15
 Ala Val Asp Leu Val Glu Lys Thr Leu Arg Asn Glu Gly Thr Ser Ser
 20 25 30
 Ser Ala Pro Val Leu Glu Glu Gly Asp Thr Asp Pro Trp Thr Leu Pro
 35 40 45
 10 Gln Leu Lys Asp Thr Ser Gln Pro Trp Lys Glu Leu Arg Val Ala Gly
 50 55 60
 Arg Leu Arg Arg Val Ala Gly Ser Val Leu Lys Ala Cys Gly Leu Leu
 65 70 75 80
 Gly Ser Leu Tyr Phe Phe Ile Cys Ser Leu Asp Val Leu Ser Ser Ala
 15 85 90 95
 Phe Gln Leu Leu Gly Ser Lys Val Ala Gly Asp Ile Phe Lys Asp Asn
 100 105 110
 Val Val Leu Ser Asn Pro Val Ala Gly Leu Val Ile Gly Val Leu Val
 115 120 125
 20 Thr Ala Leu Val Gln Ser Ser Ser Thr Ser Ser Ser Ile Val Val Ser
 130 135 140
 Met Val Ala Ala Lys Leu Leu Thr Val Arg Val Ser Val Pro Ile Ile
 145 150 155 160
 Met Gly Val Asn Val Gly Thr Ser Ile Thr Ser Thr Leu Val Ser Met
 25 165 170 175

142/346

Ala Gln Ser Gly Asp Arg Asp Glu Phe Gln Arg Ala Phe Ser Gly Ser
 180 185 190
 Ala Val His Gly Ile Phe Asn Trp Leu Thr Val Leu Val Leu Leu Pro
 195 200 205
 5 Leu Glu Ser Ala Thr Ala Leu Leu Glu Arg Leu Ser Glu Leu Ala Leu
 210 215 220
 Gly Ala Ala Ser Leu Thr Pro Arg Ala Gln Ala Pro Asp Ile Leu Lys
 225 230 235 240
 Val Leu Thr Lys Pro Leu Thr His Leu Ile Val Gln Leu Asp Ser Asp
 10 245 250 255
 Met Ile Met Ser Ser Ala Thr Gly Asn Ala Thr Asn Ser Ser Leu Ile
 260 265 270
 Lys His Trp Cys Gly Thr Thr Gly Gln Pro Thr Gln Glu Asn Ser Ser
 275 280 285
 15 Cys Gly Ala Phe Gly Pro Cys Thr Glu Lys Asn Ser Thr Ala Pro Ala
 290 295 300
 Asp Arg Leu Pro Cys Arg His Leu Phe Ala Gly Thr Glu Leu Thr Asp
 305 310 315 320
 Leu Ala Val Gly Cys Ile Leu Leu Ala Gly Ser Leu Leu Val Leu Cys
 20 325 330 335
 Gly Cys Leu Val Leu Ile Val Lys Leu Leu Asn Ser Val Leu Arg Gly
 340 345 350
 Arg Val Ala Gln Val Val Arg Thr Val Ile Asn Ala Asp Phe Pro Phe
 355 360 365
 25 Pro Leu Gly Trp Leu Gly Gly Tyr Leu Ala Val Leu Ala Gly Ala Gly

143/346

	370	375	380	
	Leu Thr Phe Ala Leu Gln Ser Ser Ser Val Phe Thr Ala Ala Val Val			
	385	390	395	400
	Pro Leu Met Gly Val Gly Val Ile Ser Leu Asp Arg Ala Tyr Pro Leu			
5	405	410	415	
	Leu Leu Gly Ser Asn Ile Gly Thr Thr Thr Thr Ala Leu Leu Ala Ala			
	420	425	430	
	Leu Ala Ser Pro Ala Asp Arg Met Leu Ser Ala Leu Gln Val Ala Leu			
	435	440	445	
10	Ile His Phe Phe Phe Asn Leu Ala Gly Ile Leu Leu Trp Tyr Leu Val			
	450	455	460	
	Pro Ala Leu Arg Leu Pro Ile Pro Leu Ala Arg His Phe Gly Val Val			
	465	470	475	480
	Thr Ala Arg Tyr Arg Trp Val Ala Gly Val Tyr Leu Leu Leu Gly Phe			
15	485	490	495	
	Leu Leu Leu Pro Leu Ala Ala Phe Gly Leu Ser Leu Ala Gly Gly Met			
	500	505	510	
	Val Leu Ala Ala Val Gly Gly Pro Leu Val Gly Leu Val Leu Leu Val			
	515	520	525	
20	Ile Leu Val Thr Val Leu Gln Arg Arg Arg Pro Ala Trp Leu Pro Val			
	530	535	540	
	Arg Leu Arg Ser Trp Ala Trp Leu Pro Val Trp Leu His Ser Leu Glu			
	545	550	555	560
	Pro Trp Asp Arg Leu Val Thr Arg Cys Cys Pro Cys Asn Val Cys Ser			
25	565	570	575	

144/346

Pro Pro Lys Ala Thr Thr Lys Glu Ala Tyr Cys Tyr Glu Asn Pro Glu

580

585

590

Ile Leu Ala Ser Gln Gln Leu

595

5

<210> 62

<211> 81

<212> PRT

<213> Homo sapiens

10

<400> 62

Met Asp Gly Gly Gln Pro Ile Pro Ser Ser Leu Val Pro Leu Gly Asn

1

5

10

15

Glu Ser Ala Asp Ser Ser Met Ser Leu Glu Gln Lys Met Thr Phe Val

15

20

25

30

Phe Val Ile Leu Leu Phe Ile Phe Leu Gly Ile Leu Ile Val Arg Cys

35

40

45

Phe Arg Ile Leu Leu Asp Pro Tyr Arg Ser Met Pro Thr Ser Thr Trp

50

55

60

20

Ala Asp Gly Leu Glu Gly Leu Glu Lys Gly Gln Phe Asp His Ala Leu

65

70

75

80

Ala

25

<210> 63

145/346

<211> 654

<212> PRT

<213> Homo sapiens

5 <400> 63

Met Ala Pro Lys Lys Leu Ser Cys Leu Arg Ser Leu Leu Leu Pro Leu
1 5 10 15

Ser Leu Thr Leu Leu Leu Pro Gln Ala Asp Thr Arg Ser Phe Val Val
20 25 30

10 Asp Arg Gly His Asp Arg Phe Leu Leu Asp Gly Ala Pro Phe Arg Tyr
35 40 45

Val Ser Gly Ser Leu His Tyr Phe Arg Val Pro Arg Val Leu Trp Ala
50 55 60

Asp Arg Leu Leu Lys Met Arg Trp Ser Gly Leu Asn Ala Ile Gln Phe
15 65 70 75 80

Tyr Val Pro Trp Asn Tyr His Glu Pro Gln Pro Gly Val Tyr Asn Phe
85 90 95

Asn Gly Ser Arg Asp Leu Ile Ala Phe Leu Asn Glu Ala Ala Leu Ala
100 105 110

20 Asn Leu Leu Val Ile Leu Arg Pro Gly Pro Tyr Ile Cys Ala Glu Trp
115 120 125

Glu Met Gly Gly Leu Pro Ser Trp Leu Leu Arg Lys Pro Glu Ile His
130 135 140

Leu Arg Thr Ser Asp Pro Asp Phe Leu Ala Ala Val Asp Ser Trp Phe
25 145 150 155 160

146/346

Lys Val Leu Leu Pro Lys Ile Tyr Pro Trp Leu Tyr His Asn Gly Gly
 165 170 175
 Asn Ile Ile Ser Ile Gln Val Glu Asn Glu Tyr Gly Ser Tyr Arg Ala
 180 185 190
 5 Cys Asp Phe Ser Tyr Met Arg His Leu Ala Gly Leu Phe Arg Ala Leu
 195 200 205
 Leu Gly Glu Lys Ile Leu Leu Phe Thr Thr Asp Gly Pro Glu Gly Leu
 210 215 220
 Lys Cys Gly Ser Leu Arg Gly Leu Tyr Thr Thr Val Asp Phe Gly Pro
 10 225 230 235 240
 Ala Asp Asn Met Thr Lys Ile Phe Thr Leu Leu Arg Lys Tyr Glu Pro
 245 250 255
 His Gly Pro Leu Val Asn Ser Glu Tyr Tyr Thr Gly Trp Leu Asp Tyr
 260 265 270
 15 Trp Gly Gln Asn His Ser Thr Arg Ser Val Ser Ala Val Thr Lys Gly
 275 280 285
 Leu Glu Asn Met Leu Lys Leu Gly Ala Ser Val Asn Met Tyr Met Phe
 290 295 300
 His Gly Gly Thr Asn Phe Gly Tyr Trp Asn Gly Ala Asp Lys Lys Gly
 20 305 310 315 320
 Arg Phe Leu Pro Ile Thr Thr Ser Tyr Asp Tyr Asp Ala Pro Ile Ser
 325 330 335
 Glu Ala Gly Asp Pro Thr Pro Lys Leu Phe Ala Leu Arg Asp Val Ile
 340 345 350
 25 Ser Lys Phe Gln Glu Val Pro Leu Gly Pro Leu Pro Pro Pro Ser Pro

147/346

	355		360		365
	Lys Met Met Leu Gly Pro Val Thr Leu His Leu Val Gly His Leu Leu				
	370		375		380
	Ala Phe Leu Asp Leu Leu Cys Pro Arg Gly Pro Ile His Ser Ile Leu				
5	385		390		395
	Pro Met Thr Phe Glu Ala Val Lys Gln Asp His Gly Phe Met Leu Tyr				
		405		410	415
	Arg Thr Tyr Met Thr His Thr Ile Phe Glu Pro Thr Pro Phe Trp Val				
		420		425	430
10	Pro Asn Asn Gly Val His Asp Arg Ala Tyr Val Met Val Asp Gly Val				
		435		440	445
	Phe Gln Gly Val Val Glu Arg Asn Met Arg Asp Lys Leu Phe Leu Thr				
		450		455	460
	Gly Lys Leu Gly Ser Lys Leu Asp Ile Leu Val Glu Asn Met Gly Arg				
15	465		470		475
	Leu Ser Phe Gly Ser Asn Ser Ser Asp Phe Lys Gly Leu Leu Lys Pro				
		485		490	495
	Pro Ile Leu Gly Gln Thr Ile Leu Thr Gln Trp Met Met Phe Pro Leu				
		500		505	510
20	Lys Ile Asp Asn Leu Val Lys Trp Trp Phe Pro Leu Gln Leu Pro Lys				
		515		520	525
	Trp Pro Tyr Pro Gln Ala Pro Ser Gly Pro Thr Phe Tyr Ser Lys Thr				
		530		535	540
	Phe Pro Ile Leu Gly Ser Val Gly Asp Thr Phe Leu Tyr Leu Pro Gly				
25	545		550		555
					560

148/346

Trp Thr Lys Gly Gln Val Trp Ile Asn Gly Phe Asn Leu Gly Arg Tyr
 565 570 575
 Trp Thr Lys Gln Gly Pro Gln Gln Thr Leu Tyr Val Pro Arg Phe Leu
 580 585 590
 5 Leu Phe Pro Arg Gly Ala Leu Asn Lys Ile Thr Leu Leu Glu Leu Glu
 595 600 605
 Asp Val Pro Leu Gln Pro Gln Val Gln Phe Leu Asp Lys Pro Ile Leu
 610 615 620
 Asn Ser Thr Ser Thr Leu His Arg Thr His Ile Asn Ser Leu Ser Ala
 10 625 630 635 640
 Asp Thr Leu Ser Ala Ser Glu Pro Met Glu Leu Ser Gly His
 645 650

 <210> 64
 15 <211> 390
 <212> PRT
 <213> Homo sapiens

 <400> 64
 20 Met Gly Met Asp Asp Cys Asp Ser Phe Phe Pro Gly Pro Leu Val Ala
 1 5 10 15
 Ile Ile Cys Asp Ile Leu Gly Glu Lys Thr Thr Ser Ile Leu Gly Ala
 20 25 30
 Phe Val Val Thr Gly Gly Tyr Leu Ile Ser Ser Trp Ala Thr Ser Ile
 25 35 40 45

149/346

Pro Phe Leu Cys Val Thr Met Gly Leu Leu Pro Gly Leu Gly Ser Ala
 50 55 60
 Phe Leu Tyr Gln Val Ala Ala Val Val Thr Thr Lys Tyr Phe Lys Lys
 65 70 75 80
 5 Arg Leu Ala Leu Ser Thr Ala Ile Ala Arg Ser Gly Met Gly Leu Thr
 85 90 95
 Phe Leu Leu Ala Pro Phe Thr Lys Phe Leu Ile Asp Leu Tyr Asp Trp
 100 105 110
 Thr Gly Ala Leu Ile Leu Phe Gly Ala Ile Ala Leu Asn Leu Val Pro
 10 115 120 125
 Ser Ser Met Leu Leu Arg Pro Ile His Ile Lys Ser Glu Asn Asn Ser
 130 135 140
 Gly Ile Lys Asp Lys Gly Ser Ser Leu Ser Ala His Gly Pro Glu Ala
 145 150 155 160
 15 His Ala Thr Glu Thr His Cys His Glu Thr Glu Glu Ser Thr Ile Lys
 165 170 175
 Asp Ser Thr Thr Gln Lys Ala Gly Leu Pro Ser Lys Asn Leu Thr Val
 180 185 190
 Ser Gln Asn Gln Ser Glu Glu Phe Tyr Asn Gly Pro Asn Arg Asn Arg
 20 195 200 205
 Leu Leu Leu Lys Ser Asp Glu Glu Ser Asp Lys Val Ile Ser Trp Ser
 210 215 220
 Cys Lys Gln Leu Phe Asp Ile Ser Leu Phe Arg Asn Pro Phe Phe Tyr
 225 230 235 240
 25 Ile Phe Thr Trp Ser Phe Leu Leu Ser Gln Leu Ala Tyr Phe Ile Pro

150/346

	245	250	255
	Thr Phe His Leu Val Ala Arg Ala Lys Thr Leu Gly Ile Asp Ile Met		
	260	265	270
	Asp Ala Ser Tyr Leu Val Ser Val Ala Gly Ile Leu Glu Thr Val Ser		
5	275	280	285
	Gln Ile Ile Ser Gly Trp Val Ala Asp Gln Asn Trp Ile Lys Lys Tyr		
	290	295	300
	His Tyr His Lys Ser Tyr Leu Ile Leu Cys Gly Ile Thr Asn Leu Leu		
	305	310	315 320
10	Ala Pro Leu Ala Thr Thr Phe Pro Leu Leu Met Thr Tyr Thr Ile Cys		
	325	330	335
	Phe Ala Ile Phe Ala Gly Gly Tyr Leu Ala Leu Ile Leu Pro Val Leu		
	340	345	350
	Val Asp Leu Cys Arg Asn Ser Thr Val Asn Arg Phe Leu Gly Leu Ala		
15	355	360	365
	Ser Phe Phe Ala Gly Met Ala Val Leu Ser Gly Pro Pro Ile Ala Gly		
	370	375	380
	Asn Thr Phe Thr Thr Phe		
	385	390	
20			
	<210> 65		
	<211> 452		
	<212> PRT		
	<213> Homo sapiens		

25

151/346

<400> 65

Met Glu Leu Ala Leu Arg Arg Ser Pro Val Pro Arg Trp Leu Leu Leu
 1 5 10 15
 Leu Pro Leu Leu Leu Gly Leu Asn Ala Gly Ala Val Ile Asp Trp Pro
 5 20 25 30
 Thr Glu Glu Gly Lys Glu Val Trp Asp Tyr Val Thr Val Arg Lys Asp
 35 40 45
 Ala Tyr Met Phe Trp Trp Leu Tyr Tyr Ala Thr Asn Ser Cys Lys Asn
 50 55 60
 10 Phe Ser Glu Leu Pro Leu Val Met Trp Leu Gln Gly Gly Pro Gly Gly
 65 70 75 80
 Ser Ser Thr Gly Phe Gly Asn Phe Glu Glu Ile Gly Pro Leu Asp Ser
 85 90 95
 Asp Leu Lys Pro Arg Lys Thr Thr Trp Leu Gln Ala Ala Ser Leu Leu
 15 100 105 110
 Phe Val Asp Asn Pro Val Gly Thr Gly Phe Ser Tyr Val Asn Gly Ser
 115 120 125
 Gly Ala Tyr Ala Lys Asp Leu Ala Met Val Ala Ser Asp Met Met Val
 130 135 140
 20 Leu Leu Lys Thr Phe Phe Ser Cys His Lys Glu Phe Gln Thr Val Pro
 145 150 155 160
 Phe Tyr Ile Phe Ser Glu Ser Tyr Gly Gly Lys Met Ala Ala Gly Ile
 165 170 175
 Gly Leu Glu Leu Tyr Lys Ala Ile Gln Arg Gly Thr Ile Lys Cys Asn
 25 180 185 190

152/346

Phe Ala Gly Val Ala Leu Gly Asp Ser Trp Ile Ser Pro Val Asp Ser
 195 200 205
 Val Leu Ser Trp Gly Pro Tyr Leu Tyr Ser Met Ser Leu Leu Glu Asp
 210 215 220
 5 Lys Gly Leu Ala Glu Val Ser Lys Val Ala Glu Gln Val Leu Asn Ala
 225 230 235 240
 Val Asn Lys Gly Leu Tyr Arg Glu Ala Thr Glu Leu Trp Gly Lys Ala
 245 250 255
 Glu Met Ile Ile Glu Gln Asn Thr Asp Gly Val Asn Phe Tyr Asn Ile
 10 260 265 270
 Leu Thr Lys Ser Thr Pro Thr Ser Thr Met Glu Ser Ser Leu Glu Phe
 275 280 285
 Thr Gln Ser His Leu Val Cys Leu Cys Gln Arg His Val Arg His Leu
 290 295 300
 15 Gln Arg Asp Ala Leu Ser Gln Leu Met Asn Gly Pro Ile Arg Lys Lys
 305 310 315 320
 Leu Lys Ile Ile Pro Glu Asp Gln Ser Trp Gly Gly Gln Ala Thr Asn
 325 330 335
 Val Phe Val Asn Met Glu Glu Asp Phe Met Lys Pro Val Ile Ser Ile
 20 340 345 350
 Val Asp Glu Leu Leu Glu Ala Gly Ile Asn Val Thr Val Tyr Asn Gly
 355 360 365
 Gln Leu Asp Leu Ile Val Asp Thr Met Gly Gln Glu Ala Trp Val Arg
 370 375 380
 25 Lys Leu Lys Trp Pro Glu Leu Pro Lys Phe Ser Gln Leu Lys Trp Lys

153/346

385 390 395 400
 Ala Leu Tyr Ser Asp Pro Lys Ser Leu Glu Thr Ser Ala Phe Val Lys
 405 410 415
 Ser Tyr Lys Asn Leu Ala Phe Tyr Trp Ile Leu Lys Ala Gly His Met
 5 420 425 430
 Val Pro Ser Asp Gln Gly Asp Met Ala Leu Lys Met Met Arg Leu Val
 435 440 445
 Thr Gln Gln Glu
 450
 10
 <210> 66
 <211> 490
 <212> PRT
 <213> Homo sapiens
 15
 <400> 66
 Met Arg Pro Ala Phe Ala Leu Cys Leu Leu Trp Gln Ala Leu Trp Pro
 1 5 10 15
 Gly Pro Gly Gly Gly Glu His Pro Thr Ala Asp Arg Ala Gly Cys Ser
 20 20 25 30
 Ala Ser Gly Ala Cys Tyr Ser Leu His His Ala Thr Met Lys Arg Gln
 35 40 45
 Ala Ala Glu Glu Ala Cys Ile Leu Arg Gly Gly Ala Leu Ser Thr Val
 50 55 60
 25 Arg Ala Gly Ala Glu Leu Arg Ala Val Leu Ala Leu Leu Arg Ala Gly

154/346

	65	70	75	80
	Pro Gly	Pro Gly Gly Gly Ser Lys Asp Leu Leu Phe Trp Val Ala Leu		
		85	90	95
	Glu Arg Arg Arg Ser His Cys Thr Leu Glu Asn Glu Pro Leu Arg Gly			
5	100	105	110	
	Phe Ser Trp Leu Ser Ser Asp Pro Gly Gly Leu Glu Ser Asp Thr Leu			
	115	120	125	
	Gln Trp Val Glu Glu Pro Gln Arg Ser Cys Thr Ala Arg Arg Cys Ala			
	130	135	140	
10	Val Leu Gln Ala Thr Gly Gly Val Glu Pro Ala Gly Trp Lys Glu Met			
	145	150	155	160
	Arg Cys His Leu Arg Ala Asn Gly Tyr Leu Cys Lys Tyr Gln Phe Glu			
	165	170	175	
	Val Leu Cys Pro Ala Pro Arg Pro Gly Ala Ala Ser Asn Leu Ser Tyr			
15	180	185	190	
	Arg Ala Pro Phe Gln Leu His Ser Ala Ala Leu Asp Phe Ser Pro Pro			
	195	200	205	
	Gly Thr Glu Val Ser Ala Leu Cys Arg Gly Gln Leu Pro Ile Ser Val			
	210	215	220	
20	Thr Cys Ile Ala Asp Glu Ile Gly Ala Arg Trp Asp Lys Leu Ser Gly			
	225	230	235	240
	Asp Val Leu Cys Pro Cys Pro Gly Arg Tyr Leu Arg Ala Gly Lys Cys			
	245	250	255	
	Ala Glu Leu Pro Asn Cys Leu Asp Asp Leu Gly Gly Phe Ala Cys Glu			
25	260	265	270	

155/346

Cys Ala Thr Gly Phe Glu Leu Gly Lys Asp Gly Arg Ser Cys Val Thr
 275 280 285
 Ser Gly Glu Gly Gln Pro Thr Leu Gly Gly Thr Gly Val Pro Thr Arg
 290 295 300
 5 Arg Pro Pro Ala Thr Ala Thr Ser Pro Val Pro Gln Arg Thr Trp Pro
 305 310 315 320
 Ile Arg Val Asp Glu Lys Leu Gly Glu Thr Pro Leu Val Pro Glu Gln
 325 330 335
 Asp Asn Ser Val Thr Ser Ile Pro Glu Ile Pro Arg Trp Gly Ser Gln
 10 340 345 350
 Ser Thr Met Ser Thr Leu Gln Met Ser Leu Gln Ala Glu Ser Lys Ala
 355 360 365
 Thr Ile Thr Pro Ser Gly Ser Val Ile Ser Lys Phe Asn Ser Thr Thr
 370 375 380
 15 Ser Ser Ala Thr Pro Gln Ala Phe Asp Ser Ser Ser Ala Val Val Phe
 385 390 395 400
 Ile Phe Val Ser Thr Ala Val Val Val Leu Val Ile Leu Thr Met Thr
 405 410 415
 Val Leu Gly Leu Val Lys Leu Cys Phe His Glu Ser Pro Ser Ser Gln
 20 420 425 430
 Pro Arg Lys Glu Ser Met Gly Pro Pro Gly Leu Glu Ser Asp Pro Glu
 435 440 445
 Pro Ala Ala Leu Gly Ser Ser Ser Ala His Cys Thr Asn Asn Gly Val
 450 455 460
 25 Lys Val Gly Asp Cys Asp Leu Arg Asp Arg Ala Glu Gly Ala Leu Leu

156/346

465 470 475 480

Ala Glu Ser Pro Leu Gly Ser Ser Asp Ala

 485 490

5 <210> 67

<211> 392

<212> PRT

<213> Homo sapiens

10 <400> 67

Met Gln Val Asn Thr Thr Lys Phe Met Leu Leu Tyr Ala Trp Tyr Ser

1 5 10 15

Trp Pro Asn Val Val Leu Cys Phe Phe Gly Gly Phe Leu Ile Asp Arg

20 25 30

15 Val Phe Gly Ile Arg Trp Gly Thr Ile Ile Phe Ser Cys Phe Val Cys

35 40 45

Ile Gly Gln Val Val Phe Ala Leu Gly Gly Ile Phe Asn Ala Phe Trp

50 55 60

Leu Met Glu Phe Gly Arg Phe Val Phe Gly Ile Gly Gly Glu Ser Leu

20 65 70 75 80

Ala Val Ala Gln Asn Thr Tyr Ala Val Ser Trp Phe Lys Gly Lys Glu

85 90 95

Leu Asn Leu Val Phe Gly Leu Gln Leu Ser Met Ala Arg Ile Gly Ser

100 105 110

25 Thr Val Asn Met Asn Leu Met Gly Trp Leu Tyr Ser Lys Ile Glu Ala

157/346

	115	120	125
	Leu Leu Gly Ser Ala Gly His Thr Thr Leu Gly Ile Thr Leu Met Ile		
	130	135	140
	Gly Gly Ile Thr Cys Ile Leu Ser Leu Ile Cys Ala Leu Ala Leu Ala		
5	145	150	155
	Tyr Leu Asp Gln Arg Ala Glu Arg Ile Leu His Lys Glu Gln Gly Lys		
	165	170	175
	Thr Gly Glu Val Ile Lys Leu Thr Asp Val Lys Asp Phe Ser Leu Pro		
	180	185	190
10	Leu Trp Leu Ile Phe Ile Ile Cys Val Cys Tyr Tyr Val Ala Val Phe		
	195	200	205
	Pro Phe Ile Gly Leu Gly Lys Val Phe Phe Thr Glu Lys Phe Gly Phe		
	210	215	220
	Ser Ser Gln Ala Ala Ser Ala Ile Asn Ser Val Val Tyr Val Ile Ser		
15	225	230	235
	Ala Pro Met Ser Pro Val Phe Gly Leu Leu Val Asp Lys Thr Gly Lys		
	245	250	255
	Asn Ile Ile Trp Val Leu Cys Ala Val Ala Ala Thr Leu Val Ser His		
	260	265	270
20	Met Met Leu Ala Phe Thr Met Trp Asn Pro Trp Ile Ala Met Cys Leu		
	275	280	285
	Leu Gly Leu Ser Tyr Ser Leu Leu Ala Cys Ala Leu Trp Pro Met Val		
	290	295	300
	Ala Phe Val Val Pro Glu His Gln Leu Gly Thr Ala Tyr Gly Phe Met		
25	305	310	315
			320

158/346

Gln Ser Ile Gln Asn Leu Gly Leu Ala Ile Ile Ser Ile Ile Ala Gly
325 330 335
Met Ile Leu Asp Ser Arg Gly Tyr Leu Phe Leu Glu Val Phe Phe Ile
340 345 350
5 Ala Cys Val Ser Leu Ser Leu Leu Ser Val Val Leu Leu Tyr Leu Val
355 360 365
Asn Arg Ala Gln Gly Gly Asn Leu Asn Tyr Ser Ala Arg Gln Arg Glu
370 375 380
Glu Ile Lys Phe Ser His Thr Glu
10 385 390

<210> 68

<211> 538

<212> PRT

15 <213> Homo sapiens

Met Gly Cys Leu Trp Gly Leu Ala Leu Pro Leu Phe Phe Phe Cys Trp
1 5 10 15
20 Glu Val Gly Val Ser Gly Ser Ser Ala Gly Pro Ser Thr Arg Arg Ala
20 25 30
Asp Thr Ala Met Thr Thr Asp Asp Thr Glu Val Pro Ala Met Thr Leu
35 40 45
Ala Pro Gly His Ala Ala Leu Glu Thr Gln Thr Leu Ser Ala Glu Thr
25 50 55 60

159/346

Ser Ser Arg Ala Ser Thr Pro Ala Gly Pro Ile Pro Glu Ala Glu Thr
 65 70 75 80
 Arg Gly Ala Lys Arg Ile Ser Pro Ala Arg Glu Thr Arg Ser Phe Thr
 85 90 95
 5 Lys Thr Ser Pro Asn Phe Met Val Leu Ile Ala Thr Ser Val Glu Thr
 100 105 110
 Ser Ala Ala Ser Gly Ser Pro Glu Gly Ala Gly Met Thr Thr Val Gln
 115 120 125
 Thr Ile Thr Gly Ser Asp Pro Glu Glu Ala Ile Phe Asp Thr Leu Cys
 10 130 135 140
 Thr Asp Asp Ser Ser Glu Glu Ala Lys Thr Leu Thr Met Asp Ile Leu
 145 150 155 160
 Thr Leu Ala His Thr Ser Thr Glu Ala Lys Gly Leu Ser Ser Glu Ser
 165 170 175
 15 Ser Ala Ser Ser Asp Gly Pro His Pro Val Ile Thr Pro Ser Arg Ala
 180 185 190
 Ser Glu Ser Ser Ala Ser Ser Asp Gly Pro His Pro Val Ile Thr Pro
 195 200 205
 Ser Arg Ala Ser Glu Ser Ser Ala Ser Ser Asp Gly Pro His Pro Val
 20 210 215 220
 Ile Thr Pro Ser Trp Ser Pro Gly Ser Asp Val Thr Leu Leu Ala Glu
 225 230 235 240
 Ala Leu Val Thr Val Thr Asn Ile Glu Val Ile Asn Cys Ser Ile Thr
 245 250 255
 25 Glu Ile Glu Thr Thr Thr Ser Ser Ile Pro Gly Ala Ser Asp Ile Asp

160/346

	260		265		270
	Leu Ile Pro Thr Glu Gly Val Lys Ala Ser Ser Thr Ser Asp Pro Pro				
	275		280		285
	Ala Leu Pro Asp Ser Thr Glu Ala Lys Pro His Ile Thr Glu Val Thr				
5	290		295		300
	Ala Ser Ala Glu Thr Leu Ser Thr Ala Gly Thr Thr Glu Ser Ala Ala				
	305		310		315 320
	Pro His Ala Thr Val Gly Thr Pro Leu Pro Thr Asn Ser Ala Thr Glu				
		325		330	335
10	Arg Glu Val Thr Ala Pro Gly Ala Thr Thr Leu Ser Gly Ala Leu Val				
		340		345	350
	Thr Val Ser Arg Asn Pro Leu Glu Glu Thr Ser Ala Leu Ser Val Glu				
		355		360	365
	Thr Pro Ser Tyr Val Lys Val Ser Gly Ala Ala Pro Val Ser Ile Glu				
15	370		375		380
	Ala Gly Ser Ala Val Gly Lys Thr Thr Ser Phe Ala Gly Ser Ser Ala				
	385		390		395 400
	Ser Ser Tyr Ser Pro Ser Glu Ala Ala Leu Lys Asn Phe Thr Pro Ser				
		405		410	415
20	Glu Thr Pro Thr Met Asp Ile Ala Thr Lys Gly Pro Phe Pro Thr Ser				
		420		425	430
	Arg Asp Pro Leu Pro Ser Val Pro Pro Thr Thr Thr Asn Ser Ser Arg				
		435		440	445
	Gly Thr Asn Ser Thr Leu Ala Lys Ile Thr Thr Ser Ala Lys Thr Thr				
25	450		455		460

161/346

Met Lys Pro Pro Thr Ala Thr Pro Thr Thr Ala Arg Thr Arg Pro Thr
 465 470 475 480
 Thr Asp Val Ser Ala Gly Glu Asn Gly Gly Phe Leu Leu Leu Arg Leu
 485 490 495
 5 Ser Val Ala Ser Pro Glu Asp Leu Thr Asp Pro Arg Val Ala Glu Arg
 500 505 510
 Leu Met Gln Gln Leu His Arg Glu Leu His Ala His Ala Pro His Phe
 515 520 525
 Gln Val Ser Leu Leu Arg Val Arg Arg Gly
 10 530 535

<210> 69

<211> 102

<212> PRT

15 <213> Homo sapiens

<400> 69

Met Glu Ala Ala Leu Leu Gly Leu Cys Asn Trp Ser Thr Leu Gly Val
 1 5 10 15
 20 Cys Ala Ala Leu Lys Leu Pro Gln Ile Ser Ala Val Leu Ala Ala Arg
 20 25 30
 Ser Ala Arg Gly Leu Ser Leu Pro Ser Leu Leu Leu Glu Leu Ala Gly
 35 40 45
 Phe Leu Val Phe Leu Arg Tyr Gln Cys Tyr Tyr Gly Tyr Pro Pro Leu
 25 50 55 60

162/346

Thr Tyr Leu Glu Tyr Pro Ile Leu Ile Ala Gln Asp Val Ile Leu Leu
 65 70 75 80
 Leu Cys Ile Phe His Phe Asn Gly Asn Val Lys Gln Ala Thr Pro Tyr
 85 90 95
 5 Ile Ala Val Tyr Pro Phe
 100
 <210> 70
 <211> 442
 10 <212> PRT
 <213> Homo sapiens
 <400> 70
 Met Gly Leu Ala Met Glu His Gly Gly Ser Tyr Ala Arg Ala Gly Gly
 15 1 5 10 15
 Ser Ser Arg Gly Cys Trp Tyr Tyr Leu Arg Tyr Phe Phe Leu Phe Val
 20 25 30
 Ser Leu Ile Gln Phe Leu Ile Ile Leu Gly Leu Val Leu Phe Met Val
 35 40 45
 20 Tyr Gly Asn Val His Val Ser Thr Glu Ser Asn Leu Gln Ala Thr Glu
 50 55 60
 Arg Arg Ala Glu Gly Leu Tyr Ser Gln Leu Leu Gly Leu Thr Ala Ser
 65 70 75 80
 Gln Ser Asn Leu Thr Lys Glu Leu Asn Phe Thr Thr Arg Ala Lys Asp
 25 85 90 95

163/346

Ala Ile Met Gln Met Trp Leu Asn Ala Arg Arg Asp Leu Asp Arg Ile
100 105 110

Asn Ala Ser Phe Arg Gln Cys Gln Gly Asp Arg Val Ile Tyr Thr Asn
115 120 125

5 Asn Gln Arg Tyr Met Ala Ala Ile Ile Leu Ser Glu Lys Gln Cys Arg
130 135 140

Asp Gln Phe Lys Asp Met Asn Lys Ser Cys Asp Ala Leu Leu Phe Met
145 150 155 160

Leu Asn Gln Lys Val Lys Thr Leu Glu Val Glu Ile Ala Lys Glu Lys
10 165 170 175

Thr Ile Cys Thr Lys Asp Lys Glu Ser Val Leu Leu Asn Lys Arg Val
180 185 190

Ala Glu Glu Gln Leu Val Glu Cys Val Lys Thr Arg Glu Leu Gln His
195 200 205

15 Gln Glu Arg Gln Leu Ala Lys Glu Gln Leu Gln Lys Val Gln Ala Leu
210 215 220

Cys Leu Pro Leu Asp Lys Asp Lys Phe Glu Met Asp Leu Arg Asn Leu
225 230 235 240

Trp Arg Asp Ser Ile Ile Pro Arg Ser Leu Asp Asn Leu Gly Tyr Asn
20 245 250 255

Leu Tyr His Pro Leu Gly Ser Glu Leu Ala Ser Ile Arg Arg Ala Cys
260 265 270

Asp His Met Pro Ser Leu Met Ser Ser Lys Val Glu Glu Leu Ala Arg
275 280 285

25 Ser Leu Arg Ala Asp Ile Glu Arg Val Ala Arg Glu Asn Ser Asp Leu

164/346

290 295 300
Gln Arg Gln Lys Leu Glu Ala Gln Gln Gly Leu Arg Ala Ser Gln Glu
305 310 315 320
Ala Lys Gln Lys Val Glu Lys Glu Ala Gln Ala Arg Glu Ala Lys Leu
5 325 330 335
Gln Ala Glu Cys Ser Arg Gln Thr Gln Leu Ala Leu Glu Glu Lys Ala
340 345 350
Val Leu Arg Lys Glu Arg Asp Asn Leu Ala Lys Glu Leu Glu Glu Lys
355 360 365
10 Lys Arg Glu Ala Glu Gln Leu Arg Met Glu Leu Ala Ile Arg Asn Ser
370 375 380
Ala Leu Asp Thr Cys Ile Lys Thr Lys Ser Gln Pro Met Met Pro Val
385 390 395 400
Ser Arg Pro Met Gly Pro Val Pro Asn Pro Gln Pro Ile Asp Pro Ala
15 405 410 415
Ser Leu Glu Glu Phe Lys Arg Lys Ile Leu Glu Ser Gln Arg Pro Pro
420 425 430
Ala Gly Ile Pro Val Ala Pro Ser Ser Gly
435 440

20

<210> 71

<211> 1800

<212> DNA

<213> Homo sapiens

25

165/346

<400> 71

atgccgagtt cccttcccg cagccaggtc cccacccca ctctggacgc ggttgaccta 60
gtggaaaaga ctctgaggaa tgaagggacc tccagttctg ctccagtctt ggaggaaggg 120
gacacagacc cctggaccct ccctcagctg aaggacacaa gccagccctg gaaagagctc 180
5 cgcgtggccg gcaggtgctg ccgcgtggcc ggcagcgtcc tcaaggcctg cgggctcctc 240
ggcagcctgt acttcttcat ctgctctctg gacgtcctca gctccgcctt ccagctgctg 300
ggcagcaaag tggccggaga catcttcaag gacaacgtgg tgctgtccaa ccctgtggct 360
ggactggtca ttggcgtgct ggtcacagcc ctggtgcaga gttccagcac gtctcctcc 420
atcgtggtca gcatggtggc tgctaagctg ctgactgtcc ggggtgtctgt gccatcatc 480
10 atgggtgtca acgtaggcac atccatcacc agcaccctgg tctcaatggc gcagtcaggg 540
gaccgggatg aatttcagag ggctttcagc ggctcggcgg tgacgggat cttcaactgg 600
ctcacagtgc tggctctgct gccactggag agcgccacgg ccctgctgga gaggctaagt 660
gagctagccc tgggtgccgc cagcctgaca cccagggcgc aggcgcccga catcctcaag 720
gtgctgacga agccgctcac acacctcatc gtgcagctgg actccgacat gatcatgagc 780
15 agtgccacag gcaacgccac taacagcagt ctcatthaagc actggtgcgg caccacgggg 840
cagccgaccc aggagaacag cagctgtggc gccttcggcc cgtgcacaga gaagaacagc 900
acagccccgg cgacaggct gccctgccgc cacctgtttg cgggcacgga gctcacggac 960
ctggccgtgg gctgcatcct gctggccggc tccctgctgg tgctctgcgg ctgcctggtc 1020
ctcatagtca agctgctcaa ctctgtgctg cgcggccgcg tggcccaggt cgtgaggaca 1080
20 gtcacaaatg cggacttccc cttcccgtg ggtggctcg gcggctacct ggccgtcctc 1140
gcgggcgccc gctgacctt cgcactgcag agcagcagcg tottcacggc ggccgtcgtg 1200
cccctcatgg gggtcggggg gatcagctctg gaccgggcgt acccctctt actgggctcc 1260
aacatcggca ccaactaccac agccctgctg gctgccctgg ccagccccgc agacaggatg 1320
ctcagcggcc tgcaggctgc cctcatccac ttcttcttca acctggccgg catcctgctg 1380
25 tggtagctg tgctgcact gcggtgcc atcccgtgg ccaggcactt cgggggtggtg 1440

166/346

accgcccgtt accgctgggt ggctggggtc tacctgctgc tcggattcct gctgctgccc 1500
ctggcggcct tcgggctctc cctggcaggg ggcattggtgc tggccgctgt cgggggtccc 1560
ctggtggggc tgggtgctcct cgtcatcctg gttactgtcc tgcagcggcg ccggccggcc 1620
tggtgctctg tccgcctgcg ctctggggc ttggtccccg tctggctcca ttctctggag 1680
5 ccctgggacc gcttgggtgac ccgtgctgc ccctgcaacg tctgcagccc cccgaaggcc 1740
accaccaaag aggcctactg ctacgagaac cctgagatct tggcctccca gcagttgtga 1800

<210> 72

<211> 246

10 <212> DNA

<213> Homo sapiens

<400> 72

atggatggag gacagcccat cccctcatcc ctagtgtccc ttgggaacga atcagcagat 60
15 tctagcatgt ccctggagca gaaaatgaca tttgtttttg tgattctgtt gtttattttc 120
ttgggcattc tcattgtccg gtgcttccgg attcttttgg atccatatcg aagcatgcc 180
acctctacct gggctgatgg acttgaaggc ctggagaaaag ggcagttcga ccatgccctt 240
gcttag 246

20 <210> 73

<211> 1965

<212> DNA

<213> Homo sapiens

25 <400> 73

167/346

atggctccca agaagctgtc ctgccttcgt tccctgctgc tgccgctcag cctgacgcta 60
ctgctgcccc aggcagacac tcggtcgttc gtagtggata ggggtcatga ccggtttctc 120
ctagacgggg ccccgttccg ctatgtgtct ggcagcctgc actactttcg ggtaccgcgg 180
gtgctttggg cgcaccggct tttgaagatg cgatggagcg gcctcaacgc catacagttt 240
5 tatgtgccct ggaactacca cgagccacag cctgggggtct ataactttaa tggcagccgg 300
gacctcattg cttttctgaa tgaggcagct ctagcgaacc tgttggtcac actgagacca 360
ggaccttaca tctgtgcaga gtgggagatg ggggggtctcc catcctgggt gtttcgaaaa 420
cctgaaattc atctaagaac ctcatatcca gacttccttg ccgcagtga ctctgggttc 480
aaggctcttg tgcccaagat atatccatgg ctttatcaca atgggggcaa catcattagc 540
10 attcaggtgg agaatgaata tggtagctac agagcctgtg acttcagcta catgaggcac 600
ttggctgggc tcttcctgac actgctagga gaaaagatct tgctcttcac cacagatggg 660
cctgaaggac tcaagtgtgg ctccctccgg ggactctata ccactgtaga ttttggccca 720
gctgacaaca tgacaaaaat ctttaccctg cttcggaagt atgaaccca tgggccattg 780
gtaaaactctg agtactacac aggctggctg gattactggg gccagaatca ctccacacgg 840
15 tctgtgtcag ctgtaaccaa aggactagag aacatgctca agttgggagc cagtgtgaac 900
atgtacatgt tccatggagg taccaacttt ggatattgga atggtgccga taagaaggga 960
cgcttccttc cgattactac cagctatgac tatgatgcac ctatatctga agcagggggac 1020
cccacaccta agctttttgc tcttcgagat gtcacagca agttccagga agttcctttg 1080
ggacctttac ctcccccgag cccaagatg atgcttggac ctgtgactct gcacctgggt 1140
20 gggcatttac tggttttctt agacttgctt tgccccctg ggccattca ttcaatcttg 1200
ccaatgacct ttgaggctgt caagcaggac catggcttca tgttgtaccg aacctatatg 1260
accataacca tttttgagcc aacaccattc tgggtgccaa ataatggagt ccatgaccgt 1320
gcctatgtga tgggtggatgg ggtgttcag ggtgttgtgg agcgaaatat gagagacaaa 1380
ctatttttga cggggaaact ggggtccaaa ctggatatct tgggtggagaa catggggagg 1440
25 ctgagctttg ggtctaacag cagtgacttc aagggcctgt tgaagccacc aattctgggg 1500

168/346

caaacaatcc ttaccacagtg gatgatgttc cctctgaaaa ttgataacct tgtgaagtgg 1560
tggtttcccc tccagttgcc aaaatggcca tatcctcaag ctcttctgg cccacattc 1620
tactocaaaa catttccaat tttaggctca gttggggaca catttctata tctacctgga 1680
tggaccaagg gccaaagtctg gatcaatggg tttaacttgg gccggtactg gacaaagcag 1740
5 gggccacaac agaccctcta cgtgccaaaga ttctgtctgt ttctagggg agccctcaac 1800
aaaattacat tgctggaact agaagatgta cctctccagc cccaagtcca atttttggat 1860
aagcctatcc tcaatagcac tagtactttg cacaggacac atatcaattc cttttcagct 1920
gatacactga gtgcctctga accaatggag ttaagtgggc actga 1965

10 <210> 74
<211> 1173
<212> DNA
<213> Homo sapiens

15 <400> 74
atgggggatgg atgattgtga ttcatttttt cctgggtcccc tggttgctat tatttgtgac 60
atacttggag agaaaactac ctccattctt ggggcttttg ttgttactgg tggatatctg 120
atcagcagct gggccacaag tattcctttt ctttgtgtga ctatgggact tctaccoggt 180
ttgggttctg ctttcttata ccaagtggct gctgtggtta ctaccaaata cttcaaaaaa 240
20 cgattggctc tttctacagc tattgccogt tctgggatgg gactgacttt tcttttggca 300
ccctttacaa aattcctgat agatctgtat gactggacag gagcccttat attatttggga 360
gctatcgcat tgaatttggg gccttctagt atgctcttaa gaccatcca tatcaaaagt 420
gagaacaatt ctggtattaa agataaaggc agcagtttgt ctgcacatgg tccagaggca 480
catgcaacag aaacacactg ccatgagaca gaagagtcta ccatcaagga cagtactacg 540
25 cagaaggctg gactacctag caaaaattta acagtctcac aaaatcaaag tgaagagttc 600

169/346

tacaatgggc ctaacaggaa cagactgtta ttaaagagtg atgaagaaag tgataagggtt 660
atttcgtgga gctgcaaaca actgtttgac atttctctct ttagaaatcc tttcttctac 720
atatttactt ggtcttttct cctcagtcag ttagcatact tcatccctac ctttcacctg 780
gtagccagag ccaaaacact ggggattgac atcatggatg cctcttacct tgtttctgta 840
5 gcaggtatcc ttgagacggt cagtcagatt atttctggat gggttgctga tcaaaactgg 900
attaagaagt atcattacca caagtcttac ctcacccctc gcggcatcac taacctgctt 960
gctcctttag ccaccacatt tccactactt atgacctaca ccatctgctt tgccatcttt 1020
gctgggtggtt acctggcatt gatactgcct gtactgggtg atctgtgtag gaattctaca 1080
gtaaacaggt ttttgggact tgccagtttc tttgctggga tggctgtcct ttctggacca 1140
10 cctatagcag gtaacacctt caccacattc tga 1173

<210> 75

<211> 1359

<212> DNA

15 <213> Homo sapiens

<400> 75

atggagctgg cactgcggcg ctctcccgtc ccgcggtggt tgctgctgct gccgctgctg 60
ctgggcctga acgcaggagc tgtcattgac tggccacag aggagggcaa ggaagtatgg 120
20 gattatgtga cggtcgcaa ggatgcctac atgttctggt ggctctatta tgccaccaac 180
tcctgcaaga acttctcaga actgcccctg gtcattgtggc ttcagggcgg tccaggcggg 240
tctagcactg gatttggaaa ctttgaggaa attgggcccc ttgacagtga tctcaaacca 300
cggaanaacca cctggctcca ggctgccagt ctctatttg tgataatcc cgtgggcact 360
gggttcagtt atgtgaatgg tagtggtgcc tatgccaagg acctggctat ggtggcttca 420
25 gacatgatgg ttctcctgaa gaccttcttc agttgccaca agaattcca gacagttcca 480

170/346

ttctacattt tctcagagtc ctatggagga aaaatggcag ctggcattgg tctagagctt 540
 tataaggcca ttcagcgagg gaccatcaag tgcaactttg cgggggttgc cttgggtgat 600
 tcctggatct cccctgttga ttcggtgctc tcctggggac cttacctgta cagcatgtct 660
 cttctcgaag acaaaggtct ggagaggtg tctaaggtg cagagcaagt actgaatgcc 720
 5 gtaaataagg ggctctacag agaggccaca gagctgtggg ggaaagcaga aatgatcatt 780
 gaacagaaca cagatggggg gaacttctat aacatcttaa ctaaaagcac tcccacgtct 840
 acaatggagt cgagtctaga attcacacag agccacctag tttgtctttg tcagcgccac 900
 gtgagacacc tacaacgaga tgccttaagc cagctcatga atggcccat cagaaagaag 960
 ctcaaaatta ttctgagga tcaatcctgg ggaggccagg ctaccaacgt ctttgtgaac 1020
 10 atggaggagg acttcatgaa gccagtcatt agcattgtgg acgagttgct ggaggcaggg 1080
 atcaacgtga cgggtgtataa tggacagctg gatctcatcg tagataccat gggtcaggag 1140
 gcctgggtgc ggaaactgaa gtggccagaa ctgcctaaat tcagtcagct gaagtggaag 1200
 gccctgtaca gtgaccctaa atctctggaa acatctgctt ttgtcaagtc ctacaagaac 1260
 cttgctttct actggattct gaaagctggg catatggttc cttctgacca aggggacatg 1320
 15 gctctgaaga tgatgagact ggtgactcag caagaatag 1359

<210> 76

<211> 1473

<212> DNA

20 <213> Homo sapiens

<400> 76

atgaggccgg cgttcgccct gtgcctcctc tggcaggcgc tctggcccgg gccgggcccgc 60
 ggcgaacacc ccactgccga ccgtgctggc tgctcggcct cgggggcctg ctacagcctg 120
 25 caccacgcta ccatgaagcg gcaggcggcc gaggaggcct gcatcctgcg aggtggggcg 180

171/346

ctcagcaccg tgcgtgcggg cgccgagctg cgcgctgtgc tcgcgctcct gcgggcaggc 240
ccagggcccg gagggggctc caaagacctg ctgttctggg tcgactgga gcgcaggcgt 300
tccactgca ccctggagaa cgagcctttg cggggtttct cctggctgtc ctccgacccc 360
ggcggctctg aaagcgacac gctgcagtgg gtggaggagc cccaacgctc ctgcaccgcg 420
5 cggagatgcg cgttactcca ggccaccggt ggggtcgagc ccgcaggctg gaaggagatg 480
cgatgccacc tgcgcgcaa cggctacctg tgcaagtacc agtttgaggt cttgtgtcct 540
gcgccgcgcc ccggggccgc ctctaacttg agctatcgcg cgcccttcca gctgcacagc 600
gocgctctgg acttcagtcc acctgggacc gaggtgagtg cgctctgccg gggacagctc 660
ccgatctcag ttacttgcac cgcgacgaa atcggcgctc gctgggacaa actctcgggc 720
10 gatgtgttgt gtccctgccc cgggaggtac ctccgtgctg gcaaatgcgc agagctccct 780
aactgcctag acgacttggg aggccttgcc tgcaaatgtg ctacgggctt cgagctgggg 840
aaggacggcc gctcttgtgt gaccagtggg gaaggacagc cgacccttgg ggggaccggg 900
gtgcccacca ggcgcccgcg ggccactgca accagccccg tgccgcagag aacatggcca 960
atcagggctc acgagaagct gggagagaca ccacttgtcc ctgaacaaga caattcagta 1020
15 acatctattc ctgagattcc tcgatgggga tcacagagca cgatgtctac ccttcaaattg 1080
tcccttcaag ccgagtcaaa ggccactatc accccatcag ggagcgtgat ttccaagttt 1140
aattctacga ctctctctgc cactcctcag gctttcgact cctcctctgc cgtgggtctt 1200
atatttgtga gcacagcagt agtagtggtg gtgatcttga ccatgacagt actggggctt 1260
gtcaagctct gctttcacga aagcccctct tccagccaa ggaaggagtc tatgggcccg 1320
20 ccgggcctgg agagtgatcc tgagcccgct gctttgggct ccagttctgc acattgcaca 1380
aacaatgggg tgaaagtcgg ggactgtgat ctgcgggaca gagcagaggg tgccttgctg 1440
gcggagtccc ctcttggtc tagtgatgca tag 1473

<210> 77

25 <211> 1179

172/346

<212> DNA

<213> Homo sapiens

<400> 77

5 atgcaagtga ataccacgaa attcatgctg ctgtatgcct ggtattcttg gcccaatgta 60
gttttgtgtt tctttggtgg ctttttgata gaccgagtat ttggaatacg atggggcaca 120
atcattttta gctgctttgt ttgcattgga cagggtgttt ttgccctggg tggaatattt 180
aatgcttttt ggctgatgga atttggaaga tttgtatttg ggattggtgg cgagtcctta 240
gcagttgccc agaatacata tgctgtgagc tggtttaaag gcaaagaatt aaacctggtg 300
10 tttggacttc aacttagcat ggctagaatt ggaagtacag taaacatgaa cctcatggga 360
tggctgtatt ctaagattga agctttgtta ggttctgctg gtcacacaac cctcgggatc 420
acacttatga ttgggggtat aacgtgtatt ctttactaa tctgtgcctt ggctcttgcc 480
tacttggatc agagagcaga gagaatcctt cataaagaac aaggaaaaac aggtgaagtt 540
attaaattaa ctgatgtaaa ggacttctcc ttaccctgt ggcttatatt tatcatctgt 600
15 gtctgctatt atgttgctgt gttccctttt attggacttg ggaaagtttt ctttacagag 660
aaatttgat tttcttcca ggcagcaagt gcaattaaca gtgttgata tgtcatatca 720
gctcccatgt ccccggtgtt tgggtcctg gtggataaaa cagggaagaa catcatctgg 780
gttctttgcg cagtagcagc cactcttggtg tcccacatga tgctggcctt taogatgtgg 840
aacccttga ttgctatgtg tcttctggga ctctcctact cattgcttgc ctgtgcattg 900
20 tggccaatgg tggcatttgt agttcctgaa catcagctgg gaactgcata tggcttcatg 960
cagtccattc agaatcttgg gttggccatc atttccatca ttgctggtat gatactggat 1020
tctcgggggt atttgttttt ggaagtgttc ttcattgcct gtgtttcttt gtcactttta 1080
tctgtggtct tactctattt ggtgaatcgt gcccaggggt ggaacctaaa ttattctgca 1140
agacaaaggg aagaaataaa attttcccat actgaatga 1179

173/346

<210> 78

<211> 1617

<212> DNA

<213> Homo sapiens

5

<400> 78

atgggctgtc tctggggtct ggctctgccc cttttcttct tctgctggga ggttggggtc 60
tctgggagct ctgcaggccc cagcaccgc agagcagaca ctgcgatgac aacggacgac 120
acagaagtgc ccgctatgac tctagcaccg ggccacgccg ctctggaaac tcaaacgctg 180
10 agcgctgaga cctcttctag ggctcaacc ccagccggcc ccattccaga agcagagacc 240
aggggagcca agagaatttc ccctgcaaga gagaccagga gtttcacaaa aacatctccc 300
aacttcatgg tgctgatcgc cacctccgtg gagacatcag ccgccagtgg cagccccgag 360
ggagctggaa tgaccacagt tcagaccatc acaggcagtg atcccgagga agccatcttt 420
gacacccttt gcaccgatga cagctctgaa gaggcaaaga cactcacaat ggacatattg 480
15 acattggctc acacctccac agaagctaag ggctgtcct cagagagcag tgccctcttc 540
gacggccccc atccagtcac caccocgtca cgggcctcag agagcagcgc ctcttccgac 600
ggcccccac cagtcacac ccggtcacgg gcctcagaga gcagcgctc ttccgacggc 660
cccatccag tcatcaccac ctcatgggtc ccgggatctg atgtcactct cctcgctgaa 720
gccctggtga ctgtcacaaa catcgagggtt attaattgca gcatcacaga aatagaaaca 780
20 acaacttcca gcatccctgg ggctcagac atagatctca tccccacgga aggggtgaag 840
gcctcgtcca cctccgatcc accagctctg cctgactcca ctgaagcaaa accacacatc 900
actgaggtca cagcctctgc cgagaccctg tccacagccg gcaccacaga gtcagctgca 960
cctcatgcca cggttgggac cccactcccc actaacagcg ccacagaaag agaagtgaca 1020
gcaccggggg ccacgaccct cagtggagct ctggtcacag ttagcaggaa tcccctggaa 1080
25 gaaacctcag ccctctctgt tgagacacca agttacgtca aagtctcagg agcagctccg 1140

174/346

gtctccatag aggctgggtc agcagtgggc aaaacaactt cctttgctgg gagctctgct 1200
tcctcctaca gcccctcgga agccgccctc aagaacttca ccccttcaga gacaccgacc 1260
atggacatcg caaccaaggg gcccttcccc accagcaggg accctcttcc ttctgtccct 1320
ccgactacaa ccaacagcag ccgagggacg aacagcacct tagccaagat cacaacctca 1380
5 gcgaagacca cgatgaagcc cccaacagcc acgccacga ctgcccggac gaggccgacc 1440
acagacgtga gtgcaggtga aaatggaggt ttctcctcc tgcggctgag tgtggcttcc 1500
ccggaagacc tactgaccc cagagtggca gaaaggctga tgcagcagct ccaccgggaa 1560
ctccacgccc acgcgcctca cttccaggtc tccttactgc gtgtcaggag aggctaa 1617

10 <210> 79
<211> 309
<212> DNA
<213> Homo sapiens

15 <400> 79
atggaggcgg cgctgctggg gctgtgtaac tggagcacgc tgggcgtgtg cgccgcgctg 60
aagctgccgc agatctccgc tgtgctagcg gcgcgcagcg cgcggggcct cagccttccg 120
agtttacttc tggagctggc aggattcctg gtgtttctgc ggtaccagtg ttactatggg 180
tatccgccgc tgacctacct ggagtacccc atcctcatcg cgcaagatgt catcctcctg 240
20 ctctgtatct ttcattttaa cgggaacgtg aagcaggcca ctccttacat cgctgtgtat 300
cctttctga 309

<210> 80
<211> 1329
25 <212> DNA

175/346

<213> Homo sapiens

<400> 80

atgggtctgg ccatggagca cggagggtcc tacgctcggg cggggggcag ctctcggggc 60
5 tgctggtatt acctgcgcta cttcttctctc ttctgtctccc tcatccaatt cctcatcatc 120
ctggggctcg tgctcttcat ggtctatggc aacgtgcacg tgagcacaga gtccaacctg 180
caggccaccg agcgccgagc cgagggccta tacagtcagc tcctagggct cacggcctcc 240
cagtccaact tgaccaagga gctcaacttc accacccgcg ccaaggatgc catcatgcag 300
atgtggctga atgctcgccg cgacctggac cgcataatg ccagcttccg ccagtgccag 360
10 ggtgaccggg tcatctacac gaacaatcag aggtacatgg ctgccatcat cttgagtgcag 420
aagcaatgca gagatcaatt caaggacatg aacaagagct gcgatgcctt gctcttcatg 480
ctgaatcaga aggtgaagac gctggagggtg gagatagcca aggagaagac catttgcaact 540
aaggataagg aaagcgtgct gctgaacaaa cgcgtaggcg aggaacagct ggttgaatgc 600
gtgaaaaccc gggagctgca gcaccaagag cgccagctgg ccaaggagca actgcaaaag 660
15 gtgcaagccc tctgcctgcc cctggacaag gacaagtttg agatggacct tcgtaacctg 720
tgtagggact ccattatccc acgcagcctg gacaacctgg gttacaacct ctaccatccc 780
ctgggctcgg aattggcctc catccgcaga gcctgcgacc acatgccag cctcatgagc 840
tccaaggtgg aggagctggc ccggagcctc cgggcggata tcgaacgcgt ggcccgcgag 900
aactcagacc tccaacgcca gaagctggaa gccagcagg gcctgcgggc cagtccaggag 960
20 gcgaaacaga aggtggagaa ggaggctcag gcccgggagg ccaagctcca agctgaatgc 1020
tcccggcaga ccagctagc gctggaggag aaggcgggtgc tgcggaagga acgagacaac 1080
ctggccaagg agctggaaga gaagaagagg gaggcggagc agctcaggat ggagctggcc 1140
atcagaaact cagccctgga cacctgcac aagaccaagt cgcagccgat gatgccagtg 1200
tcaaggccca tgggccctgt ccccaacccc cagcccatcg accagctag cctggaggag 1260
25 ttcaagagga agatcctgga gtcccagagg cccctgcag gcacccctgt agcccatcc 1320

176/346

agtggctga

1329

<210> 81

<211> 2016

5 <212> DNA

<213> Homo sapiens

<220>

<221> CDS

10 <222> (78)..(1877)

<400> 81

gtctcctccc tgcaggtgcc ccctcaccac ccacacagat ctagacctgg gcctgggtct 60

gtccctgccc gaaatcc atg ccg agt tcc ctt ccc ggc agc cag gtc ccc 110

15 Met Pro Ser Ser Leu Pro Gly Ser Gln Val Pro

1

5

10

cac ccc act ctg gac gcg gtt gac cta gtg gaa aag act ctg agg aat 158

His Pro Thr Leu Asp Ala Val Asp Leu Val Glu Lys Thr Leu Arg Asn

15

20

25

20 gaa ggg acc tcc agt tct gct cca gtc ttg gag gaa ggg gac aca gac 206

Glu Gly Thr Ser Ser Ser Ala Pro Val Leu Glu Glu Gly Asp Thr Asp

30

35

40

ccc tgg acc ctc cct cag ctg aag gac aca agc cag ccc tgg aaa gag 254

Pro Trp Thr Leu Pro Gln Leu Lys Asp Thr Ser Gln Pro Trp Lys Glu

25

45

50

55

177/346

	ctc cgc gtg gcc ggc agg ctg cgc cgc gtg gcc ggc agc gtc ctc aag	302
	Leu Arg Val Ala Gly Arg Leu Arg Arg Val Ala Gly Ser Val Leu Lys	
	60 65 70 75	
	gcc tgc ggg ctc ctc ggc agc ctg tac ttc ttc atc tgc tct ctg gac	350
5	Ala Cys Gly Leu Leu Gly Ser Leu Tyr Phe Phe Ile Cys Ser Leu Asp	
	80 85 90	
	gtc ctc agc tcc gcc ttc cag ctg ctg ggc agc aaa gtg gcc gga gac	398
	Val Leu Ser Ser Ala Phe Gln Leu Leu Gly Ser Lys Val Ala Gly Asp	
	95 100 105	
10	atc ttc aag gac aac gtg gtg ctg tcc aac cct gtg gct gga ctg gtc	446
	Ile Phe Lys Asp Asn Val Val Leu Ser Asn Pro Val Ala Gly Leu Val	
	110 115 120	
	att ggc gtg ctg gtc aca gcc ctg gtg cag agt tcc agc acg tcc tcc	494
	Ile Gly Val Leu Val Thr Ala Leu Val Gln Ser Ser Ser Thr Ser Ser	
15	125 130 135	
	tcc atc gtg gtc agc atg gtg gct gct aag ctg ctg act gtc cgg gtg	542
	Ser Ile Val Val Ser Met Val Ala Ala Lys Leu Leu Thr Val Arg Val	
	140 145 150 155	
	tct gtg ccc atc atc atg ggt gtc aac gta ggc aca tcc atc acc agc	590
20	Ser Val Pro Ile Ile Met Gly Val Asn Val Gly Thr Ser Ile Thr Ser	
	160 165 170	
	acc ctg gtc tca atg gcg cag tca ggg gac cgg gat gaa ttt cag agg	638
	Thr Leu Val Ser Met Ala Gln Ser Gly Asp Arg Asp Glu Phe Gln Arg	
	175 180 185	
25	gct ttc agc ggc tcg gcg gtg cac ggg atc ttc aac tgg ctc aca gtg	686

178/346

	Ala Phe Ser Gly Ser Ala Val His Gly Ile Phe Asn Trp Leu Thr Val	
	190	195 200
	ctg gtc ctg ctg cca ctg gag agc gcc acg gcc ctg ctg gag agg cta	734
	Leu Val Leu Leu Pro Leu Glu Ser Ala Thr Ala Leu Leu Glu Arg Leu	
5	205	210 215
	agt gag cta gcc ctg ggt gcc gcc agc ctg aca ccc agg gcg cag gcg	782
	Ser Glu Leu Ala Leu Gly Ala Ala Ser Leu Thr Pro Arg Ala Gln Ala	
	220	225 230 235
	ccc gac atc ctc aag gtg ctg acg aag ccg ctc aca cac ctc atc gtg	830
10	Pro Asp Ile Leu Lys Val Leu Thr Lys Pro Leu Thr His Leu Ile Val	
	240	245 250
	cag ctg gac tcc gac atg atc atg agc agt gcc aca ggc aac gcc act	878
	Gln Leu Asp Ser Asp Met Ile Met Ser Ser Ala Thr Gly Asn Ala Thr	
	255	260 265
15	aac agc agt ctc att aag cac tgg tgc ggc acc acg ggg cag ccg acc	926
	Asn Ser Ser Leu Ile Lys His Trp Cys Gly Thr Thr Gly Gln Pro Thr	
	270	275 280
	cag gag aac agc agc tgt ggc gcc ttc ggc ccg tgc aca gag aag aac	974
	Gln Glu Asn Ser Ser Cys Gly Ala Phe Gly Pro Cys Thr Glu Lys Asn	
20	285	290 295
	agc aca gcc ccg gcg gac agg ctg ccc tgc cgc cac ctg ttt gcg ggc	1022
	Ser Thr Ala Pro Ala Asp Arg Leu Pro Cys Arg His Leu Phe Ala Gly	
	300	305 310 315
	acg gag ctc acg gac ctg gcc gtg ggc tgc atc ctg ctg gcc ggc tcc	1070
25	Thr Glu Leu Thr Asp Leu Ala Val Gly Cys Ile Leu Leu Ala Gly Ser	

179/346

	320	325	330	
	ctg ctg gtg ctc tgc ggc tgc ctg gtc ctc ata gtc aag ctg ctc aac			1118
	Leu Leu Val Leu Cys Gly Cys Leu Val Leu Ile Val Lys Leu Leu Asn			
	335	340	345	
5	tct gtg ctg cgc ggc cgc gtg gcc cag gtc gtg agg aca gtc atc aat			1166
	Ser Val Leu Arg Gly Arg Val Ala Gln Val Val Arg Thr Val Ile Asn			
	350	355	360	
	gcg gac ttc ccc ttc ccg ctg ggc tgg ctc ggc ggc tac ctg gcc gtc			1214
	Ala Asp Phe Pro Phe Pro Leu Gly Trp Leu Gly Gly Tyr Leu Ala Val			
10	365	370	375	
	ctc gcg ggc gcc ggc ctg acc ttc gca ctg cag agc agc agc gtc ttc			1262
	Leu Ala Gly Ala Gly Leu Thr Phe Ala Leu Gln Ser Ser Ser Val Phe			
	380	385	390	395
	acg gcg gcc gtc gtg ccc ctc atg ggg gtc ggg gtg atc agt ctg gac			1310
15	Thr Ala Ala Val Val Pro Leu Met Gly Val Gly Val Ile Ser Leu Asp			
	400	405	410	
	cgg gcg tac ccc ctc tta ctg ggc tcc aac atc ggc acc act acc aca			1358
	Arg Ala Tyr Pro Leu Leu Leu Gly Ser Asn Ile Gly Thr Thr Thr Thr			
	415	420	425	
20	gcc ctg ctg gct gcc ctg gcc agc ccc gca gac agg atg ctc agc gcc			1406
	Ala Leu Leu Ala Ala Leu Ala Ser Pro Ala Asp Arg Met Leu Ser Ala			
	430	435	440	
	ctg cag gtc gcc ctc atc cac ttc ttc ttc aac ctg gcc ggc atc ctg			1454
	Leu Gln Val Ala Leu Ile His Phe Phe Phe Asn Leu Ala Gly Ile Leu			
25	445	450	455	

180/346

	ctg tgg tac ctg gtg cct gca ctg cgg ctg ccc atc ccg ctg gcc agg	1502
	Leu Trp Tyr Leu Val Pro Ala Leu Arg Leu Pro Ile Pro Leu Ala Arg	
	460 465 470 475	
	cac ttc ggg gtg gtg acc gcc cgt tac cgc tgg gtg gct ggg gtc tac	1550
5	His Phe Gly Val Val Thr Ala Arg Tyr Arg Trp Val Ala Gly Val Tyr	
	480 485 490	
	ctg ctg ctc gga ttc ctg ctg ctg ccc ctg gcg gcc ttc ggg ctc tcc	1598
	Leu Leu Leu Gly Phe Leu Leu Leu Pro Leu Ala Ala Phe Gly Leu Ser	
	495 500 505	
10	ctg gca ggg ggc atg gtg ctg gcc gct gtc ggg ggt ccc ctg gtg ggg	1646
	Leu Ala Gly Gly Met Val Leu Ala Ala Val Gly Gly Pro Leu Val Gly	
	510 515 520	
	ctg gtg ctc ctc gtc atc ctg gtt act gtc ctg cag cgg cgc cgg ccg	1694
	Leu Val Leu Leu Val Ile Leu Val Thr Val Leu Gln Arg Arg Arg Pro	
15	525 530 535	
	gcc tgg ctg cct gtc cgc ctg cgc tcc tgg gcc tgg ctc ccc gtc tgg	1742
	Ala Trp Leu Pro Val Arg Leu Arg Ser Trp Ala Trp Leu Pro Val Trp	
	540 545 550 555	
	ctc cat tct ctg gag ccc tgg gac cgc ctg gtg acc cgc tgc tgc ccc	1790
20	Leu His Ser Leu Glu Pro Trp Asp Arg Leu Val Thr Arg Cys Cys Pro	
	560 565 570	
	tgc aac gtc tgc agc ccc ccg aag gcc acc acc aaa gag gcc tac tgc	1838
	Cys Asn Val Cys Ser Pro Pro Lys Ala Thr Thr Lys Glu Ala Tyr Cys	
	575 580 585	
25	tac gag aac cct gag atc ttg gcc tcc cag cag ttg tga cgggcagttg	1887

181/346

Tyr Glu Asn Pro Glu Ile Leu Ala Ser Gln Gln Leu

590

595

600

ctgcgcagac cgccccaccc tccccggctg ggagggctct ggagggccct ggaggggggg 1947

tccccgcggc agctgacctc cggtcacctg cttccccttc tgtgcaaata aaccaggctg 2007

5 ttatctggg 2016

<210> 82

<211> 1446

<212> DNA

<213> Homo sapiens

10

<220>

<221> CDS

<222> (337) .. (582)

15 <400> 82

gaatcgagat gcagtgtgta ggaagcatgg gcaagggatg aggaacgcca ctttgaaaat 60

tactaaaact aaagcaagtg actaagagtg tgaatgacct tggctgcaat gactacgcct 120

gctgggcttc tattaaaatt agactctatt tcctgagcac ccacaaatgg acctgacaaa 180

gggaagacac agatgtactg cgtgatgagg aaagcctatc aggattaaaa tatggctata 240

20 actcagcctc tccagagtgc agccaccatg acctccgcag attgatgatg gaagaaaaga 300

aaaccaggat atcctgtgct ctggcttccc tggacc atg gat gga gga cag ccc 354

Met Asp Gly Gly Gln Pro

1

5

atc ccc tca tcc cta gtg ccc ctt ggg aac gaa tca gca gat tct agc 402

25 Ile Pro Ser Ser Leu Val Pro Leu Gly Asn Glu Ser Ala Asp Ser Ser

182/346

	10	15	20	
	atg tcc ctg gag cag aaa atg aca ttt gtt ttt gtg att ctg ttg ttt			450
	Met Ser Leu Glu Gln Lys Met Thr Phe Val Phe Val Ile Leu Leu Phe			
	25	30	35	
5	att ttc ttg ggc att ctc att gtc cgg tgc ttc cgg att ctt ttg gat			498
	Ile Phe Leu Gly Ile Leu Ile Val Arg Cys Phe Arg Ile Leu Leu Asp			
	40	45	50	
	cca tat cga agc atg cca acc tct acc tgg gct gat gga ctt gaa ggc			546
	Pro Tyr Arg Ser Met Pro Thr Ser Thr Trp Ala Asp Gly Leu Glu Gly			
10	55	60	65	70
	ctg gag aaa ggg cag ttc gac cat gcc ctt gct tag gagggatggt			592
	Leu Glu Lys Gly Gln Phe Asp His Ala Leu Ala			
	75	80		
	gtgggatctc ctctgagga gatgaagtgc tttgtgtctt ggtgaggatt ccctttatatt			652
15	agtgttctca acaaatcaaa tttaaacaat atttgggtccc aggaccataa tccattattc			712
	cataaatatg cagttgggtt aaagacattt gaggatgttg gaaatggaca cttatataac			772
	taatccaaca taagaagggtt taaatttttta tgtttgctca atgaatgagt actcttaaaa			832
	ttgtgtgatt gtgaaaccaa gagcgttaat actgacatag atttgccatc aaacaaaaca			892
	ccacctgatc tgactaaaga ataaaagact agaaaggatc tcatatgaat ctggtgacaa			952
20	ggccaggaag agatttcctt gctctaatta tgtctatatt tgttttatatt catgggcacc			1012
	tatctgggtc ctgagcagaa tgaggaagat tgtgctgaat ggacccaaag tagtttcttg			1072
	ttttctccca aagcaggag ctttggaag caatggaaaa gcttaaaaga gatgattctg			1132
	tccttggtaa atgtgagtga gaatagcgtt ttgtttttca agtaaaactt aattcaaagg			1192
	ctacaaagtt ttaaaaacta ttaccaagc caactacatt atatgtattc atattaataa			1252
25	catgtgtaga ggtagctata cattacttga atttacactt tacacaaatg atttaaaaaa			1312

183/346

taggttgcaa gtgcagctta aagttttttt tcaatgaaaa gttaattgtt tagaggagaa 1372
 gacttttata gtcttcagag gaatgtgtat ttatgattgt atatagtcac caaataaaac 1432
 ttttcaagaa acag 1446

5 <210> 83

<211> 2467

<212> DNA

<213> Homo sapiens

10 <220>

<221> CDS

<222> (40)..(2004)

<400> 83

15 ctgtccgccg tctcagacta gaggagcgt gtaaacgcc atg gct ccc aag aag 54

Met Ala Pro Lys Lys

1 5

ctg tcc tgc ctt cgt tcc ctg ctg ctg ccg ctc agc ctg acg cta ctg 102

Leu Ser Cys Leu Arg Ser Leu Leu Leu Pro Leu Ser Leu Thr Leu Leu

20 10 15 20

ctg ccc cag gca gac act cgg tcg ttc gta gtg gat agg ggt cat gac 150

Leu Pro Gln Ala Asp Thr Arg Ser Phe Val Val Asp Arg Gly His Asp

25 30 35

cgg ttt ctc cta gac ggg gcc ccg ttc cgc tat gtg tct ggc agc ctg 198

25 Arg Phe Leu Leu Asp Gly Ala Pro Phe Arg Tyr Val Ser Gly Ser Leu

184/346

	40	45	50	
	cac tac ttt cgg gta ccg cgg gtg ctt tgg gcc gac cgg ctt ttg aag	246		
	His Tyr Phe Arg Val Pro Arg Val Leu Trp Ala Asp Arg Leu Leu Lys			
	55	60	65	
5	atg cga tgg agc ggc ctc aac gcc ata cag ttt tat gtg ccc tgg aac	294		
	Met Arg Trp Ser Gly Leu Asn Ala Ile Gln Phe Tyr Val Pro Trp Asn			
	70	75	80	85
	tac cac gag cca cag cct ggg gtc tat aac ttt aat ggc agc cgg gac	342		
	Tyr His Glu Pro Gln Pro Gly Val Tyr Asn Phe Asn Gly Ser Arg Asp			
10	90	95	100	
	ctc att gcc ttt ctg aat gag gca gct cta gcg aac ctg ttg gtc ata	390		
	Leu Ile Ala Phe Leu Asn Glu Ala Ala Leu Ala Asn Leu Leu Val Ile			
	105	110	115	
	ctg aga cca gga cct tac atc tgt gca gag tgg gag atg ggg ggt ctc	438		
15	Leu Arg Pro Gly Pro Tyr Ile Cys Ala Glu Trp Glu Met Gly Gly Leu			
	120	125	130	
	cca tcc tgg ttg ctt cga aaa cct gaa att cat cta aga acc tca gat	486		
	Pro Ser Trp Leu Leu Arg Lys Pro Glu Ile His Leu Arg Thr Ser Asp			
	135	140	145	
20	cca gac ttc ctt gcc gca gtg gac tcc tgg ttc aag gtc ttg ctg ccc	534		
	Pro Asp Phe Leu Ala Ala Val Asp Ser Trp Phe Lys Val Leu Leu Pro			
	150	155	160	165
	aag ata tat cca tgg ctt tat cac aat ggg ggc aac atc att agc att	582		
	Lys Ile Tyr Pro Trp Leu Tyr His Asn Gly Gly Asn Ile Ile Ser Ile			
25	170	175	180	

185/346

	cag gtg gag aat gaa tat ggt agc tac aga gcc tgt gac ttc agc tac	630
	Gln Val Glu Asn Glu Tyr Gly Ser Tyr Arg Ala Cys Asp Phe Ser Tyr	
	185 190 195	
	atg agg cac ttg gct ggg ctc ttc cgt gca ctg cta gga gaa aag atc	678
5	Met Arg His Leu Ala Gly Leu Phe Arg Ala Leu Leu Gly Glu Lys Ile	
	200 205 210	
	ttg ctc ttc acc aca gat ggg cct gaa gga ctc aag tgt ggc tcc ctc	726
	Leu Leu Phe Thr Thr Asp Gly Pro Glu Gly Leu Lys Cys Gly Ser Leu	
	215 220 225	
10	cgg gga ctc tat acc act gta gat ttt ggc cca gct gac aac atg acc	774
	Arg Gly Leu Tyr Thr Thr Val Asp Phe Gly Pro Ala Asp Asn Met Thr	
	230 235 240 245	
	aaa atc ttt acc ctg ctt cgg aag tat gaa ccc cat ggg cca ttg gta	822
	Lys Ile Phe Thr Leu Leu Arg Lys Tyr Glu Pro His Gly Pro Leu Val	
15	250 255 260	
	aac tct gag tac tac aca ggc tgg ctg gat tac tgg ggc cag aat cac	870
	Asn Ser Glu Tyr Tyr Thr Gly Trp Leu Asp Tyr Trp Gly Gln Asn His	
	265 270 275	
	tcc aca cgg tct gtg tca gct gta acc aaa gga cta gag aac atg ctc	918
20	Ser Thr Arg Ser Val Ser Ala Val Thr Lys Gly Leu Glu Asn Met Leu	
	280 285 290	
	aag ttg gga gcc agt gtg aac atg tac atg ttc cat gga ggt acc aac	966
	Lys Leu Gly Ala Ser Val Asn Met Tyr Met Phe His Gly Gly Thr Asn	
	295 300 305	
25	ttt gga tat tgg aat ggt gcc gat aag aag gga cgc ttc ctt ccg att	1014

186/346

	Phe Gly Tyr Trp Asn Gly Ala Asp Lys Lys Gly Arg Phe Leu Pro Ile	
	310	315 320 325
	act acc agc tat gac tat gat gca cct ata tct gaa gca ggg gac ccc	1062
	Thr Thr Ser Tyr Asp Tyr Asp Ala Pro Ile Ser Glu Ala Gly Asp Pro	
5	330 335 340	
	aca cct aag ctt ttt gct ctt cga gat gtc atc agc aag ttc cag gaa	1110
	Thr Pro Lys Leu Phe Ala Leu Arg Asp Val Ile Ser Lys Phe Gln Glu	
	345 350 355	
	gtt cct ttg gga cct tta cct ccc ccg agc ccc aag atg atg ctt gga	1158
10	Val Pro Leu Gly Pro Leu Pro Pro Pro Ser Pro Lys Met Met Leu Gly	
	360 365 370	
	cct gtg act ctg cac ctg gtt ggg cat tta ctg gct ttc cta gac ttg	1206
	Pro Val Thr Leu His Leu Val Gly His Leu Leu Ala Phe Leu Asp Leu	
	375 380 385	
15	ctt tgc ccc cgt ggg ccc att cat tca atc ttg cca atg acc ttt gag	1254
	Leu Cys Pro Arg Gly Pro Ile His Ser Ile Leu Pro Met Thr Phe Glu	
	390 395 400 405	
	gct gtc aag cag gac cat ggc ttc atg ttg tac cga acc tat atg acc	1302
	Ala Val Lys Gln Asp His Gly Phe Met Leu Tyr Arg Thr Tyr Met Thr	
20	410 415 420	
	cat acc att ttt gag cca aca cca ttc tgg gtg cca aat aat gga gtc	1350
	His Thr Ile Phe Glu Pro Thr Pro Phe Trp Val Pro Asn Asn Gly Val	
	425 430 435	
	cat gac cgt gcc tat gtg atg gtg gat ggg gtg ttc cag ggt gtt gtg	1398
25	His Asp Arg Ala Tyr Val Met Val Asp Gly Val Phe Gln Gly Val Val	

187/346

	440	445	450	
	gag cga aat atg aga gac aaa cta ttt ttg acg ggg aaa ctg ggg tcc			1446
	Glu Arg Asn Met Arg Asp Lys Leu Phe Leu Thr Gly Lys Leu Gly Ser			
	455	460	465	
5	aaa ctg gat atc ttg gtg gag aac atg ggg agg ctc agc ttt ggg tct			1494
	Lys Leu Asp Ile Leu Val Glu Asn Met Gly Arg Leu Ser Phe Gly Ser			
	470	475	480	485
	aac agc agt gac ttc aag ggc ctg ttg aag cca cca att ctg ggg caa			1542
	Asn Ser Ser Asp Phe Lys Gly Leu Leu Lys Pro Pro Ile Leu Gly Gln			
10	490	495	500	
	aca atc ctt acc cag tgg atg atg ttc cct ctg aaa att gat aac ctt			1590
	Thr Ile Leu Thr Gln Trp Met Met Phe Pro Leu Lys Ile Asp Asn Leu			
	505	510	515	
	gtg aag tgg tgg ttt ccc ctc cag ttg cca aaa tgg cca tat cct caa			1638
15	Val Lys Trp Trp Phe Pro Leu Gln Leu Pro Lys Trp Pro Tyr Pro Gln			
	520	525	530	
	gct cct tct ggc ccc aca ttc tac tcc aaa aca ttt cca att tta ggc			1686
	Ala Pro Ser Gly Pro Thr Phe Tyr Ser Lys Thr Phe Pro Ile Leu Gly			
	535	540	545	
20	tca gtt ggg gac aca ttt cta tat cta cct gga tgg acc aag ggc caa			1734
	Ser Val Gly Asp Thr Phe Leu Tyr Leu Pro Gly Trp Thr Lys Gly Gln			
	550	555	560	565
	gtc tgg atc aat ggg ttt aac ttg ggc cgg tac tgg aca aag cag ggg			1782
	Val Trp Ile Asn Gly Phe Asn Leu Gly Arg Tyr Trp Thr Lys Gln Gly			
25	570	575	580	

188/346

cca caa cag acc ctc tac gtg cca aga ttc ctg ctg ttt cct agg gga 1830
 Pro Gln Gln Thr Leu Tyr Val Pro Arg Phe Leu Leu Phe Pro Arg Gly
 585 590 595

gcc ctc aac aaa att aca ttg ctg gaa cta gaa gat gta cct ctc cag 1878
 5 Ala Leu Asn Lys Ile Thr Leu Leu Glu Leu Glu Asp Val Pro Leu Gln
 600 605 610

ccc caa gtc caa ttt ttg gat aag cct atc ctc aat agc act agt act 1926
 Pro Gln Val Gln Phe Leu Asp Lys Pro Ile Leu Asn Ser Thr Ser Thr
 615 620 625

10 ttg cac agg aca cat atc aat tcc ctt tca gct gat aca ctg agt gcc 1974
 Leu His Arg Thr His Ile Asn Ser Leu Ser Ala Asp Thr Leu Ser Ala
 630 635 640 645

tct gaa cca atg gag tta agt ggg cac tga aaggtaggcc gggcatgggtg 2024
 Ser Glu Pro Met Glu Leu Ser Gly His

15 650 655

gctcatgcct gtaatcccag cactttggga ggctgagacg ggtggattac ctgaggtcag 2084
 gacttcaaga ccagcctggc caacatgggtg aaaccccgtc tccactaaaa atacaaaaat 2144
 tagccgggcg tgatgggtggg cacctctaata cccagctact tgggaggctg agggcaggag 2204
 aattgcttga atccaggagg cagaggttgc agtgagtgga ggttgtacca ctgcactcca 2264

20 gcctggctga cagtgagaca ctccatctca aaaaaaaaaa aaaaaaaaaa aagtaaccct 2324
 tggacctggg acatggagtg ggcaggatcc cttggtgctg gccacggtga ccctaaggaa 2384
 ctaaaggcca cagtgcctct gaatgtaagt acaagtacac attccttgcc aaactttatt 2444
 gtgattaataa ttccagagac agt 2467

25 <210> 84

189/346

<211> 1450

<212> DNA

<213> Homo sapiens

5 <220>

<221> CDS

<222> (245)..(1417)

<400> 84

10 tgagccctcc ttggctctta caatgctcac ttgttttcac aatgcagcaa aatgaaatgc 60
cttagaaaaa gagtaacatt ccagaaaacg gtgtaattta tttttcttcc ttaattgccc 120
catctgtgga ggatttcttt gctgaacacc acatcaaagg gatcttctgc atttaaaata 180
gaagaggcat catgctgaag agggagggga aggtccaacc ttactactaaa accctggatg 240
gagg atg ggg atg gat gat tgt gat tca ttt ttt cct ggt ccc ctg gtt 289

15 Met Gly Met Asp Asp Cys Asp Ser Phe Phe Pro Gly Pro Leu Val
1 5 10 15
gct att att tgt gac ata ctt gga gag aaa act acc tcc att ctt ggg 337
Ala Ile Ile Cys Asp Ile Leu Gly Glu Lys Thr Thr Ser Ile Leu Gly
20 25 30
gct ttt gtt gtt act ggt gga tat ctg atc agc agc tgg gcc aca agt 385
Ala Phe Val Val Thr Gly Gly Tyr Leu Ile Ser Ser Trp Ala Thr Ser
35 40 45
att cct ttt ctt tgt gtg act atg gga ctt cta ccc ggt ttg ggt tct 433
Ile Pro Phe Leu Cys Val Thr Met Gly Leu Leu Pro Gly Leu Gly Ser

25 50 55 60

190/346

	gct ttc tta tac caa gtg gct gct gtg gta act acc aaa tac ttc aaa	481
	Ala Phe Leu Tyr Gln Val Ala Ala Val Val Thr Thr Lys Tyr Phe Lys	
	65 70 75	
	aaa cga ttg gct ctt tct aca gct att gcc cgt tct ggg atg gga ctg	529
5	Lys Arg Leu Ala Leu Ser Thr Ala Ile Ala Arg Ser Gly Met Gly Leu	
	80 85 90 95	
	act ttt ctt ttg gca ccc ttt aca aaa ttc ctg ata gat ctg tat gac	577
	Thr Phe Leu Leu Ala Pro Phe Thr Lys Phe Leu Ile Asp Leu Tyr Asp	
	100 105 110	
10	tgg aca gga gcc ctt ata tta ttt gga gct atc gca ttg aat ttg gtg	625
	Trp Thr Gly Ala Leu Ile Leu Phe Gly Ala Ile Ala Leu Asn Leu Val	
	115 120 125	
	cct tct agt atg ctc tta aga ccc atc cat atc aaa agt gag aac aat	673
	Pro Ser Ser Met Leu Leu Arg Pro Ile His Ile Lys Ser Glu Asn Asn	
15	130 135 140	
	tct ggt att aaa gat aaa ggc agc agt ttg tct gca cat ggt cca gag	721
	Ser Gly Ile Lys Asp Lys Gly Ser Ser Leu Ser Ala His Gly Pro Glu	
	145 150 155	
	gca cat gca aca gaa aca cac tgc cat gag aca gaa gag tct acc atc	769
20	Ala His Ala Thr Glu Thr His Cys His Glu Thr Glu Glu Ser Thr Ile	
	160 165 170 175	
	aag gac agt act acg cag aag gct gga cta cct agc aaa aat tta aca	817
	Lys Asp Ser Thr Thr Gln Lys Ala Gly Leu Pro Ser Lys Asn Leu Thr	
	180 185 190	
25	gtc tca caa aat caa agt gaa gag ttc tac aat ggg cct aac agg aac	865

191/346

	Val Ser Gln Asn Gln Ser Glu Glu Phe Tyr Asn Gly Pro Asn Arg Asn	
	195	200 205
	aga ctg tta tta aag agt gat gaa gaa agt gat aag gtt att tcg tgg	913
	Arg Leu Leu Leu Lys Ser Asp Glu Glu Ser Asp Lys Val Ile Ser Trp	
5	210	215 220
	agc tgc aaa caa ctg ttt gac att tct ctc ttt aga aat cct ttc ttc	961
	Ser Cys Lys Gln Leu Phe Asp Ile Ser Leu Phe Arg Asn Pro Phe Phe	
	225	230 235
	tac ata ttt act tgg tct ttt ctc ctc agt cag tta gca tac ttc atc	1009
10	Tyr Ile Phe Thr Trp Ser Phe Leu Leu Ser Gln Leu Ala Tyr Phe Ile	
	240	245 250 255
	cct acc ttt cac ctg gta gcc aga gcc aaa aca ctg ggg att gac atc	1057
	Pro Thr Phe His Leu Val Ala Arg Ala Lys Thr Leu Gly Ile Asp Ile	
	260	265 270
15	atg gat gcc tct tac ctt gtt tct gta gca ggt atc ctt gag acg gtc	1105
	Met Asp Ala Ser Tyr Leu Val Ser Val Ala Gly Ile Leu Glu Thr Val	
	275	280 285
	agt cag att att tct gga tgg gtt gct gat caa aac tgg att aag aag	1153
	Ser Gln Ile Ile Ser Gly Trp Val Ala Asp Gln Asn Trp Ile Lys Lys	
20	290	295 300
	tat cat tac cac aag tct tac ctc atc ctc tgc ggc atc act aac ctg	1201
	Tyr His Tyr His Lys Ser Tyr Leu Ile Leu Cys Gly Ile Thr Asn Leu	
	305	310 315
	ctt gct cct tta gcc acc aca ttt cca cta ctt atg acc tac acc atc	1249
25	Leu Ala Pro Leu Ala Thr Thr Phe Pro Leu Leu Met Thr Tyr Thr Ile	

192/346

```

320                               325                               330                               335
tgc ttt gcc atc ttt gct ggt ggt tac ctg gca ttg ata ctg cct gta 1297
Cys Phe Ala Ile Phe Ala Gly Gly Tyr Leu Ala Leu Ile Leu Pro Val
                               340                               345                               350
5 ctg gtt gat ctg tgt agg aat tct aca gta aac agg ttt ttg gga ctt 1345
Leu Val Asp Leu Cys Arg Asn Ser Thr Val Asn Arg Phe Leu Gly Leu
                               355                               360                               365
gcc agt ttc ttt gct ggg atg gct gtc ctt tct gga cca cct ata gca 1393
Ala Ser Phe Phe Ala Gly Met Ala Val Leu Ser Gly Pro Pro Ile Ala
10                               370                               375                               380
ggt aac acc ttc acc aca ttc tga acaaatttca atagcaataa aagagaaaaa 1447
Gly Asn Thr Phe Thr Thr Phe
                               385                               390
ctg
15
<210> 85
<211> 1897
<212> DNA
<213> Homo sapiens
20
<220>
<221> CDS
<222> (8)..(1366)
25 <400> 85

```

193/346

	acttgtc atg gag ctg gca ctg cgg cgc tct ccc gtc ccg cgg tgg ttg	49
	Met Glu Leu Ala Leu Arg Arg Ser Pro Val Pro Arg Trp Leu	
	1 5 10	
	ctg ctg ctg ccg ctg ctg ctg ggc ctg aac gca gga gct gtc att gac	97
5	Leu Leu Leu Pro Leu Leu Leu Gly Leu Asn Ala Gly Ala Val Ile Asp	
	15 20 25 30	
	tgg ccc aca gag gag ggc aag gaa gta tgg gat tat gtg acg gtc cgc	145
	Trp Pro Thr Glu Glu Gly Lys Glu Val Trp Asp Tyr Val Thr Val Arg	
	35 40 45	
10	aag gat gcc tac atg ttc tgg tgg ctc tat tat gcc acc aac tcc tgc	193
	Lys Asp Ala Tyr Met Phe Trp Trp Leu Tyr Tyr Ala Thr Asn Ser Cys	
	50 55 60	
	aag aac ttc tca gaa ctg ccc ctg gtc atg tgg ctt cag ggc ggt cca	241
	Lys Asn Phe Ser Glu Leu Pro Leu Val Met Trp Leu Gln Gly Gly Pro	
15	65 70 75	
	ggc ggt tct agc act gga ttt gga aac ttt gag gaa att ggg ccc ctt	289
	Gly Gly Ser Ser Thr Gly Phe Gly Asn Phe Glu Glu Ile Gly Pro Leu	
	80 85 90	
	gac agt gat ctc aaa cca cgg aaa acc acc tgg ctc cag gct gcc agt	337
20	Asp Ser Asp Leu Lys Pro Arg Lys Thr Thr Trp Leu Gln Ala Ala Ser	
	95 100 105 110	
	ctc cta ttt gtg gat aat ccc gtg ggc act ggg ttc agt tat gtg aat	385
	Leu Leu Phe Val Asp Asn Pro Val Gly Thr Gly Phe Ser Tyr Val Asn	
	115 120 125	
25	ggg agt ggt gcc tat gcc aag gac ctg gct atg gtg gct tca gac atg	433

194/346

	Gly Ser Gly Ala Tyr Ala Lys Asp Leu Ala Met Val Ala Ser Asp Met	
	130	135 140
	atg gtt ctc ctg aag acc ttc ttc agt tgc cac aaa gaa ttc cag aca	481
	Met Val Leu Leu Lys Thr Phe Phe Ser Cys His Lys Glu Phe Gln Thr	
5	145	150 155
	gtt cca ttc tac att ttc tca gag tcc tat gga gga aaa atg gca gct	529
	Val Pro Phe Tyr Ile Phe Ser Glu Ser Tyr Gly Gly Lys Met Ala Ala	
	160	165 170
	ggc att ggt cta gag ctt tat aag gcc att cag cga ggg acc atc aag	577
10	Gly Ile Gly Leu Glu Leu Tyr Lys Ala Ile Gln Arg Gly Thr Ile Lys	
	175	180 185 190
	tgc aac ttt gcg ggg gtt gcc ttg ggt gat tcc tgg atc tcc cct gtt	625
	Cys Asn Phe Ala Gly Val Ala Leu Gly Asp Ser Trp Ile Ser Pro Val	
	195	200 205
15	gat tcg gtg ctc tcc tgg gga cct tac ctg tac agc atg tct ctt ctc	673
	Asp Ser Val Leu Ser Trp Gly Pro Tyr Leu Tyr Ser Met Ser Leu Leu	
	210	215 220
	gaa gac aaa ggt ctg gca gag gtg tct aag gtt gca gag caa gta ctg	721
	Glu Asp Lys Gly Leu Ala Glu Val Ser Lys Val Ala Glu Gln Val Leu	
20	225	230 235
	aat gcc gta aat aag ggg ctc tac aga gag gcc aca gag ctg tgg ggg	769
	Asn Ala Val Asn Lys Gly Leu Tyr Arg Glu Ala Thr Glu Leu Trp Gly	
	240	245 250
	aaa gca gaa atg atc att gaa cag aac aca gat ggg gtg aac ttc tat	817
25	Lys Ala Glu Met Ile Ile Glu Gln Asn Thr Asp Gly Val Asn Phe Tyr	

195/346

	255	260	265	270	
	aac atc tta act aaa agc act ccc acg tct aca atg gag tcg agt cta	865			
	Asn Ile Leu Thr Lys Ser Thr Pro Thr Ser Thr Met Glu Ser Ser Leu				
	275	280	285		
5	gaa ttc aca cag agc cac cta gtt tgt ctt tgt cag cgc cac gtg aga	913			
	Glu Phe Thr Gln Ser His Leu Val Cys Leu Cys Gln Arg His Val Arg				
	290	295	300		
	cac cta caa cga gat gcc tta agc cag ctc atg aat ggc ccc atc aga	961			
	His Leu Gln Arg Asp Ala Leu Ser Gln Leu Met Asn Gly Pro Ile Arg				
10	305	310	315		
	aag aag ctc aaa att att cct gag gat caa tcc tgg gga ggc cag gct	1009			
	Lys Lys Leu Lys Ile Ile Pro Glu Asp Gln Ser Trp Gly Gly Gln Ala				
	320	325	330		
	acc aac gtc ttt gtg aac atg gag gag gac ttc atg aag cca gtc att	1057			
15	Thr Asn Val Phe Val Asn Met Glu Glu Asp Phe Met Lys Pro Val Ile				
	335	340	345	350	
	agc att gtg gac gag ttg ctg gag gca ggg atc aac gtg acg gtg tat	1105			
	Ser Ile Val Asp Glu Leu Leu Glu Ala Gly Ile Asn Val Thr Val Tyr				
	355	360	365		
20	aat gga cag ctg gat ctc atc gta gat acc atg ggt cag gag gcc tgg	1153			
	Asn Gly Gln Leu Asp Leu Ile Val Asp Thr Met Gly Gln Glu Ala Trp				
	370	375	380		
	gtg cgg aaa ctg aag tgg cca gaa ctg cct aaa ttc agt cag ctg aag	1201			
	Val Arg Lys Leu Lys Trp Pro Glu Leu Pro Lys Phe Ser Gln Leu Lys				
25	385	390	395		

196/346

tgg aag gcc ctg tac agt gac cct aaa tct ctg gaa aca tct gct ttt 1249
 Trp Lys Ala Leu Tyr Ser Asp Pro Lys Ser Leu Glu Thr Ser Ala Phe
 400 405 410
 gtc aag tcc tac aag aac ctt gct ttc tac tgg att ctg aaa gct ggt 1297
 5 Val Lys Ser Tyr Lys Asn Leu Ala Phe Tyr Trp Ile Leu Lys Ala Gly
 415 420 425 430
 cat atg gtt cct tct gac caa ggg gac atg gct ctg aag atg atg aga 1345
 His Met Val Pro Ser Asp Gln Gly Asp Met Ala Leu Lys Met Met Arg
 435 440 445
 10 ctg gtg act cag caa gaa tag gatggatggg gctggagatg agctgggtttg 1396
 Leu Val Thr Gln Gln Glu
 450
 gccttggggc acagagctga gctgaggccg ctgaagctgt aggaagcgcc attcttccct 1456
 gtatctaact ggggctgtga tcaagaaggt tctgaccagc ttctgcagag gataaaatca 1516
 15 ttgtctctgg aggcaatttg gaaattatct ctgcttctta aaaaaaccta agatttttta 1576
 aaaaattgat ttgttttgat caaaataaag gatgataata gatattatct tttcttatga 1636
 cagaagcaaa tgatgtgatt tatagaaaaa ctgggaaata caggtaccca aagagtaaatt 1696
 caacatctgt atacccctt cccaggggta agcactgtta ccaatttagc atatgtcctt 1756
 gcagaatttt tttttctata tatacatata ttttttttac caaatgaat cattactcta 1816
 20 tgttgtttta ctatttggtt gacatatcag tatatctgaa acaccttttc atgtcaataa 1876
 atgttcttct ctaacatttt t 1897

<210> 86

<211> 1856

25 <212> DNA

197/346

<213> Homo sapiens

<220>

<221> CDS

5 <222> (43)..(1515)

<400> 86

```

agatccaagt tgggagcagc tctgcgtgcg gggcctcaga ga atg agg ccg gcg      54
                                         Met Arg Pro Ala
10                                         1
ttc gcc ctg tgc ctc ctc tgg cag gcg ctc tgg ccc ggg ccg ggc ggc      102
Phe Ala Leu Cys Leu Leu Trp Gln Ala Leu Trp Pro Gly Pro Gly Gly
      5              10              15              20
ggc gaa cac ccc act gcc gac cgt gct ggc tgc tcg gcc tcg ggg gcc      150
15 Gly Glu His Pro Thr Ala Asp Arg Ala Gly Cys Ser Ala Ser Gly Ala
              25              30              35
tgc tac agc ctg cac cac gct acc atg aag cgg cag gcg gcc gag gag      198
Cys Tyr Ser Leu His His Ala Thr Met Lys Arg Gln Ala Ala Glu Glu
              40              45              50
20 gcc tgc atc ctg cga ggt ggg gcg ctc agc acc gtg cgt gcg ggc gcc      246
Ala Cys Ile Leu Arg Gly Gly Ala Leu Ser Thr Val Arg Ala Gly Ala
              55              60              65
gag ctg cgc gct gtg ctc gcg ctc ctg cgg gca ggc cca ggg ccc gga      294
Glu Leu Arg Ala Val Leu Ala Leu Leu Arg Ala Gly Pro Gly Pro Gly
25      70              75              80

```

198/346

	ggg ggc tcc aaa gac ctg ctg ttc tgg gtc gca ctg gag cgc agg cgt	342
	Gly Gly Ser Lys Asp Leu Leu Phe Trp Val Ala Leu Glu Arg Arg Arg	
	85 90 95 100	
	tcc cac tgc acc ctg gag aac gag cct ttg cgg ggt ttc tcc tgg ctg	390
5	Ser His Cys Thr Leu Glu Asn Glu Pro Leu Arg Gly Phe Ser Trp Leu	
	105 110 115	
	tcc tcc gac ccc ggc ggt ctc gaa agc gac acg ctg cag tgg gtg gag	438
	Ser Ser Asp Pro Gly Gly Leu Glu Ser Asp Thr Leu Gln Trp Val Glu	
	120 125 130	
10	gag ccc caa cgc tcc tgc acc gcg cgg aga tgc gcg gta ctc cag gcc	486
	Glu Pro Gln Arg Ser Cys Thr Ala Arg Arg Cys Ala Val Leu Gln Ala	
	135 140 145	
	acc ggt ggg gtc gag ccc gca ggc tgg aag gag atg cga tgc cac ctg	534
	Thr Gly Gly Val Glu Pro Ala Gly Trp Lys Glu Met Arg Cys His Leu	
15	150 155 160	
	cgc gcc aac ggc tac ctg tgc aag tac cag ttt gag gtc ttg tgt cct	582
	Arg Ala Asn Gly Tyr Leu Cys Lys Tyr Gln Phe Glu Val Leu Cys Pro	
	165 170 175 180	
	gcg ccg cgc ccc ggg gcc gcc tct aac ttg agc tat cgc gcg ccc ttc	630
20	Ala Pro Arg Pro Gly Ala Ala Ser Asn Leu Ser Tyr Arg Ala Pro Phe	
	185 190 195	
	cag ctg cac agc gcc gct ctg gac ttc agt cca cct ggg acc gag gtg	678
	Gln Leu His Ser Ala Ala Leu Asp Phe Ser Pro Pro Gly Thr Glu Val	
	200 205 210	
25	agt gcg ctc tgc cgg gga cag ctc ccg atc tca gtt act tgc atc gcg	726

199/346

Ser Ala Leu Cys Arg Gly Gln Leu Pro Ile Ser Val Thr Cys Ile Ala
 215 220 225
 gac gaa atc ggc gct cgc tgg gac aaa ctc tcg ggc gat gtg ttg tgt 774
 Asp Glu Ile Gly Ala Arg Trp Asp Lys Leu Ser Gly Asp Val Leu Cys
 5 230 235 240
 ccc tgc ccc ggg agg tac ctc cgt gct ggc aaa tgc gca gag ctc cct 822
 Pro Cys Pro Gly Arg Tyr Leu Arg Ala Gly Lys Cys Ala Glu Leu Pro
 245 250 255 260
 aac tgc cta gac gac ttg gga ggc ttt gcc tgc gaa tgt gct acg ggc 870
 10 Asn Cys Leu Asp Asp Leu Gly Gly Phe Ala Cys Glu Cys Ala Thr Gly
 265 270 275
 ttc gag ctg ggg aag gac ggc cgc tct tgt gtg acc agt ggg gaa gga 918
 Phe Glu Leu Gly Lys Asp Gly Arg Ser Cys Val Thr Ser Gly Glu Gly
 280 285 290
 15 cag ccg acc ctt ggg ggg acc ggg gtg ccc acc agg cgc ccg ccg gcc 966
 Gln Pro Thr Leu Gly Gly Thr Gly Val Pro Thr Arg Arg Pro Pro Ala
 295 300 305
 act gca acc agc ccc gtg ccg cag aga aca tgg cca atc agg gtc gac 1014
 Thr Ala Thr Ser Pro Val Pro Gln Arg Thr Trp Pro Ile Arg Val Asp
 20 310 315 320
 gag aag ctg gga gag aca cca ctt gtc cct gaa caa gac aat tca gta 1062
 Glu Lys Leu Gly Glu Thr Pro Leu Val Pro Glu Gln Asp Asn Ser Val
 325 330 335 340
 aca tct att cct gag att cct cga tgg gga tca cag agc acg atg tct 1110
 25 Thr Ser Ile Pro Glu Ile Pro Arg Trp Gly Ser Gln Ser Thr Met Ser

200/346

	345	350	355	
	acc ctt caa atg tcc ctt caa gcc gag tca aag gcc act atc acc cca	1158		
	Thr Leu Gln Met Ser Leu Gln Ala Glu Ser Lys Ala Thr Ile Thr Pro			
	360	365	370	
5	tca ggg agc gtg att tcc aag ttt aat tct acg act tcc tct gcc act	1206		
	Ser Gly Ser Val Ile Ser Lys Phe Asn Ser Thr Thr Ser Ser Ala Thr			
	375	380	385	
	cct cag gct ttc gac tcc tcc tct gcc gtg gtc ttc ata ttt gtg agc	1254		
	Pro Gln Ala Phe Asp Ser Ser Ser Ala Val Val Phe Ile Phe Val Ser			
10	390	395	400	
	aca gca gta gta gtg ttg gtg atc ttg acc atg aca gta ctg ggg ctt	1302		
	Thr Ala Val Val Val Leu Val Ile Leu Thr Met Thr Val Leu Gly Leu			
	405	410	415	420
	gtc aag ctc tgc ttt cac gaa agc ccc tct tcc cag cca agg aag gag	1350		
15	Val Lys Leu Cys Phe His Glu Ser Pro Ser Ser Gln Pro Arg Lys Glu			
	425	430	435	
	tct atg ggc ccg ccg ggc ctg gag agt gat cct gag ccc gct gct ttg	1398		
	Ser Met Gly Pro Pro Gly Leu Glu Ser Asp Pro Glu Pro Ala Ala Leu			
	440	445	450	
20	ggc tcc agt tct gca cat tgc aca aac aat ggg gtg aaa gtc ggg gac	1446		
	Gly Ser Ser Ser Ala His Cys Thr Asn Asn Gly Val Lys Val Gly Asp			
	455	460	465	
	tgt gat ctg cgg gac aga gca gag ggt gcc ttg ctg gcg gag tcc cct	1494		
	Cys Asp Leu Arg Asp Arg Ala Glu Gly Ala Leu Leu Ala Glu Ser Pro			
25	470	475	480	

201/346

ctt ggc tct agt gat gca tag ggaaacaggg gacatgggca ctctgtgaa 1545
Leu Gly Ser Ser Asp Ala
485 490
cagtttttca cttttgatga aacggggaac caagaggaac ttacttgtgt aactgacaat 1605
5 ttctgcagaa atcccccttc ctctaaattc cctttactcc actgaggagc taaatcagaa 1665
ctgcacactc cttccctgat gatagaggaa gtggaagtgc ctttaggatg gtgatactgg 1725
gggaccgggt agtgctgggg agagatatct tcttatgttt attcggagaa tttggagaag 1785
tgattgaact tttcaagaca ttggaaacaa atagaacaca atataattta cattaaaaaa 1845
taatttctac c 1856
10
<210> 87
<211> 2173
<212> DNA
<213> Homo sapiens
15
<220>
<221> CDS
<222> (262)..(1440)
20 <400> 87
gtttggagtt gtcaccactt tcccctctcc gtctcctgcg ggcgcaatgg aggaggagga 60
tgaggaagcg cgggagctcc tggcaggcgg ccctgacgag gccgacagag gtgccccggc 120
cgcccctgga gccctgccgg ccctctgcga cccagtcgc ctggcgcacc ggcttttggt 180
gctgttactg atgtgcttcc ttggctttgc tatttttgc atgataatcc tgctgccctt 240
25 cagactcaag ttaaacgaga t atg caa gtg aat acc acg aaa ttc atg ctg 291

202/346

	Met	Gln	Val	Asn	Thr	Thr	Lys	Phe	Met	Leu							
	1				5					10							
	ctg	tat	gcc	tgg	tat	tct	tgg	ccc	aat	gta	ggt	ttg	tgt	ttc	ttt	ggt	339
	Leu	Tyr	Ala	Trp	Tyr	Ser	Trp	Pro	Asn	Val	Val	Leu	Cys	Phe	Phe	Gly	
5					15					20					25		
	ggc	ttt	ttg	ata	gac	cga	gta	ttt	gga	ata	cga	tgg	ggc	aca	atc	att	387
	Gly	Phe	Leu	Ile	Asp	Arg	Val	Phe	Gly	Ile	Arg	Trp	Gly	Thr	Ile	Ile	
					30					35					40		
	ttt	agc	tgc	ttt	ggt	tgc	att	gga	cag	ggt	ggt	ttt	gcc	ctg	ggt	gga	435
10	Phe	Ser	Cys	Phe	Val	Cys	Ile	Gly	Gln	Val	Val	Phe	Ala	Leu	Gly	Gly	
					45					50					55		
	ata	ttt	aat	gct	ttt	tgg	ctg	atg	gaa	ttt	gga	aga	ttt	gta	ttt	ggg	483
	Ile	Phe	Asn	Ala	Phe	Trp	Leu	Met	Glu	Phe	Gly	Arg	Phe	Val	Phe	Gly	
					60					65					70		
15	att	ggt	ggc	gag	tcc	tta	gca	ggt	gcc	cag	aat	aca	tat	gct	gtg	agc	531
	Ile	Gly	Gly	Glu	Ser	Leu	Ala	Val	Ala	Gln	Asn	Thr	Tyr	Ala	Val	Ser	
					75					80					85		90
	tgg	ttt	aaa	ggc	aaa	gaa	tta	aac	ctg	gtg	ttt	gga	ctt	caa	ctt	agc	579
	Trp	Phe	Lys	Gly	Lys	Glu	Leu	Asn	Leu	Val	Phe	Gly	Leu	Gln	Leu	Ser	
20					95					100					105		
	atg	gct	aga	att	gga	agt	aca	gta	aac	atg	aac	ctc	atg	gga	tgg	ctg	627
	Met	Ala	Arg	Ile	Gly	Ser	Thr	Val	Asn	Met	Asn	Leu	Met	Gly	Trp	Leu	
					110					115					120		
	tat	tct	aag	att	gaa	gct	ttg	tta	ggt	tct	gct	ggt	cac	aca	acc	ctc	675
25	Tyr	Ser	Lys	Ile	Glu	Ala	Leu	Leu	Gly	Ser	Ala	Gly	His	Thr	Thr	Leu	

203/346

	125	130	135	
	ggg atc aca ctt atg att ggg ggt ata acg tgt att ctt tca cta atc	723		
	Gly Ile Thr Leu Met Ile Gly Gly Ile Thr Cys Ile Leu Ser Leu Ile			
	140	145	150	
5	tgt gcc ttg gct ctt gcc tac ttg gat cag aga gca gag aga atc ctt	771		
	Cys Ala Leu Ala Leu Ala Tyr Leu Asp Gln Arg Ala Glu Arg Ile Leu			
	155	160	165	170
	cat aaa gaa caa gga aaa aca ggt gaa gtt att aaa tta act gat gta	819		
	His Lys Glu Gln Gly Lys Thr Gly Glu Val Ile Lys Leu Thr Asp Val			
10	175	180	185	
	aag gac ttc tcc tta ccc ctg tgg ctt ata ttt atc atc tgt gtc tgc	867		
	Lys Asp Phe Ser Leu Pro Leu Trp Leu Ile Phe Ile Ile Cys Val Cys			
	190	195	200	
	tat tat gtt gct gtg ttc cct ttt att gga ctt ggg aaa gtt ttc ttt	915		
15	Tyr Tyr Val Ala Val Phe Pro Phe Ile Gly Leu Gly Lys Val Phe Phe			
	205	210	215	
	aca gag aaa ttt gga ttt tct tcc cag gca gca agt gca att aac agt	963		
	Thr Glu Lys Phe Gly Phe Ser Ser Gln Ala Ala Ser Ala Ile Asn Ser			
	220	225	230	
20	gtt gta tat gtc ata tca gct ccc atg tcc ccg gtg ttt ggg ctc ctg	1011		
	Val Val Tyr Val Ile Ser Ala Pro Met Ser Pro Val Phe Gly Leu Leu			
	235	240	245	250
	gtg gat aaa aca ggg aag aac atc atc tgg gtt ctt tgc gca gta gca	1059		
	Val Asp Lys Thr Gly Lys Asn Ile Ile Trp Val Leu Cys Ala Val Ala			
25	255	260	265	

204/346

gcc act ctt gtg tcc cac atg atg ctg gcc ttt acg atg tgg aac cct 1107
 Ala Thr Leu Val Ser His Met Met Leu Ala Phe Thr Met Trp Asn Pro
 270 275 280
 tgg att gct atg tgt ctt ctg gga ctc tcc tac tca ttg ctt gcc tgt 1155
 5 Trp Ile Ala Met Cys Leu Leu Gly Leu Ser Tyr Ser Leu Leu Ala Cys
 285 290 295
 gca ttg tgg cca atg gtg gca ttt gta gtt cct gaa cat cag ctg gga 1203
 Ala Leu Trp Pro Met Val Ala Phe Val Val Pro Glu His Gln Leu Gly
 300 305 310
 10 act gca tat ggc ttc atg cag tcc att cag aat ctt ggg ttg gcc atc 1251
 Thr Ala Tyr Gly Phe Met Gln Ser Ile Gln Asn Leu Gly Leu Ala Ile
 315 320 325 330
 att tcc atc att gct ggt atg ata ctg gat tct cgg ggg tat ttg ttt 1299
 Ile Ser Ile Ile Ala Gly Met Ile Leu Asp Ser Arg Gly Tyr Leu Phe
 15 335 340 345
 ttg gaa gtg ttc ttc att gcc tgt gtt tct ttg tca ctt tta tct gtg 1347
 Leu Glu Val Phe Phe Ile Ala Cys Val Ser Leu Ser Leu Leu Ser Val
 350 355 360
 gtc tta ctc tat ttg gtg aat cgt gcc cag ggt ggg aac cta aat tat 1395
 20 Val Leu Leu Tyr Leu Val Asn Arg Ala Gln Gly Gly Asn Leu Asn Tyr
 365 370 375
 tct gca aga caa agg gaa gaa ata aaa ttt tcc cat act gaa tga 1440
 Ser Ala Arg Gln Arg Glu Glu Ile Lys Phe Ser His Thr Glu
 380 385 390
 25 gaagttaaaa tgaatgtgtc atgagaatgg gcttaacaca tcgttggttt gaaaacttcc 1500

205/346

atttttaaaa atttagagtt tagtcattag aaaaaataat ggactggaaa gttatatatta 1560
tatccaaata tacctatttc aaagtgtatt tgtgaggcct gtttttagcct gtgtcttttg 1620
tattgtgtgt tgctaaagaa ttctactttt agtaggctaa tcaacaatga aagggttaga 1680
aaattgctgt ggaacatcca ggtgaacttc aggaaagaca gtgaaaaatg gaaaacggtg 1740
5 gagcttctgt tgagataatc ttcattaggt atatatctta gggatacagc cttttcttta 1800
tcttatagca ggaaaaaaaa acttttgagg gaaatagaag ggctgcgtta cacaaaaataa 1860
acaatggcat tgtcataggc cttcctttta ctagtagggc ataatgctag ggaatatgtg 1920
aagatgtttt tatgaagtct ctttctgac acgaacaata gcttgcgctc tactctgtag 1980
ttatgtggat tgccgagcaa tgaccctttt caatttctta tttctgtgtt actgaggacc 2040
10 ctaatcactt agggatgtaa ttttatagta taaactttct gtacagtttt tcttatagtc 2100
taataagtaa aaagtgtcct tcaaattatg ataattgcct atgtacatgg ataaattaaa 2160
acactgcaca cgg 2173

<210> 88
15 <211> 1934
<212> DNA
<213> Homo sapiens

<220>
20 <221> CDS
<222> (31)..(1647)

<400> 88
agttctgtgg agcagcgggtg gccggctagg atg ggc tgt ctc tgg ggt ctg gct 54
25 Met Gly Cys Leu Trp Gly Leu Ala

206/346

		1		5	
	ctg	ccc	ctt	ttc	ttc
	ttc	tgc	tgg	gag	ggt
	ggg	gtc	tct	ggg	agc
	tct	ggg	agc	tct	102
	Leu	Pro	Leu	Phe	Phe
	Phe	Phe	Cys	Trp	Glu
	Val	Gly	Val	Ser	Gly
	Ser	Ser			
	10		15		20
5	gca	ggc	ccc	agc	acc
	cgc	aga	gca	gac	act
	gcg	atg	aca	acg	gac
	gac	gac			150
	Ala	Gly	Pro	Ser	Thr
	Arg	Arg	Ala	Asp	Thr
	Ala	Met	Thr	Thr	Asp
	Asp				
	25		30		35
	40				
	aca	gaa	gtg	ccc	gct
	atg	act	cta	gca	ccg
	ggc	cac	gcc	gct	ctg
	gaa				198
	Thr	Glu	Val	Pro	Ala
	Met	Thr	Leu	Ala	Pro
	Gly	His	Ala	Ala	Leu
	Glu				
10		45		50	
	55				
	act	caa	acg	ctg	agc
	gct	gag	acc	tct	tct
	agg	gcc	tca	acc	cca
	gcc				246
	Thr	Gln	Thr	Leu	Ser
	Ala	Glu	Thr	Ser	Ser
	Arg	Ala	Ser	Thr	Pro
	Ala				
	60		65		70
	ggc	ccc	att	cca	gaa
	gca	gag	acc	agg	gga
	gcc	aag	aga	att	tcc
	cct				294
15	Gly	Pro	Ile	Pro	Glu
	Ala	Glu	Thr	Arg	Gly
	Ala	Lys	Arg	Ile	Ser
	Pro				
	75		80		85
	gca	aga	gag	acc	agg
	agt	ttc	aca	aaa	aca
	tct	ccc	aac	ttc	atg
	gtg				342
	Ala	Arg	Glu	Thr	Arg
	Ser	Phe	Thr	Lys	Thr
	Ser	Pro	Asn	Phe	Met
	Val				
	90		95		100
20	ctg	atc	gcc	acc	tcc
	gtg	gag	aca	tca	gcc
	gcc	gcc	agt	ggc	agc
	ccc	gag			390
	Leu	Ile	Ala	Thr	Ser
	Val	Glu	Thr	Ser	Ala
	Ala	Ser	Gly	Ser	Pro
	Glu				
	105		110		115
	120				
	gga	gct	gga	atg	acc
	aca	gtt	cag	acc	atc
	aca	ggc	agt	gat	ccc
	gag				438
	Gly	Ala	Gly	Met	Thr
	Thr	Val	Gln	Thr	Ile
	Thr	Gly	Ser	Asp	Pro
	Glu				
25		125		130	
				135	

207/346

gaa gcc atc ttt gac acc ctt tgc acc gat gac agc tct gaa gag gca 486
 Glu Ala Ile Phe Asp Thr Leu Cys Thr Asp Asp Ser Ser Glu Glu Ala
 140 145 150
 aag aca ctc aca atg gac ata ttg aca ttg gct cac acc tcc aca gaa 534
 5 Lys Thr Leu Thr Met Asp Ile Leu Thr Leu Ala His Thr Ser Thr Glu
 155 160 165
 gct aag ggc ctg tcc tca gag agc agt gcc tct tcc gac ggc ccc cat 582
 Ala Lys Gly Leu Ser Ser Glu Ser Ser Ala Ser Ser Asp Gly Pro His
 170 175 180
 10 cca gtc atc acc ccg tca cgg gcc tca gag agc agc gcc tct tcc gac 630
 Pro Val Ile Thr Pro Ser Arg Ala Ser Glu Ser Ser Ala Ser Ser Asp
 185 190 195 200
 ggc ccc cat cca gtc atc acc ccg tca cgg gcc tca gag agc agc gcc 678
 Gly Pro His Pro Val Ile Thr Pro Ser Arg Ala Ser Glu Ser Ser Ala
 15 205 210 215
 tct tcc gac ggc ccc cat cca gtc atc acc ccc tca tgg tcc ccg gga 726
 Ser Ser Asp Gly Pro His Pro Val Ile Thr Pro Ser Trp Ser Pro Gly
 220 225 230
 tct gat gtc act ctc ctc gct gaa gcc ctg gtg act gtc aca aac atc 774
 20 Ser Asp Val Thr Leu Leu Ala Glu Ala Leu Val Thr Val Thr Asn Ile
 235 240 245
 gag gtt att aat tgc agc atc aca gaa ata gaa aca aca act tcc agc 822
 Glu Val Ile Asn Cys Ser Ile Thr Glu Ile Glu Thr Thr Thr Ser Ser
 250 255 260
 25 atc cct ggg gcc tca gac ata gat ctc atc ccc acg gaa ggg gtg aag 870

208/346

Ile Pro Gly Ala Ser Asp Ile Asp Leu Ile Pro Thr Glu Gly Val Lys
 265 270 275 280
 gcc tcg tcc acc tcc gat cca cca gct ctg cct gac tcc act gaa gca 918
 Ala Ser Ser Thr Ser Asp Pro Pro Ala Leu Pro Asp Ser Thr Glu Ala
 5 285 290 295
 aaa cca cac atc act gag gtc aca gcc tct gcc gag acc ctg tcc aca 966
 Lys Pro His Ile Thr Glu Val Thr Ala Ser Ala Glu Thr Leu Ser Thr
 300 305 310
 gcc ggc acc aca gag tca gct gca cct cat gcc acg gtt ggg acc cca 1014
 10 Ala Gly Thr Thr Glu Ser Ala Ala Pro His Ala Thr Val Gly Thr Pro
 315 320 325
 ctc ccc act aac agc gcc aca gaa aga gaa gtg aca gca ccc ggg gcc 1062
 Leu Pro Thr Asn Ser Ala Thr Glu Arg Glu Val Thr Ala Pro Gly Ala
 330 335 340
 15 acg acc ctc agt gga gct ctg gtc aca gtt agc agg aat ccc ctg gaa 1110
 Thr Thr Leu Ser Gly Ala Leu Val Thr Val Ser Arg Asn Pro Leu Glu
 345 350 355 360
 gaa acc tca gcc ctc tct gtt gag aca cca agt tac gtc aaa gtc tca 1158
 Glu Thr Ser Ala Leu Ser Val Glu Thr Pro Ser Tyr Val Lys Val Ser
 20 365 370 375
 gga gca gct ccg gtc tcc ata gag gct ggg tca gca gtg ggc aaa aca 1206
 Gly Ala Ala Pro Val Ser Ile Glu Ala Gly Ser Ala Val Gly Lys Thr
 380 385 390
 act tcc ttt gct ggg agc tct gct tcc tcc tac agc ccc tcg gaa gcc 1254
 25 Thr Ser Phe Ala Gly Ser Ser Ala Ser Ser Tyr Ser Pro Ser Glu Ala

209/346

	395	400	405	
	gcc ctc aag aac ttc acc cct tca gag aca ccg acc atg gac atc gca			1302
	Ala Leu Lys Asn Phe Thr Pro Ser Glu Thr Pro Thr Met Asp Ile Ala			
	410	415	420	
5	acc aag ggg ccc ttc ccc acc agc agg gac cct ctt cct tct gtc cct			1350
	Thr Lys Gly Pro Phe Pro Thr Ser Arg Asp Pro Leu Pro Ser Val Pro			
	425	430	435	440
	ccg act aca acc aac agc agc cga ggg acg aac agc acc tta gcc aag			1398
	Pro Thr Thr Thr Asn Ser Ser Arg Gly Thr Asn Ser Thr Leu Ala Lys			
10	445	450	455	
	atc aca acc tca gcg aag acc acg atg aag ccc cca aca gcc acg ccc			1446
	Ile Thr Thr Ser Ala Lys Thr Thr Met Lys Pro Pro Thr Ala Thr Pro			
	460	465	470	
	acg act gcc cgg acg agg ccg acc aca gac gtg agt gca ggt gaa aat			1494
15	Thr Thr Ala Arg Thr Arg Pro Thr Thr Asp Val Ser Ala Gly Glu Asn			
	475	480	485	
	gga ggt ttc ctc ctc ctg cgg ctg agt gtg gct tcc ccg gaa gac ctc			1542
	Gly Gly Phe Leu Leu Leu Arg Leu Ser Val Ala Ser Pro Glu Asp Leu			
	490	495	500	
20	act gac ccc aga gtg gca gaa agg ctg atg cag cag ctc cac cgg gaa			1590
	Thr Asp Pro Arg Val Ala Glu Arg Leu Met Gln Gln Leu His Arg Glu			
	505	510	515	520
	ctc cac gcc cac gcg cct cac ttc cag gtc tcc tta ctg cgt gtc agg			1638
	Leu His Ala His Ala Pro His Phe Gln Val Ser Leu Leu Arg Val Arg			
25	525	530	535	

210/346

aga ggc taa cggacatcag ctgcagccag gcatgtcccg tatgccaaaa 1687
Arg Gly
gaggggtgctg cccctagcct gggccccccac cgacagactg cagctgcgtt actgtgctga 1747
gaggtaccca gaagggtccc atgacgggca gcatgtccaa gccctaacc ccagatgtgg 1807
5 caacaggacc ctgctcaca tccaccggag tgtatgtatg gggaggggct tcacctgttc 1867
ccagaggtgt ccttggactc accttggcac atgttctgtg tttcagtaaa gagagacctg 1927
atcacc 1934

<210> 89
10 <211> 1880
<212> DNA
<213> Homo sapiens

<220>
15 <221> CDS
<222> (71)..(379)

<400> 89
agagctgcgc cgccgaggct gagcggcccc ttctcgtctg gcccgcccag gtgccgcgc 60
20 ccgtggcgct atg gag gcg gcg ctg ctg ggg ctg tgt aac tgg agc acg 109
Met Glu Ala Ala Leu Leu Gly Leu Cys Asn Trp Ser Thr
1 5 10
ctg ggc gtg tgc gcc gcg ctg aag ctg ccg cag atc tcc gct gtg cta 157
Leu Gly Val Cys Ala Ala Leu Lys Leu Pro Gln Ile Ser Ala Val Leu
25 15 20 25

211/346

gcg gcg cgc agc gcg cgg ggc ctc agc ctt ccg agt tta ctt ctg gag 205
 Ala Ala Arg Ser Ala Arg Gly Leu Ser Leu Pro Ser Leu Leu Leu Glu
 30 35 40 45
 ctg gca gga ttc ctg gtg ttt ctg cgg tac cag tgt tac tat ggg tat 253
 5 Leu Ala Gly Phe Leu Val Phe Leu Arg Tyr Gln Cys Tyr Tyr Gly Tyr
 50 55 60
 ccg ccg ctg acc tac ctg gag tac ccc atc ctc atc gcg caa gat gtc 301
 Pro Pro Leu Thr Tyr Leu Glu Tyr Pro Ile Leu Ile Ala Gln Asp Val
 65 70 75
 10 atc ctc ctg ctc tgt atc ttt cat ttt aac ggg aac gtg aag cag gcc 349
 Ile Leu Leu Leu Cys Ile Phe His Phe Asn Gly Asn Val Lys Gln Ala
 80 85 90
 act cct tac atc gct gtg tat cct ttc tga atctgagcca gaagtgggaa 399
 Thr Pro Tyr Ile Ala Val Tyr Pro Phe
 15 95 100
 cggggatggt atttgcgaat gtagagacgg tgtttcgccg tgctggccag gatggtctcg 459
 atctcctgac ctcatgatct gcctgcctcg gcctcccagg gtgctggaat tacagggtgtg 519
 agccaccgca cctggcctct tttgcttttt taacaaatcg actcgtgact ttctcacatt 579
 ttatctgcaa acagaatcta tgtactttca tcagcgcggc cagtaagttt gcacagctcc 639
 20 agtgtctgtg gaagacgaga gactcaggaa ctgtgagtgc gctgacttgg agcctctctt 699
 cctatacctg tgcaacaaga ataatcacia ccttaatgac caccaatgat tttaacaattc 759
 ttctacgttt tgtgatcatg ctggctttta atatatgggt aacagtgaca gtacttcgct 819
 accggaagac cgctataaag gctgaatgat ggatacatta ttccttcaca cagtggattt 879
 tgagtaactg aaccaaagga aaaagaagct ctttgctaaa ttaaggtctt ttataaattt 939
 25 agtaaatacag ttataatct ttaaagccaa aggttttttt agacttgaaa gaaagagcca 999

212/346

cttaaattct tgtttaaaaa taccaatttg cctcctcctt cctcacttcg ttaggttatg 1059
gtagtgctca gacatctgca gtgttgaggc cagtcactgt tggaagtcac ccaagaagcc 1119
cattttgagg ccattttgag ccttactctt aagttctcta tgaagaacta cattgatttg 1179
ttggcctttca gaatctttta ggaaataaat cctctccagg acaaaaatga acatgaatgg 1239
5 agtggcattt tgttccaagt cagagggtggg cacctataat aaatgactag gggtcacttt 1299
ctgggactga tgtttaattg taacacagat acaacagggt ggccttggtg tgtataatac 1359
gggtattatac ctgcatgtgc tctagcaagg ataccaaggc aagcatacat gtagctggct 1419
tgagtttgta ccaaaacagt ccttcaactt tgcactgtgc cttaagtaat tactaacaaa 1479
aggtagtagg attagctgca atctctactt tcgatgagga aatcccagta agctttctga 1539
10 ttcaagtaca atgctgccat tttttaaaagg gccacaacta tagaattacc actggttgaa 1599
tttggtacaa aatatgtttt gtctattgaa aacatacacg gttaaagggtg ttgttaggta 1659
ggttctgtcc agttcttagg gacttttttc acattatagc atttttacc taaacatgat 1719
gttgagatta ttatatactg tattttcttc taaattaacc ctaatgttta aaaactcact 1779
ttcccccttt aattgaaggc attgttttgt tagatgcagt aatgatgttt accagagatt 1839
15 attgtttcct atgcaaaata aattttcata ttttgaattc t 1880

<210> 90

<211> 2295

<212> DNA

20 <213> Homo sapiens

<220>

<221> CDS

<222> (55)..(1383)

25

213/346

<400> 90

```

agagcaggcc tgggtggtgag cagggacggt gcaccggacg gcgggatcga gcaa atg   57
                                                    Met
                                                    1
5  ggt ctg gcc atg gag cac gga ggg tcc tac gct cgg gcg ggg ggc agc   105
   Gly Leu Ala Met Glu His Gly Gly Ser Tyr Ala Arg Ala Gly Gly Ser
           5                10                15

   tct cgg ggc tgc tgg tat tac ctg cgc tac ttc ttc ctc ttc gtc tcc   153
   Ser Arg Gly Cys Trp Tyr Tyr Leu Arg Tyr Phe Phe Leu Phe Val Ser
10           20                25                30

   ctc atc caa ttc ctc atc atc ctg ggg ctc gtg ctc ttc atg gtc tat   201
   Leu Ile Gln Phe Leu Ile Ile Leu Gly Leu Val Leu Phe Met Val Tyr
           35                40                45

   ggc aac gtg cac gtg agc aca gag tcc aac ctg cag gcc acc gag cgc   249
15  Gly Asn Val His Val Ser Thr Glu Ser Asn Leu Gln Ala Thr Glu Arg
           50                55                60                65

   cga gcc gag ggc cta tac agt cag ctc cta ggg ctc acg gcc tcc cag   297
   Arg Ala Glu Gly Leu Tyr Ser Gln Leu Leu Gly Leu Thr Ala Ser Gln
           70                75                80

20  tcc aac ttg acc aag gag ctc aac ttc acc acc cgc gcc aag gat gcc   345
   Ser Asn Leu Thr Lys Glu Leu Asn Phe Thr Thr Arg Ala Lys Asp Ala
           85                90                95

   atc atg cag atg tgg ctg aat gct cgc cgc gac ctg gac cgc atc aat   393
   Ile Met Gln Met Trp Leu Asn Ala Arg Arg Asp Leu Asp Arg Ile Asn
25           100                105                110

```

214/346

gcc agc ttc cgc cag tgc cag ggt gac cgg gtc atc tac acg aac aat 441
 Ala Ser Phe Arg Gln Cys Gln Gly Asp Arg Val Ile Tyr Thr Asn Asn
 115 120 125
 cag agg tac atg gct gcc atc atc ttg agt gag aag caa tgc aga gat 489
 5 Gln Arg Tyr Met Ala Ala Ile Ile Leu Ser Glu Lys Gln Cys Arg Asp
 130 135 140 145
 caa ttc aag gac atg aac aag agc tgc gat gcc ttg ctc ttc atg ctg 537
 Gln Phe Lys Asp Met Asn Lys Ser Cys Asp Ala Leu Leu Phe Met Leu
 150 155 160
 10 aat cag aag gtg aag acg ctg gag gtg gag ata gcc aag gag aag acc 585
 Asn Gln Lys Val Lys Thr Leu Glu Val Glu Ile Ala Lys Glu Lys Thr
 165 170 175
 att tgc act aag gat aag gaa agc gtg ctg ctg aac aaa cgc gtg gcg 633
 Ile Cys Thr Lys Asp Lys Glu Ser Val Leu Leu Asn Lys Arg Val Ala
 15 180 185 190
 gag gaa cag ctg gtt gaa tgc gtg aaa acc cgg gag ctg cag cac caa 681
 Glu Glu Gln Leu Val Glu Cys Val Lys Thr Arg Glu Leu Gln His Gln
 195 200 205
 gag cgc cag ctg gcc aag gag caa ctg caa aag gtg caa gcc ctc tgc 729
 20 Glu Arg Gln Leu Ala Lys Glu Gln Leu Gln Lys Val Gln Ala Leu Cys
 210 215 220 225
 ctg ccc ctg gac aag gac aag ttt gag atg gac ctt cgt aac ctg tgg 777
 Leu Pro Leu Asp Lys Asp Lys Phe Glu Met Asp Leu Arg Asn Leu Trp
 230 235 240
 25 agg gac tcc att atc cca cgc agc ctg gac aac ctg ggt tac aac ctc 825

215/346

	Arg Asp Ser Ile Ile Pro Arg Ser Leu Asp Asn Leu Gly Tyr Asn Leu	
	245	250
	255	
	tac cat ccc ctg ggc tcg gaa ttg gcc tcc atc cgc aga gcc tgc gac	873
	Tyr His Pro Leu Gly Ser Glu Leu Ala Ser Ile Arg Arg Ala Cys Asp	
5	260	265
	270	
	cac atg ccc agc ctc atg agc tcc aag gtg gag gag ctg gcc cgg agc	921
	His Met Pro Ser Leu Met Ser Ser Lys Val Glu Glu Leu Ala Arg Ser	
	275	280
	285	
	ctc cgg gcg gat atc gaa cgc gtg gcc cgc gag aac tca gac ctc caa	969
10	Leu Arg Ala Asp Ile Glu Arg Val Ala Arg Glu Asn Ser Asp Leu Gln	
	290	295
	300	305
	cgc cag aag ctg gaa gcc cag cag ggc ctg cgg gcc agt cag gag gcg	1017
	Arg Gln Lys Leu Glu Ala Gln Gln Gly Leu Arg Ala Ser Gln Glu Ala	
	310	315
	320	
15	aaa cag aag gtg gag aag gag gct cag gcc cgg gag gcc aag ctc caa	1065
	Lys Gln Lys Val Glu Lys Glu Ala Gln Ala Arg Glu Ala Lys Leu Gln	
	325	330
	335	
	gct gaa tgc tcc cgg cag acc cag cta gcg ctg gag gag aag gcg gtg	1113
	Ala Glu Cys Ser Arg Gln Thr Gln Leu Ala Leu Glu Glu Lys Ala Val	
20	340	345
	350	
	ctg cgg aag gaa cga gac aac ctg gcc aag gag ctg gaa gag aag aag	1161
	Leu Arg Lys Glu Arg Asp Asn Leu Ala Lys Glu Leu Glu Glu Lys Lys	
	355	360
	365	
	agg gag gcg gag cag ctc agg atg gag ctg gcc atc aga aac tca gcc	1209
25	Arg Glu Ala Glu Gln Leu Arg Met Glu Leu Ala Ile Arg Asn Ser Ala	

216/346

	370	375	380	385	
	ctg gac acc tgc atc aag acc aag tgc cag ccg atg atg cca gtg tca	1257			
	Leu Asp Thr Cys Ile Lys Thr Lys Ser Gln Pro Met Met Pro Val Ser				
		390	395	400	
5	agg ccc atg ggc cct gtc ccc aac ccc cag ccc atc gac cca gct agc	1305			
	Arg Pro Met Gly Pro Val Pro Asn Pro Gln Pro Ile Asp Pro Ala Ser				
		405	410	415	
	ctg gag gag ttc aag agg aag atc ctg gag tcc cag agg ccc cct gca	1353			
	Leu Glu Glu Phe Lys Arg Lys Ile Leu Glu Ser Gln Arg Pro Pro Ala				
10		420	425	430	
	ggc atc cct gta gcc cca tcc agt ggc tga ggaggctcca ggccctgagga	1403			
	Gly Ile Pro Val Ala Pro Ser Ser Gly				
		435	440		
	ccaagggatg gcccgactcg gcggtttgcg gaggatgcag ggatatgctc acagcgccccg	1463			
15	acacaacccc ctcccgccgc ccccaaccac ccagggccac catcagacaa ctccctgcat	1523			
	gcaaaccctt agtaccctct cacaccgca cccgcgcctc acgatccctc acccagagca	1583			
	cacggccgcg gagatgacgt cagcgaagca acggcgctga cgtcacatat caccgtggtg	1643			
	atggcgctcac gtggccatgt agacgtcacg aagagatata gcgatggcgt cgtgcagatg	1703			
	cagcacgtcg cacacagaca tggggaactt ggcacgacgt cacaccgaga tgcagcaacg	1763			
20	acgtcacggg ccatgtcgac gtcacacata ttaatgtcac acagacgcgg cgatggcatc	1823			
	acacagacgg tgatgatgtc acacacagac acagtgacaa cacacaccat gacaacgaca	1883			
	cctatagata tggcaccaac atcacatgca cgcacgcctt ttcacacaca ctttctaccc	1943			
	aattctcacc tagtgtcacg ttcccccgac cctggcacac gggccaaggt acccagagga	2003			
	tcccatcccc tcccgcacag cctggggccc cagcacctcc cctcctccag cttcctggcc	2063			
25	tcccagccac ttcctcacc cagtgacctg gacccggagg tgagaacagg aagccattca	2123			

217/346

cctccgctcc ttgagcgtga gtgtttccag gaccccoctcg gggccctgag ccgggggtga 2183
gggtcacctg ttgtcgggag gggagccact ccttctcccc caactcccag ccctgcctgt 2243
ggcccgttga aatgttggtg gcacttaata aatattagta aatccttcaa ag 2295

5 <210> 91
<211> 227
<212> PRT
<213> Homo sapiens

10 <400> 91
Met Ala Gly Val Gly Ala Gly Pro Leu Arg Ala Met Gly Arg Gln Ala
1 5 10 15
Leu Leu Leu Leu Ala Leu Cys Ala Thr Gly Ala Gln Gly Leu Tyr Phe
20 25 30
15 His Ile Gly Glu Thr Glu Lys Arg Cys Phe Ile Glu Glu Ile Pro Asp
35 40 45
Glu Thr Met Val Ile Gly Asn Tyr Arg Thr Gln Met Trp Asp Lys Gln
50 55 60
Lys Glu Val Phe Leu Pro Ser Thr Pro Gly Leu Gly Met His Val Glu
20 65 70 75 80
Val Lys Asp Pro Asp Gly Lys Val Val Leu Ser Arg Gln Tyr Gly Ser
85 90 95
Glu Gly Arg Phe Thr Phe Thr Ser His Thr Pro Gly Asp His Gln Ile
100 105 110
25 Cys Leu His Ser Asn Ser Thr Arg Met Ala Leu Phe Ala Gly Gly Lys

218/346

115 120 125
Leu Arg Val His Leu Asp Ile Gln Val Gly Glu His Ala Asn Asn Tyr
130 135 140
Pro Glu Ile Ala Ala Lys Asp Lys Leu Thr Glu Leu Gln Leu Arg Ala
5 145 150 155 160
Arg Gln Leu Leu Asp Gln Val Glu Gln Ile Gln Lys Glu Gln Asp Tyr
165 170 175
Gln Arg Tyr Arg Glu Glu Arg Phe Arg Leu Thr Ser Glu Ser Thr Asn
180 185 190
10 Gln Arg Val Leu Trp Trp Ser Ile Ala Gln Thr Val Ile Leu Ile Leu
195 200 205
Thr Gly Ile Trp Gln Met Arg His Leu Lys Ser Phe Phe Glu Ala Lys
210 215 220
Lys Leu Val
15 225

<210> 92
<211> 352
<212> PRT
20 <213> Homo sapiens

<400> 92
Met Glu Ser Gly Gly Arg Pro Ser Leu Cys Gln Phe Ile Leu Leu Gly
1 5 10 15
25 Thr Thr Ser Val Val Thr Ala Ala Leu Tyr Ser Val Tyr Arg Gln Lys

219/346

	20	25	30
	Ala Arg Val Ser Gln Glu Leu Lys Gly Ala Lys Lys Val His Leu Gly		
	35	40	45
	Glu Asp Leu Lys Ser Ile Leu Ser Glu Ala Pro Gly Lys Cys Val Pro		
5	50	55	60
	Tyr Ala Val Ile Glu Gly Ala Val Arg Ser Val Lys Glu Thr Leu Asn		
	65	70	75 80
	Ser Gln Phe Val Glu Asn Cys Lys Gly Val Ile Gln Arg Leu Thr Leu		
	85	90	95
10	Gln Glu His Lys Met Val Trp Asn Arg Thr Thr His Leu Trp Asn Asp		
	100	105	110
	Cys Ser Lys Ile Ile His Gln Arg Thr Asn Thr Val Pro Phe Asp Leu		
	115	120	125
	Val Pro His Glu Asp Gly Val Asp Val Ala Val Arg Val Leu Lys Pro		
15	130	135	140
	Leu Asp Ser Val Asp Leu Gly Leu Glu Thr Val Tyr Glu Lys Phe His		
	145	150	155 160
	Pro Ser Ile Gln Ser Phe Thr Asp Val Ile Gly His Tyr Ile Ser Gly		
	165	170	175
20	Glu Arg Pro Lys Gly Ile Gln Glu Thr Glu Glu Met Leu Lys Val Gly		
	180	185	190
	Ala Thr Leu Thr Gly Val Gly Glu Leu Val Leu Asp Asn Asn Ser Val		
	195	200	205
	Arg Leu Gln Pro Pro Lys Gln Gly Met Gln Tyr Tyr Leu Ser Ser Gln		
25	210	215	220

220/346

Asp Phe Asp Ser Leu Leu Gln Arg Gln Glu Ser Ser Val Arg Leu Trp
225 230 235 240
Lys Val Leu Ala Leu Val Phe Gly Phe Ala Thr Cys Ala Thr Leu Phe
245 250 255
5 Phe Ile Leu Arg Lys Gln Tyr Leu Gln Arg Gln Glu Arg Leu Arg Leu
260 265 270
Lys Gln Met Gln Glu Glu Phe Gln Glu His Glu Ala Gln Leu Leu Ser
275 280 285
Arg Ala Lys Pro Glu Asp Arg Glu Ser Leu Lys Ser Ala Cys Val Val
10 290 295 300
Cys Leu Ser Ser Phe Lys Ser Cys Val Phe Leu Glu Cys Gly His Val
305 310 315 320
Cys Ser Cys Thr Glu Cys Tyr Arg Ala Leu Pro Glu Pro Lys Lys Cys
325 330 335
15 Pro Ile Cys Arg Gln Ala Ile Thr Arg Val Ile Pro Leu Tyr Asn Ser
340 345 350

<210> 93

20 <211> 130

<212> PRT

<213> Homo sapiens

<400> 93

25 Met Ser Ser Ser Gly Gly Ala Pro Gly Ala Ser Ala Ser Ser Ala Pro

221/346

1 5 10 15
 Pro Ala Gln Glu Glu Gly Met Thr Trp Trp Tyr Arg Trp Leu Cys Arg
 20 25 30
 Leu Ser Gly Val Leu Gly Ala Val Ser Cys Ala Ile Ser Gly Leu Phe
 5 35 40 45
 Asn Cys Ile Thr Ile His Pro Leu Asn Ile Ala Ala Gly Val Trp Met
 50 55 60
 Met Met Ala Val Val Pro Ile Val Ile Ser Leu Thr Leu Thr Thr Leu
 65 70 75 80
 10 Leu Gly Asn Ala Ile Ala Phe Ala Thr Gly Val Leu Tyr Gly Leu Ser
 85 90 95
 Ala Leu Gly Lys Lys Gly Asp Ala Ile Ser Tyr Ala Arg Ile Gln Gln
 100 105 110
 Gln Arg Gln Gln Ala Asp Glu Glu Lys Leu Ala Glu Thr Leu Glu Gly
 15 115 120 125
 Glu Leu
 130

<210> 94

20 <211> 330

<212> PRT

<213> Homo sapiens

<400> 94

25 Met Ser Arg Cys Ala Gln Ala Ala Glu Val Ala Ala Thr Val Pro Gly

222/346

	1		5		10		15
	Ala	Gly	Val	Gly	Asn	Val	Gly
	Leu	Arg	Pro	Pro	Met	Val	Pro
	Arg	Gln					
	20		25		30		
	Ala	Ser	Phe	Phe	Pro	Pro	Pro
	Val	Pro	Asn	Pro	Phe	Val	Gln
	Gln	Gln	Thr				
5		35		40		45	
	Gln	Ile	Gly	Ser	Ala	Arg	Arg
	Val	Gln	Ile	Val	Leu	Leu	Gly
	Ile						
	50		55		60		
	Leu	Leu	Pro	Ile	Arg	Val	Leu
	Leu	Val	Ala	Leu	Ile	Leu	Leu
	Ala						
	65		70		75		80
10	Trp	Pro	Phe	Ala	Ala	Ile	Ser
	Thr	Val	Cys	Cys	Pro	Glu	Lys
	Leu	Thr					
	85		90		95		
	His	Pro	Ile	Thr	Gly	Trp	Arg
	Arg	Lys	Ile	Thr	Gln	Thr	Ala
	Leu	Lys					
	100		105		110		
	Phe	Leu	Gly	Arg	Ala	Met	Phe
	Phe	Ser	Met	Gly	Phe	Ile	Val
	Ala	Val					
15		115		120		125	
	Lys	Gly	Lys	Ile	Ala	Ser	Pro
	Leu	Glu	Ala	Pro	Val	Phe	Val
	Ala						
	130		135		140		
	Pro	His	Ser	Thr	Phe	Phe	Asp
	Gly	Ile	Ala	Cys	Val	Val	Ala
	Gly	Leu					
	145		150		155		160
20	Pro	Ser	Ile	Val	Ser	Arg	Asn
	Glu	Asn	Ala	Gln	Val	Pro	Leu
	Ile	Gly					
	165		170		175		
	Arg	Leu	Leu	Arg	Ala	Val	Gln
	Pro	Val	Leu	Val	Ser	Arg	Val
	Asp	Pro					
	180		185		190		
	Asp	Ser	Arg	Lys	Asn	Thr	Ile
	Asn	Glu	Ile	Ile	Lys	Arg	Thr
	Thr	Thr	Ser				
25		195		200		205	

223/346

Gly Gly Glu Trp Pro Gln Ile Leu Val Phe Pro Glu Gly Thr Cys Thr
 210 215 220
 Asn Arg Ser Cys Leu Ile Thr Phe Lys Pro Gly Ala Phe Ile Pro Gly
 225 230 235 240
 5 Val Pro Val Gln Pro Val Leu Leu Arg Tyr Pro Asn Lys Leu Asp Thr
 245 250 255
 Val Thr Trp Thr Trp Gln Gly Tyr Thr Phe Ile Gln Leu Cys Met Leu
 260 265 270
 Thr Phe Cys Gln Leu Phe Thr Lys Val Glu Val Glu Met Phe Leu Phe
 10 275 280 285
 Phe Trp Glu Gly Ser Ser Lys His Cys Leu Lys Ile Ser Ser Phe Phe
 290 295 300
 Cys Ile Phe Ser Leu Arg Arg Phe Lys Arg Arg Ile Thr Gln Arg Thr
 305 310 315 320
 15 Arg Thr Ala His Leu Leu Arg Leu Ser Phe
 325 330

<210> 95

<211> 350

20 <212> PRT

<213> Homo sapiens

<400> 95

Met Ala Leu Pro Pro Gly Pro Ala Ala Leu Arg His Thr Leu Leu Leu
 25 1 5 10 15

224/346

Leu Pro Ala Leu Leu Ser Ser Gly Gly Pro Gly Thr Pro Arg Leu Ala
 20 25 30
 Trp Tyr Leu Asp Gly Gln Leu Gln Glu Ala Ser Thr Ser Arg Leu Leu
 35 40 45
 5 Ser Val Gly Gly Glu Ala Phe Ser Gly Gly Thr Ser Thr Phe Thr Val
 50 55 60
 Thr Ala His Arg Ala Gln His Glu Leu Asn Cys Ser Leu Gln Asp Pro
 65 70 75 80
 Arg Ser Gly Arg Ser Ala Asn Ala Ser Val Ile Leu Asn Val Gln Phe
 10 85 90 95
 Lys Pro Glu Ile Ala Gln Val Gly Ala Lys Tyr Gln Glu Ala Gln Gly
 100 105 110
 Pro Gly Leu Leu Val Val Leu Phe Ala Leu Val Arg Ala Asn Pro Pro
 115 120 125
 15 Ala Asn Val Thr Trp Ile Asp Gln Asp Gly Pro Val Thr Val Asn Thr
 130 135 140
 Ser Asp Phe Leu Val Leu Asp Ala Gln Asn Tyr Pro Trp Leu Thr Asn
 145 150 155 160
 His Thr Val Gln Leu Gln Leu Arg Ser Leu Ala His Asn Leu Ser Val
 20 165 170 175
 Val Ala Thr Asn Asp Val Gly Val Thr Ser Ala Ser Leu Pro Ala Pro
 180 185 190
 Gly Leu Leu Ala Thr Arg Val Glu Val Pro Leu Leu Gly Ile Val Val
 195 200 205
 25 Ala Ala Gly Leu Ala Leu Gly Thr Leu Val Gly Phe Ser Thr Leu Val

225/346

	210		215		220	
	Ala Cys Leu Val Cys Arg Lys Glu Lys Lys Thr Lys Gly Pro Ser Arg					
	225		230		235	240
	His Pro Ser Leu Ile Ser Ser Asp Ser Asn Asn Leu Lys Leu Asn Asn					
5		245		250		255
	Val Arg Leu Pro Arg Glu Asn Met Ser Leu Pro Ser Asn Leu Gln Leu					
		260		265		270
	Asn Asp Leu Thr Pro Asp Ser Arg Ala Val Lys Pro Ala Asp Arg Gln					
		275		280		285
10	Met Ala Gln Asn Asn Ser Arg Pro Glu Leu Leu Asp Pro Glu Pro Gly					
		290		295		300
	Gly Leu Leu Thr Ser Gln Ala Cys Leu Leu His His Gly Thr Pro Ala					
		305		310		315
	Leu Thr Asn Pro Trp Leu Pro His Gln Gln Glu Gly Ala Leu Pro Gly					
15		325		330		335
	Gly Trp Ser Pro Gln Ala His Asn Ser Thr Val Trp Lys Leu					
		340		345		350
	<210> 96					
20	<211> 113					
	<212> PRT					
	<213> Homo sapiens					
	<400> 96					
25	Met Asn Glu Thr Asn Lys Thr Leu Val Gly Pro Ser Glu Leu Pro Thr					

226/346

1 5 10 15
Ala Ser Ala Val Ala Pro Gly Pro Gly Thr Gly Ala Arg Ala Trp Pro
20 25 30
Val Leu Val Gly Phe Val Leu Gly Ala Val Val Leu Ser Leu Leu Ile
5 35 40 45
Ala Leu Ala Ala Lys Cys His Leu Cys Arg Arg Tyr His Ala Ser Tyr
50 55 60
Arg His Arg Pro Leu Pro Glu Thr Gly Arg Gly Gly Arg Pro Gln Val
65 70 75 80
10 Ala Glu Asp Glu Asp Asp Asp Gly Phe Ile Glu Asp Asn Tyr Ile Gln
85 90 95
Pro Gly Thr Gly Glu Leu Gly Thr Glu Gly Ser Arg Asp His Phe Ser
100 105 110
Leu

15

<210> 97

<211> 189

<212> PRT

20 <213> Homo sapiens

<400> 97

Met Ala Leu Leu Ser Arg Pro Ala Leu Thr Leu Leu Leu Leu Met

1 5 10 15
25 Ala Ala Val Val Arg Cys Gln Glu Gln Ala Gln Thr Thr Asp Trp Arg

227/346

20 25 30
Ala Thr Leu Lys Thr Ile Arg Asn Gly Val His Lys Ile Asp Thr Tyr
35 40 45
Leu Asn Ala Ala Leu Asp Leu Leu Gly Gly Glu Asp Gly Leu Cys Gln
5 50 55 60
Tyr Lys Cys Ser Asp Gly Ser Lys Pro Phe Pro Arg Tyr Gly Tyr Lys
65 70 75 80
Pro Ser Pro Pro Asn Gly Cys Gly Ser Pro Leu Phe Gly Val His Leu
85 90 95
10 Asn Ile Gly Ile Pro Ser Leu Thr Lys Cys Cys Asn Gln His Asp Arg
100 105 110
Cys Tyr Glu Thr Cys Gly Lys Ser Lys Asn Asp Cys Asp Glu Glu Phe
115 120 125
Gln Tyr Cys Leu Ser Lys Ile Cys Arg Asp Val Gln Lys Thr Leu Gly
15 130 135 140
Leu Thr Gln His Val Gln Ala Cys Glu Thr Thr Val Glu Leu Leu Phe
145 150 155 160
Asp Ser Val Ile His Leu Gly Cys Lys Pro Tyr Leu Asp Ser Gln Arg
165 170 175
20 Ala Ala Cys Arg Cys His Tyr Glu Glu Lys Thr Asp Leu
180 185

<210> 98

<211> 277

25 <212> PRT

228/346

<213> Homo sapiens

<400> 98

Met Ser Pro Leu Leu Gly Leu Arg Ser Glu Leu Gln Asp Thr Cys Thr
 5 1 5 10 15
 Ser Leu Gly Leu Met Leu Ser Val Val Leu Leu Met Gly Leu Ala Arg
 20 25 30
 Val Val Ala Arg Gln Gln Leu His Arg Pro Val Ala His Ala Phe Val
 35 40 45
 10 Leu Glu Phe Leu Ala Thr Phe Gln Leu Cys Cys Cys Thr His Glu Leu
 50 55 60
 Gln Leu Leu Ser Glu Gln His Pro Ala His Pro Thr Trp Thr Leu Thr
 65 70 75 80
 Leu Val Tyr Phe Phe Ser Leu Val His Gly Leu Thr Leu Val Gly Thr
 15 85 90 95
 Ser Ser Asn Pro Cys Gly Val Met Met Gln Met Met Leu Gly Gly Met
 100 105 110
 Ser Pro Glu Thr Gly Ala Val Arg Leu Leu Ala Gln Leu Val Ser Ala
 115 120 125
 20 Leu Cys Ser Arg Tyr Cys Thr Ser Ala Leu Trp Ser Leu Gly Leu Thr
 130 135 140
 Gln Tyr His Val Ser Glu Arg Ser Phe Ala Cys Lys Asn Pro Ile Arg
 145 150 155 160
 Val Asp Leu Leu Lys Ala Val Ile Thr Glu Ala Val Cys Ser Phe Leu
 25 165 170 175

229/346

Phe His Ser Ala Leu Leu His Phe Gln Glu Val Arg Thr Lys Leu Arg
180 185 190
Ile His Leu Leu Ala Ala Leu Ile Thr Phe Leu Val Tyr Ala Gly Gly
195 200 205
5 Ser Leu Thr Gly Ala Val Phe Asn Pro Ala Leu Ala Leu Ser Leu His
210 215 220
Phe Met Cys Phe Asp Glu Ala Phe Pro Gln Phe Phe Ile Val Tyr Trp
225 230 235 240
Leu Ala Pro Ser Leu Gly Ile Leu Leu Met Ile Leu Met Phe Ser Phe
10 245 250 255
Phe His Gly Cys Ile Thr Thr Ile Gln Leu Ile Lys Arg Asn Asn Cys
260 265 270
Ser Lys Asp Ser Asp
275
15
<210> 99
<211> 274
<212> PRT
<213> Homo sapiens
20
<400> 99
Met Gly Lys Ser Leu Ser His Leu Pro Leu His Ser Ser Lys Glu Asp
1 5 10 15
Ala Tyr Asp Gly Val Thr Ser Glu Asn Met Arg Asn Gly Leu Val Asn
25 30 35 40

230/346

Ser Glu Val His Asn Glu Asp Gly Arg Asn Gly Asp Val Ser Gln Phe
 35 40 45
 Pro Tyr Val Glu Phe Thr Gly Arg Asp Ser Val Thr Cys Pro Thr Cys
 50 55 60
 5 Gln Gly Thr Gly Arg Ile Pro Arg Gly Gln Glu Asn Gln Leu Val Ala
 65 70 75 80
 Leu Ile Pro Tyr Ser Asp Gln Arg Leu Arg Pro Arg Arg Thr Lys Leu
 85 90 95
 Tyr Val Met Ala Ser Val Phe Val Cys Leu Leu Leu Ser Gly Leu Ala
 10 100 105 110
 Val Phe Phe Leu Phe Pro Arg Ser Ile Asp Val Lys Tyr Ile Gly Val
 115 120 125
 Lys Ser Ala Tyr Val Ser Tyr Asp Val Gln Lys Arg Thr Ile Tyr Leu
 130 135 140
 15 Asn Ile Thr Asn Thr Leu Asn Ile Thr Asn Asn Asn Tyr Tyr Ser Val
 145 150 155 160
 Glu Val Glu Asn Ile Thr Ala Gln Val Gln Phe Ser Lys Thr Val Ile
 165 170 175
 Gly Lys Ala Arg Leu Asn Asn Ile Thr Ile Ile Gly Pro Leu Asp Met
 20 180 185 190
 Lys Gln Ile Asp Tyr Thr Val Pro Thr Val Ile Ala Glu Glu Met Ser
 195 200 205
 Tyr Met Tyr Asp Phe Cys Thr Leu Ile Ser Ile Lys Val His Asn Ile
 210 215 220
 25 Val Leu Met Met Gln Val Thr Val Thr Thr Thr Tyr Phe Gly His Ser

231/346

225 230 235 240
 Glu Gln Ile Ser Gln Glu Arg Tyr Gln Tyr Val Asp Cys Gly Arg Asn
 245 250 255
 Thr Thr Tyr Gln Leu Gly Gln Ser Glu Tyr Leu Asn Val Leu Gln Pro
 5 260 265 270
 Gln Gln

 <210> 100
 10 <211> 390
 <212> PRT
 <213> Homo sapiens

 <400> 100
 15 Met Ile Ser Leu Pro Gly Pro Leu Val Thr Asn Leu Leu Arg Phe Leu
 1 5 10 15
 Phe Leu Gly Leu Ser Ala Leu Ala Pro Pro Ser Arg Ala Gln Leu Gln
 20 25 30
 Leu His Leu Pro Ala Asn Arg Leu Gln Ala Val Glu Gly Gly Glu Val
 20 35 40 45
 Val Leu Pro Ala Trp Tyr Thr Leu His Gly Glu Val Ser Ser Ser Gln
 50 55 60
 Pro Trp Glu Val Pro Phe Val Met Trp Phe Phe Lys Gln Lys Glu Lys
 65 70 75 80
 25 Glu Asp Gln Val Leu Ser Tyr Ile Asn Gly Val Thr Thr Ser Lys Pro

232/346

	85	90	95
	Gly Val Ser Leu Val Tyr Ser Met Pro Ser Arg Asn Leu Ser Leu Arg		
	100	105	110
	Leu Glu Gly Leu Gln Glu Lys Asp Ser Gly Pro Tyr Ser Cys Ser Val		
5	115	120	125
	Asn Val Gln Asp Lys Gln Gly Lys Ser Arg Gly His Ser Ile Lys Thr		
	130	135	140
	Leu Glu Leu Asn Val Leu Val Pro Pro Ala Pro Pro Ser Cys Arg Leu		
	145	150	155
			160
10	Gln Gly Val Pro His Val Gly Ala Asn Val Thr Leu Ser Cys Gln Ser		
	165	170	175
	Pro Arg Ser Lys Pro Ala Val Gln Tyr Gln Trp Asp Arg Gln Leu Pro		
	180	185	190
	Ser Phe Gln Thr Phe Phe Ala Pro Ala Leu Asp Val Ile Arg Gly Ser		
15	195	200	205
	Leu Ser Leu Thr Asn Leu Ser Ser Ser Met Ala Gly Val Tyr Val Cys		
	210	215	220
	Lys Ala His Asn Glu Val Gly Thr Ala Gln Cys Asn Val Thr Leu Glu		
	225	230	235
			240
20	Val Ser Thr Gly Pro Gly Ala Ala Val Val Ala Gly Ala Val Val Gly		
	245	250	255
	Thr Leu Val Gly Leu Gly Leu Leu Ala Gly Leu Val Leu Leu Tyr His		
	260	265	270
	Cys Arg Gly Lys Ala Leu Glu Glu Pro Ala Asn Asp Ile Lys Glu Asp		
25	275	280	285

233/346

Ala Ile Ala Pro Arg Thr Leu Pro Trp Pro Lys Ser Ser Asp Thr Ile
 290 295 300
 Ser Lys Asn Gly Thr Leu Ser Ser Val Thr Ser Ala Arg Ala Leu Arg
 305 310 315 320
 5 Pro Pro His Gly Pro Pro Arg Pro Gly Ala Leu Thr Pro Thr Pro Ser
 325 330 335
 Leu Ser Ser Gln Ala Leu Pro Ser Pro Arg Leu Pro Thr Thr Asp Gly
 340 345 350
 Ala His Pro Gln Pro Ile Ser Pro Ile Pro Gly Gly Val Ser Ser Ser
 10 355 360 365
 Gly Leu Ser Arg Met Gly Ala Val Pro Val Met Val Pro Ala Gln Ser
 370 375 380
 Gln Ala Gly Ser Leu Val
 385 390

15

<210> 101

<211> 684

<212> DNA

<213> Homo sapiens

20

<400> 101

atggcagggtg tcggggctgg gcctctgcgg gcgatggggc ggcaggccct gctgcttctc 60
 gcgctgtgcg ccacaggcgc ccaggggctc tacttccaca tcggcgagac cgagaagcgc 120
 tgtttcatcg aggaaatccc cgacgagacc atggtcatcg gcaactatcg taccagatg 180
 25 tgggataagc agaaggaggt cttcctgccc tcgaccctg gcctgggcat gcacgtggaa 240

234/346

gtgaaggacc ccgacggcaa ggtggtgctg tcccggcagt acggctcgga gggccgcttc 300
acgttcacct cccacacgcc cggtgaccat caaatctgtc tgcactccaa ttctaccagg 360
atggctctct tcgctggtgg caaactgcgg gtgcatctcg acatccaggt tggggagcat 420
gccaacaact accctgagat tgctgcaaaa gataagctga cggagctaca gctccgcgcc 480
5 cgccagttgc ttgatcaggt ggaacagatt cagaaggagc aggattacca aaggtatcgt 540
gaagagcgct tccgactgac gagcgagagc accaaccaga gggtcctatg gtggtccatt 600
gctcagactg tcatoctcat cctcactggc atctggcaga tgcgtcacct caagagcttc 660
tttgaggcca agaagctggt gtag 684

10 <210> 102
<211> 1059
<212> DNA
<213> Homo sapiens

15 <400> 102
atggagagcg gagggcggcc ctcgctgtgc cagttcatcc tcctgggcac cacctctgtg 60
gtcaccgccg ccctgtactc cgtgtaccgg cagaaggccc gggctctcca agagctcaag 120
ggagctaaaa aagttcattt gggatgaagat ttaaagagta ttctttcaga agctccagga 180
aatgcgtgc cttatgctgt tatagaagga gctgtgcggt ctgttaaaga aacgcttaac 240
20 agccagtttg tggaaaactg caagggggta attcagcggc tgacacttca ggagcacaag 300
atggtgtgga atcgaaccac ccaccttggt aatgattgct caaagatcat tcatcagagg 360
accaacacag tgccctttga cctggtgccc cagcaggatg gcgtggatgt ggctgtgcga 420
gtgctgaagc ccctggactc agtggatctg ggtctagaga ctgtgtatga gaagttccac 480
ccctcgattc agtccttcac cgatgtcatc ggccactaca tcagcgggtga gcggcccaaa 540
25 ggcatccaag agaccgagga gatgctgaag gtgggggcca ccctcacagg gggtggcgaa 600


235/346

ctggtcctgg acaacaactc tgtccgcctg cagccgccca aacaaggcat gcagtactat 660
ctaagcagcc aggacttcga cagcctgctg cagaggcagg agtcgagcgt caggctctgg 720
aagggtgctgg cgctggtttt tggttttgcc acatgtgccca ccctcttctt cattctccgg 780
aagcagtatc tgcagcggca ggagcgcctg cgcctcaagc agatgcagga ggagttccag 840
5 gagcatgagg ccagctgct gagccgagcc aagcctgagg acaggagag tctgaagagc 900
gcctgtgtag tgtgtctgag cagcttcaag tcctgcgtct ttctggagtg tgggcacgtt 960
tgttcctgca ccgagtgcta ccgcgccttg ccagagccca agaagtgcc tatctgcaga 1020
caggcgatca cccgggtgat acccctgtac aacagctaa 1059

10 <210> 103
<211> 393
<212> DNA
<213> Homo sapiens

15 <400> 103
atgagcagct caggtggggc gcccggggcg tccgccagct ctgcgccgcc cgccgaggaa 60
gagggcatga cgtggtggta ccgctggctg tgtcgctgt ctggggtgct gggggcagtc 120
tcttgccga tctctggcct cttcaactgc atcaccatcc accctctgaa catcgcgcc 180
ggcgtgtgga tgatgatggc ggtcgttccc atcgtcatca gcctgaccct gaccacgtg 240
20 ctgggcaacg ccatcgcctt tgctacgggg gtgctgtacg gactctctgc tctgggcaaa 300
aagggcgatg cgatctccta tgccaggatc cagcagcaga ggcagcaggc ggatgaggag 360
aagctcgagg agaccctgga gggggagctg tga 393

<210> 104
25 <211> 993



236/346

<212> DNA

<213> Homo sapiens

<400> 104

5 atgagccggt gcgcccaggc ggcggaagtg gcggccacag tgccagggtgc cggcgtcggg 60
aacgtggggc tgcggccgcc catggtgccc cgtcaggcgt ccttcttccc gccgccggtg 120
ccgaaccctt tcgtgcagca gacgcagatc ggctccgcga ggcggtcca gattgtcctt 180
cttgggatta tcttgcttcc aattcgtgtc ttattgggtg cgtaattttt attacttgca 240
tggccatttg ctgcaatttc aacagtatgc tgtcctgaaa agctgacca cccaataact 300
10 ggttggagga ggaaaattac tcaaacagct ttgaaatttc tgggtcgtgc tatgttcttt 360
tcaatgggat ttatagttgc tgtaaaagga aagattgcaa gtcctttgga agcaccagtt 420
tttgttgctg cccctcattc aacattcttt gatggaattg cctgtgttgt agctgggtta 480
ccttctatag tatctcgaaa tgagaatgca caagtccctc tgattggcag actgttacgg 540
gctgtgcaac cagttttggt gtcccggtga gatccggatt ccgaaaaaa cacaataaat 600
15 gaaataataa agcgaacaac atcaggagga gaatggcccc agatactagt tttcccagaa 660
ggtacttgta ctaatcgttc ctgtttgatt acttttaaac caggagcctt cattccagga 720
gttccagtgc agccagtcct cctcagatac ccaaacaagc tggatactgt gacctggaca 780
tggcaaggat atacattcat tcagctttgt atgcttactt tctgccagct cttcacaaag 840
gtagaagttg agatgtttct gttcttttgg gaaggaagca gcaagcattg tttaaaaata 900
20 tcttcttctt tttgcatttt ttctcttcga agatttaaaa gaagaattac acaaagaact 960
agaactgcac atttgttaag attgtccttt taa 993

<210> 105

<211> 1053

25 <212> DNA

237/346

<213> Homo sapiens

<400> 105

atggcgctgc ctccaggccc agccgccctc cggcacacac tgctgctcct gccagccctt 60
5 ctgagctcag gtgggcctgg cacccccaga ttggcctggt atctggatgg acagctgcag 120
gaggccagca cctcaagact gctgagcgtg ggaggggagg ccttctcttg aggcaccagc 180
accttcactg tcaactgccca tcgggcccag catgagctca actgctctct gcaggacccc 240
agaagtggcc gatcagccaa cgcctctgtc atccttaatg tgcaattcaa gccagagatt 300
gccaagtgc ggcgaagta ccaggaagct cagggccag gcctcctggt tgtcctgttt 360
10 gccctggtgc gtgccaacct gccggccaat gtcacctgga tcgaccagga tgggccagt 420
actgtcaaca cctctgactt cctggtgctg gatggcgaga actaccctg gtcaccaac 480
cacacggtgc agctgcagct ccgcagcctg gcacacaacc tctcgggtgt ggccaccaat 540
gacgtgggtg tcaccagtgc gtcgcttcca gcccagggc ttctggctac ccgggtggaa 600
gtgccactgc tgggcattgt tgtggctgct gggcttgac tgggcaccct cgtggggttc 660
15 agcaccttgg tggcctgcct ggtctgcaga aaagagaaga aaaccaaagg cccctcccgg 720
cacccatctc tgatatcaag tgactccaac aacctaaaac tcaacaacgt ggcctgccca 780
cgggagaaca tgtccctccc gtccaacctt cagctcaatg acctcactcc agattccaga 840
gcagtgaaac cagcagaccg gcagatggct cagaacaaca gccggccaga gcttctggac 900
ccggagcccc gcggcctcct caccagccaa gcatgtctcc tccaccacgg gacccagcc 960
20 ctgaccaacc catggttgcc tcatcagcag gaagggtgcc ttcttgagg atggtcgcca 1020
caggcacata attcaacagt gtggaagctt tag 1053

<210> 106

<211> 342

25 <212> DNA

238/346

<213> Homo sapiens

<400> 106

atgaatgaga caaacaaaac acttggtggg ccttcggagc tccccacagc gtctgctgtg 60
5 gcccctggcc caggcactgg ggctcgggca tggcctgtgc tggtaggatt tgtgctgggg 120
gctgtggtcc tctcgctcct cattgcactt gctgccaaat gccacctctg ccgccgatac 180
catgccagct accggcaccg ccactgcct gagacaggaa ggggaggccg cccacaggtg 240
gctgaagatg aggatgatga tggcttcacg gaggacaatt acattcagcc tgggactggc 300
gagctgggga cagagggtag cagggaccac ttctccctct ga 342

10

<210> 107

<211> 570

<212> DNA

<213> Homo sapiens

15

<400> 107

atggccctgc tctcgcgccc cgcgctcacc ctctgctcc tctcatggc cgctgttgctc 60
aggtgccagg agcaggccca gaccaccgac tggagagcca ccctgaagac catccggaac 120
ggcgttcata agatagacac gtacctgaac gccgccttgg acctcctggg aggcgaggac 180
20 ggtctctgcc agtataaatg cagtgcgga tctaagcctt tcccacgtta tggttataaa 240
ccctccccac cgaatggatg tggctctcca ctgtttggtg ttcattctaa cattggatatc 300
ccttccctga caaagtgttg caaccaacac gacagggtgt atgaaacctg tggcaaaagc 360
aagaatgact gtgatgaaga attccagtat tgcctctcca agatctgccg agatgtacag 420
aaaacactag gactaactca gcatgttcag gcatgtgaaa caacagtgga gctcttggtt 480
25 gacagtgtta tacatttagg ttgtaaacca tatctggaca gccaacgagc cgcagtcagg 540

239/346

tgtcattatg aagaaaaaac tgatctttaa

570

<210> 108

<211> 834

5 <212> DNA

<213> Homo sapiens

<400> 108

atgtcgccgc tgctggggct ccggtccgag ctgcaggaca cctgcacctc gctgggactg 60
10 atgtctgtcg tggtgctgct catggggctg gcccgcgtag tcgcccggca gcagctgcac 120
aggccggtgg ccacgcctt cgtcctggag tttctagcca ccttcagct ctgctgctgc 180
accacgagc tgcaactgct gagcgaacag cccccgcgc accccacctg gacgctgacg 240
ctcgtctact tcttctcgct tgtgcatggc ctgactctgg tgggcacgtc cagcaaccgc 300
tgcggcgtga tgatgcagat gatgctgggg ggcatgtccc ccgagacggg tgcggtgagg 360
15 ctattggctc agctgggttag tgccctgtgc agcaggctact gcacaagcgc cttgtggagc 420
ttgggtctga ccagtatca cgtcagcgag aggagcttcg cttgcaagaa tcccatccga 480
gtcgacttgc tcaaagcggc catcacagag gccgtctgct cctttctctt ccacagcgct 540
ctgctgcact tccaggaagt ccgaaccaag cttcgtatcc acctgctggc tgcactcatc 600
acctttttgg tctatgcagg aggaagtcta acaggagctg tatttaatcc agctttggca 660
20 ctttcgctac atttcatgtg ttttgatgaa gcattccctc agttttttat agtatactgg 720
ctggctcctt ctttaggtat attgttgatg attttgatgt tcagcttttt ccatggctgc 780
ataacaacca tacaattaat aaaaaggaat aactgttcca aagactcaga ctaa 834

<210> 109

25 <211> 825

240/346

<212> DNA

<213> Homo sapiens

<400> 109

5 atgggaaagt ctctttctca ttgaccttg cattcaagca aagaagatgc ttatgatgga 60
gtcacatctg aaaacatgag gaatggactg gttaatagtg aagtccataa tgaagatgga 120
agaaatggag atgtctctca gtttccatat gtggaattta caggaagaga tagtgtcacc 180
tgccctactt gtcagggaac aggaagaatt cctagggggc aagaaaacca actggtggca 240
ttgattccat atagtgatca gagattaagg ccaagaagaa caaagctgta tgtgatggct 300
10 tctgtgtttg tctgtctact cctttctgga ttggctgtgt ttttcctttt ccctcgctct 360
atcgacgtga aatacattgg tgtaaaatca gcctatgtca gttatgatgt tcagaagcgt 420
acaatttatt taaatatcac aaacacacta aatataacaa acaataacta ttactctgtc 480
gaagttgaaa acatcactgc ccaagttcaa ttttcaaaaa cagttatttg aaaggcacgc 540
ttaaacaaca taaccattat tgggccactt gatatgaaac aaattgatta cacagtacct 600
15 accgttatag cagaggaaat gagttatatg tatgatttct gtactctgat atccatcaaa 660
gtgcataaca tagtactcat gatgcaagtt actgtgacaa caacatactt tggccactct 720
gaacagatat cccaggagag gtatcagtat gtcgactgtg gaagaaacac aacttatcag 780
ttggggcagt ctgaatattt aaatgtactt cagccacaac agtaa 825

20 <210> 110

<211> 1173

<212> DNA

<213> Homo sapiens

25 <400> 110

241/346

atgatttccc tcccggggcc cctggtgacc aacttgctgc ggtttttggt cctggggctg 60
agtgcctcg cgccccctc gcggggccag ctgcaactgc acttgcccgc caaccggttg 120
caggcggttg agggagggga agtggtgctt ccagcgtggt acaccttgca cggggaggtg 180
tcttcatccc agccatggga ggtgcccttt gtgatgtggt tcttcaaaca gaaagaaaag 240
5 gaggatcagg tgttgccta catcaatggg gtcacaaca gaaacctgg agtatccttg 300
gtctactcca tgccctcccg gaacctgtcc ctgcggtggt agggctctca ggagaaagac 360
tctggcccct acagctgctc cgtgaatgtg caagacaaac aaggcaaata taggggccac 420
agcatcaaaa ccttagaact caatgtactg gttcctccag ctctccatc ctgccgtctc 480
caggggtgtgc cccatgtggg ggcaaactg accctgagct gccagtctcc aaggagtaag 540
10 cccgtgtcc aataccagtg ggatcggcag cttccatcct tccagacttt ctttgcacca 600
gcattagatg tcatccgtgg gtctttaagc ctaccaacc tttcgtcttc catggctgga 660
gtctatgtct gcaaggccca caatgaggtg ggcactgccc aatgtaatgt gacgctggaa 720
gtgagcacag ggcctggagc tgcagtgggt gctggagctg ttgtgggtac cctggttgga 780
ctgggggttg tggtgggtt ggtcctcttg taccactgcc ggggcaaggc cctggaggag 840
15 ccagccaatg atatcaagga ggatgccatt gctccccgga ccctgccctg gccaagagc 900
tcagacacaa tctccaagaa tgggaccctt tcctctgtca cctccgcacg agccctcccg 960
ccaccccatg gccctccag gcctggtgca ttgaccccca cggccagtct ctccagccag 1020
gccctgccct caccaagact gcccacgaca gatggggccc accctcaacc aatatcccc 1080
atccctggtg gggtttcttc ctctggcttg agccgatgg gtgctgtgcc tgtgatggtg 1140
20 cctgcccaga gtcaagctgg ctctctggta tga 1173

<210> 111

<211> 1894

<212> DNA

25 <213> Homo sapiens

242/346

<220>

<221> CDS

<222> (36)..(719)

5

<400> 111

```

gcaaattgtgc gcaggcgctt aggggctgag gcgcg atg gca ggt gtc ggg gct      53
                                     Met Ala Gly Val Gly Ala
                                     1             5

10  ggg cct ctg cgg gcg atg ggg cgg cag gcc ctg ctg ctt ctc gcg ctg      101
    Gly Pro Leu Arg Ala Met Gly Arg Gln Ala Leu Leu Leu Leu Ala Leu
                                     10             15             20

    tgc gcc aca ggc gcc cag ggg ctc tac ttc cac atc ggc gag acc gag      149
    Cys Ala Thr Gly Ala Gln Gly Leu Tyr Phe His Ile Gly Glu Thr Glu

15      25             30             35

    aag cgc tgt ttc atc gag gaa atc ccc gac gag acc atg gtc atc ggc      197
    Lys Arg Cys Phe Ile Glu Glu Ile Pro Asp Glu Thr Met Val Ile Gly
        40             45             50

    aac tat cgt acc cag atg tgg gat aag cag aag gag gtc ttc ctg ccc      245
    Asn Tyr Arg Thr Gln Met Trp Asp Lys Gln Lys Glu Val Phe Leu Pro

20      55             60             65             70

    tcg acc cct ggc ctg ggc atg cac gtg gaa gtg aag gac ccc gac ggc      293
    Ser Thr Pro Gly Leu Gly Met His Val Glu Val Lys Asp Pro Asp Gly
        75             80             85

25  aag gtg gtg ctg tcc cgg cag tac ggc tcg gag ggc cgc ttc acg ttc      341

```


243/346

	Lys Val Val Leu Ser Arg Gln Tyr Gly Ser Glu Gly Arg Phe Thr Phe	
	90 95 100	
	acc tcc cac acg ccc ggt gac cat caa atc tgt ctg cac tcc aat tct	389
	Thr Ser His Thr Pro Gly Asp His Gln Ile Cys Leu His Ser Asn Ser	
5	105 110 115	
	acc agg atg gct ctc ttc gct ggt ggc aaa ctg cgg gtg cat ctc gac	437
	Thr Arg Met Ala Leu Phe Ala Gly Gly Lys Leu Arg Val His Leu Asp	
	120 125 130	
	atc cag gtt ggg gag cat gcc aac aac tac cct gag att gct gca aaa	485
10	Ile Gln Val Gly Glu His Ala Asn Asn Tyr Pro Glu Ile Ala Ala Lys	
	135 140 145 150	
	gat aag ctg acg gag cta cag ctc cgc gcc cgc cag ttg ctt gat cag	533
	Asp Lys Leu Thr Glu Leu Gln Leu Arg Ala Arg Gln Leu Leu Asp Gln	
	155 160 165	
15	gtg gaa cag att cag aag gag cag gat tac caa agg tat cgt gaa gag	581
	Val Glu Gln Ile Gln Lys Glu Gln Asp Tyr Gln Arg Tyr Arg Glu Glu	
	170 175 180	
	cgc ttc cga ctg acg agc gag agc acc aac cag agg gtc cta tgg tgg	629
	Arg Phe Arg Leu Thr Ser Glu Ser Thr Asn Gln Arg Val Leu Trp Trp	
20	185 190 195	
	tcc att gct cag act gtc atc ctc atc ctc act ggc atc tgg cag atg	677
	Ser Ile Ala Gln Thr Val Ile Leu Ile Leu Thr Gly Ile Trp Gln Met	
	200 205 210	
	cgt cac ctc aag agc ttc ttt gag gcc aag aag ctg gtg tag	719
25	Arg His Leu Lys Ser Phe Phe Glu Ala Lys Lys Leu Val	

244/346

215 220 225

tgccctcttt gtatgaccct tcctttttac ctcattttatt tggtaactttc cccacacagt 779

cctttatcca cctggatttt tagggaaaaa aatgaaaaag aataagtcac attggttcca 839

tgGCCacaaa ccattcagat cagccacttg ctgaccctgg ttcttaagga cacatgacat 899

5 tagtccaatc tttcaaaatc ttgtcttagg gcttgtgagg aatcagaact aaccaggac 959

tcagtctctg ttcttttgcc tcgagtgatt ttctctgtt tttactaaa taagcaaagt 1019

aaaactctct ccattacctt ctgctttctc tttgtccact tacgcagtag gtgactggca 1079

tgTgCCacag agcaggccct gcctcactgt ctgctggTca gttctgggtt cacttaatgg 1139

ctttgtgaat gtaaataagg ggcaggctct ggccctagag gattgagatg tttttctaaa 1199

10 tcttagaact atttttggat aaattatata ttttccttcc tagtagaagt gttactgcct 1259

gtaactagct caaaatacca atgcagtTtc tgcaTtctgg gttttgtttt tccttttttt 1319

tttttttttt ttttttgag ttttgctctt gtcgcccagg ctggagtTca atggcgtgat 1379

ctcagctcac tggcaacatc tgctcccg gttcaaatga ttctctgcc tcagtctcct 1439

gagtagctgg gattacaggt gcccgccacc acgctcagct aatttttgta tttttagtag 1499

15 agatgggggt ttaccatgtt ggccaggctg gtcttagact cctgacctca gttgatccac 1559

ctgcctcagc ctctgcattc agtttattca catatTTTTg gtaactcca tggcagctcc 1619

taggatttca gcggtctgtg ggccagaaag caggcaccag ggctgacctc aaggccgtat 1679

cagagggcca agcagagtTc ttttgatac ctgcttttca tcccacaggg ccttagagTc 1739

agaggtaagg tagcaacaga gctagaatgg ggcaatgcac tcttaccctc cttctcaact 1799

20 tttatttaag ctgtgctaaa tgTTTTcttc aagggaacca gatttagTtc tttacagaat 1859

tttcagTga aataaactct catgttattg ttccc 1894

<210> 112

<211> 2413

25 <212> DNA

245/346

<213> Homo sapiens

<220>

<221> CDS

5 <222> (115)..(1173)

<400> 112

```

tttccggtca ggtaggccg ggggggtgcg gtcttggtcg gaaggaggtg gagagtcggg 60
ggtcaccagg cctatccttg gcgccacagt cggccaccgg ggctcgccgc cgtc atg 117
10                                     Met
                                     1
gag agc gga ggg cgg ccc tcg ctg tgc cag ttc atc ctc ctg ggc acc 165
Glu Ser Gly Gly Arg Pro Ser Leu Cys Gln Phe Ile Leu Leu Gly Thr
          5              10              15
15 acc tct gtg gtc acc gcc gcc ctg tac tcc gtg tac cgg cag aag gcc 213
Thr Ser Val Val Thr Ala Ala Leu Tyr Ser Val Tyr Arg Gln Lys Ala
          20              25              30
cgg gtc tcc caa gag ctc aag gga gct aaa aaa gtt cat ttg ggt gaa 261
Arg Val Ser Gln Glu Leu Lys Gly Ala Lys Lys Val His Leu Gly Glu
20          35              40              45
gat tta aag agt att ctt tca gaa gct cca gga aaa tgc gtg cct tat 309
Asp Leu Lys Ser Ile Leu Ser Glu Ala Pro Gly Lys Cys Val Pro Tyr
          50              55              60              65
gct gtt ata gaa gga gct gtg cgg tct gtt aaa gaa acg ctt aac agc 357
25 Ala Val Ile Glu Gly Ala Val Arg Ser Val Lys Glu Thr Leu Asn Ser

```

246/346

	70	75	80	
	cag ttt gtg gaa aac tgc aag ggg gta att cag cgg ctg aca ctt cag	405		
	Gln Phe Val Glu Asn Cys Lys Gly Val Ile Gln Arg Leu Thr Leu Gln			
	85	90	95	
5	gag cac aag atg gtg tgg aat cga acc acc cac ctt tgg aat gat tgc	453		
	Glu His Lys Met Val Trp Asn Arg Thr Thr His Leu Trp Asn Asp Cys			
	100	105	110	
	tca aag atc att cat cag agg acc aac aca gtg ccc ttt gac ctg gtg	501		
	Ser Lys Ile Ile His Gln Arg Thr Asn Thr Val Pro Phe Asp Leu Val			
10	115	120	125	
	ccc cac gag gat ggc gtg gat gtg gct gtg cga gtg ctg aag ccc ctg	549		
	Pro His Glu Asp Gly Val Asp Val Ala Val Arg Val Leu Lys Pro Leu			
	130	135	140	145
	gac tca gtg gat ctg ggt cta gag act gtg tat gag aag ttc cac ccc	597		
15	Asp Ser Val Asp Leu Gly Leu Glu Thr Val Tyr Glu Lys Phe His Pro			
	150	155	160	
	tcg att cag tcc ttc acc gat gtc atc ggc cac tac atc agc ggt gag	645		
	Ser Ile Gln Ser Phe Thr Asp Val Ile Gly His Tyr Ile Ser Gly Glu			
	165	170	175	
20	cgg ccc aaa ggc atc caa gag acc gag gag atg ctg aag gtg ggg gcc	693		
	Arg Pro Lys Gly Ile Gln Glu Thr Glu Glu Met Leu Lys Val Gly Ala			
	180	185	190	
	acc ctc aca ggg gtt ggc gaa ctg gtc ctg gac aac aac tct gtc cgc	741		
	Thr Leu Thr Gly Val Gly Glu Leu Val Leu Asp Asn Asn Ser Val Arg			
25	195	200	205	

247/346

	ctg cag ccg ccc aaa caa ggc atg cag tac tat cta agc agc cag gac	789
	Leu Gln Pro Pro Lys Gln Gly Met Gln Tyr Tyr Leu Ser Ser Gln Asp	
	210 215 220 225	
	ttc gac agc ctg ctg cag agg cag gag tcg agc gtc agg ctc tgg aag	837
5	Phe Asp Ser Leu Leu Gln Arg Gln Glu Ser Ser Val Arg Leu Trp Lys	
	230 235 240	
	gtg ctg gcg ctg gtt ttt ggc ttt gcc aca tgt gcc acc ctc ttc ttc	885
	Val Leu Ala Leu Val Phe Gly Phe Ala Thr Cys Ala Thr Leu Phe Phe	
	245 250 255	
10	att ctc cgg aag cag tat ctg cag cgg cag gag cgc ctg cgc ctc aag	933
	Ile Leu Arg Lys Gln Tyr Leu Gln Arg Gln Glu Arg Leu Arg Leu Lys	
	260 265 270	
	cag atg cag gag gag ttc cag gag cat gag gcc cag ctg ctg agc cga	981
	Gln Met Gln Glu Glu Phe Gln Glu His Glu Ala Gln Leu Leu Ser Arg	
15	275 280 285	
	gcc aag cct gag gac agg gag agt ctg aag agc gcc tgt gta gtg tgt	1029
	Ala Lys Pro Glu Asp Arg Glu Ser Leu Lys Ser Ala Cys Val Val Cys	
	290 295 300 305	
	ctg agc agc ttc aag tcc tgc gtc ttt ctg gag tgt ggg cac gtt tgt	1077
20	Leu Ser Ser Phe Lys Ser Cys Val Phe Leu Glu Cys Gly His Val Cys	
	310 315 320	
	tcc tgc acc gag tgc tac cgc gcc ttg cca gag ccc aag aag tgc cct	1125
	Ser Cys Thr Glu Cys Tyr Arg Ala Leu Pro Glu Pro Lys Lys Cys Pro	
	325 330 335	
25	atc tgc aga cag gcg atc acc cgg gtg ata ccc ctg tac aac agc taa	1173

248/346

Ile Cys Arg Gln Ala Ile Thr Arg Val Ile Pro Leu Tyr Asn Ser

340

345

350

tagtttggaa gccgcacagc ttgacctgga agcacccttg ccccttttc agggattttt 1233
 atctcgaggc ctttggagga gcagtgggtg gggtagctgt cacctccagg tatgattgag 1293
 5 ggaggaattg ggtagaaact ctccagaccc atgcctccaa tggcaggatg ctgcctttcc 1353
 cacctgagag gggaccctgt ccatgtgcag cctcatcaga gcctcacctt gggaggatgc 1413
 cgtggcgtct cctccagga gccagatcag tgcgagtgtg actgaaaatg cctcatcact 1473
 taagcaccaa agccagtgat cagcagctct tctgttcctg tgtcttctgt ttttttctgg 1533
 tgaatcgttg cttgctgtgg acttgggtga ggactcagag gggaggaaag gctgggcccc 1593
 10 gagtacaacg gatgccttgg gtgctgcctc cgaagagact ctgccgcagc ttttcttctt 1653
 tttcctcatg ccccggaag cagtctttct tcagaattgt caggctgggc aggtcaactt 1713
 gtgttccttt cccctcacct gcttgctcc ttaacgcctg cacgtgtgtg tagaggacaa 1773
 aagaaagtga agtcagcaca tccgcttctg ccagatggg tggggccccg ggcaacagat 1833
 tgaagagaga tcatgtgaag ggcagttggg caggcaggcc tcctggtttc gccactggcc 1893
 15 ctgatttgaa ctctgccac ttgggagagc tcgggggtgg ccttggtttt ccctcctgga 1953
 gaatgaggcg cagaggcctc gcctcctgaa ggacgcagtg tggatgccac tggcctagtg 2013
 tcctggcctc acagcttctt tgcaaggctg tcacaaggaa aagcagccgg ctggcacctt 2073
 gagcatatgc cctcttggg ctccctcatc cagcccgctg cagctttgac atcttgggtg 2133
 actcatgtcg cttctccttg tgttaccctt tccagatatt accatttgcc cctcacctgc 2193
 20 ccttggtgag ctttttagtg caagacagat ggggctgttt tccccacct ctgagtagtt 2253
 ggaggtcaca tacacagctc tttttttatt gcccttttct gcctctgaat gttcatctct 2313
 cgtcctcctt tgtgcaggcg aggaaggggt gccctcaggg gccgacacta gtatgatgca 2373
 gtgtccagtg tgaacagcag aaattaaaca tgttgcaacc 2413

25 <210> 113

249/346

<211> 2376

<212> DNA

<213> Homo sapiens

5 <220>

<221> CDS

<222> (35)..(427)

<400> 113

```

10  gtgagggctg tgagctgcgc ctgacggtgg cacc atg agc agc tca ggt ggg gcg 55
                                     Met Ser Ser Ser Gly Gly Ala
                                     1           5

    ccc ggg gcg tcc gcc agc tct gcg ccg ccc gcg cag gaa gag ggc atg 103
    Pro Gly Ala Ser Ala Ser Ser Ala Pro Pro Ala Gln Glu Glu Gly Met

15          10           15           20
    acg tgg tgg tac cgc tgg ctg tgt cgc ctg tct ggg gtg ctg ggg gca 151
    Thr Trp Trp Tyr Arg Trp Leu Cys Arg Leu Ser Gly Val Leu Gly Ala

          25           30           35
    gtc tct tgc gcg atc tct ggc ctc ttc aac tgc atc acc atc cac cct 199
20  Val Ser Cys Ala Ile Ser Gly Leu Phe Asn Cys Ile Thr Ile His Pro

          40           45           50           55
    ctg aac atc gcg gcc gcc gtg tgg atg atg atg gcg gtc gtt ccc atc 247
    Leu Asn Ile Ala Ala Gly Val Trp Met Met Met Ala Val Val Pro Ile

          60           65           70
25  gtc atc agc ctg acc ctg acc acg ctg ctg ggc aac gcc atc gcc ttt 295

```

250/346

Val Ile Ser Leu Thr Leu Thr Thr Leu Leu Gly Asn Ala Ile Ala Phe
75 80 85
gct acg ggg gtg ctg tac gga ctc tct gct ctg ggc aaa aag ggc gat 343
Ala Thr Gly Val Leu Tyr Gly Leu Ser Ala Leu Gly Lys Lys Gly Asp
5 90 95 100
gcg atc tcc tat gcc agg atc cag cag cag agg cag cag gcg gat gag 391
Ala Ile Ser Tyr Ala Arg Ile Gln Gln Gln Arg Gln Gln Ala Asp Glu
105 110 115
gag aag ctc gcg gag acc ctg gag ggg gag ctg tga agggctgggc 437
10 Glu Lys Leu Ala Glu Thr Leu Glu Gly Glu Leu
120 125 130
gcccctccct ccctgtcccc tcttctggct ctgtgtgggt ccaagtgagg cctggactgt 497
ccacgctgag gcacagcctg gagagggggc ttgtcacgtg tccctacacc tggagtcctc 557
tgctcctttc tccagactgg cttaagccag gagccactgg ctgctggtgt gagggctctgg 617
15 gctgctggac ttgaggcaga gcctgcagca gctgtgtgga cactaccag ccctactcct 677
ctgctgggtg ggtctgcaga tctcacacca cagacagggc tgcctgtgac ctgctgtgac 737
ctgggagcag cttcccctgg agatgctggt cctggcttga ggggaggggc aagtgggacc 797
ctgccacctg ggcactgagc agagggacct ccccagctc tcttagcagg tggagcccca 857
gggcctggga cagcctgccg ctgccagcaa cctcccactg ctgcctaggg tgcagcgccc 917
20 actgtcaccc tgccttctga agaagcccac agggctccta aggtgcaccc cggtacctgg 977
aactgcagcc ttggcagtga ctggacagct ggggtggggga tgctccctgc tggccctggg 1037
aaccttggac aggccacctc aaggcccctc ggctgcccct cctccctggg cctgctgggg 1097
cccctaggtt ctgcccata cccccgccc ctgctggcct gcccaagccc tgccctcagg 1157
gagcttctgc cttttaagaa ctgggcagag gccacagtca cctccccaca cagagctgtc 1217
25 cccactgccc tgggtgccag gctgtccgga gccaggccta cccaggagg atgcagagag 1277

251/346

ctggtgceca ggatgtgcac ccccatattc cctctgccct gtggcctcag cccgctggcc 1337
tctctgaccg tgaggctggc tctcagccat cgggcaggtg cctggtcggg cctggcttag 1397
cccaggtggg gcttggcaga agcgggcggg tgtggaagat attccatctg gggccaaccc 1457
caggctgggc ctgcgctgag cttctggagc gcaggctactg ggtcttgcta agtgaactgt 1517
5 tttccaggaa cacctctcgg gcccatctgc gtctgaggct gggagtggca tctgaggccg 1577
ggagtggcat ctgaggccag gagtggcagg ctggtgggct gggcgtgggg ttttctgggc 1637
cctgccagct actgccctgg ggacttggtg ggctcctggg tcagcagcat cccaccctg 1697
ggagtctggc cagctgagcc ccagggtggc aggggcatta tagcctggtg gacatgtgcc 1757
ttcagggttc ctccggggcc accttctca ggccagtgtt gggttcaaag ggctgtgtgt 1817
10 gtgtgtgtgt gtgtgtgtgt gtatgtatat gtgtgtgggt gcacacatct gtcccatgta 1877
tgcaagtgaga cctgtctacc tcccacaagg agcaagggtc ctgcccggcc tctgctcatt 1937
cctaccaggt tagtgggacc ccggggcccc ttctgcctgg cttgcctgct tctgcccttt 1997
ccagaggggt ctactgaca gccagagaca gcaggagaag ggttggctgt ggatcaagga 2057
aggctgcccc tgtaccctgt ggggaaatgg tgggtgcatg gctggatgca gaggtggaag 2117
15 gccctgggcc acaggcgaga gtgggcgtgt cacctgtccc aggttcccag caagtctgca 2177
gctgtgcagt cctgggggtcc ctgaccctgt cggccagggg gcgtgctgtc cagcaggggc 2237
cctgccttgc aaggaacgtc tcttccggcg gctgggcccgc tctgcctgg tctgggctgt 2297
gtgtggcgcc ctttctctct tgtttgttcc tctgtgttct gtgtgctct taagcaataa 2357
agcgtggccg tggctcgcg 2376

20

<210> 114

<211> 1155

<212> DNA

<213> Homo sapiens

25

252/346

<220>

<221> CDS

<222> (110)..(1102)

5 <400> 114

gagggtcccc agcgctcgccc taggctggga ctctagtagg tcttcggctc agttttggct 60

gcagcgcccg cgtagatcgc ttcggccggg ttctacgccc ggctcaact atg agc cgg 118

Met Ser Arg

1

10 tgc gcc cag gcg gcg gaa gtg gcg gcc aca gtg cca ggt gcc ggc gtc 166

Cys Ala Gln Ala Ala Glu Val Ala Ala Thr Val Pro Gly Ala Gly Val

5

10

15

ggg aac gtg ggg ctg cgg ccg ccc atg gtg ccc cgt cag gcg tcc ttc 214

Gly Asn Val Gly Leu Arg Pro Pro Met Val Pro Arg Gln Ala Ser Phe

15 20 25 30 35

ttc ccg ccg ccg gtg ccg aac ccc ttc gtg cag cag acg cag atc ggc 262

Phe Pro Pro Pro Val Pro Asn Pro Phe Val Gln Gln Thr Gln Ile Gly

40

45

50

tcc gcg agg cgg gtc cag att gtc ctt ctt ggg att atc ttg ctt cca 310

20 Ser Ala Arg Arg Val Gln Ile Val Leu Leu Gly Ile Ile Leu Leu Pro

55

60

65

att cgt gtc tta ttg gtt gcg tta att tta tta ctt gca tgg cca ttt 358

Ile Arg Val Leu Leu Val Ala Leu Ile Leu Leu Leu Ala Trp Pro Phe

70

75

80

25 gct gca att tca aca gta tgc tgt cct gaa aag ctg acc cac cca ata 406

253/346

	Ala	Ala	Ile	Ser	Thr	Val	Cys	Cys	Pro	Glu	Lys	Leu	Thr	His	Pro	Ile	
	85						90					95					
	act	ggg	tgg	agg	agg	aaa	att	act	caa	aca	gct	ttg	aaa	ttt	ctg	ggg	454
	Thr	Gly	Trp	Arg	Arg	Lys	Ile	Thr	Gln	Thr	Ala	Leu	Lys	Phe	Leu	Gly	
5	100					105					110				115		
	cgt	gct	atg	ttc	ttt	tca	atg	gga	ttt	ata	gtt	gct	gta	aaa	gga	aag	502
	Arg	Ala	Met	Phe	Phe	Ser	Met	Gly	Phe	Ile	Val	Ala	Val	Lys	Gly	Lys	
						120					125				130		
	att	gca	agt	cct	ttg	gaa	gca	cca	gtt	ttt	gtt	gct	gcc	cct	cat	tca	550
10	Ile	Ala	Ser	Pro	Leu	Glu	Ala	Pro	Val	Phe	Val	Ala	Ala	Pro	His	Ser	
						135					140				145		
	aca	ttc	ttt	gat	gga	att	gcc	tgt	gtt	gta	gct	ggg	tta	cct	tct	ata	598
	Thr	Phe	Phe	Asp	Gly	Ile	Ala	Cys	Val	Val	Ala	Gly	Leu	Pro	Ser	Ile	
						150					155				160		
15	gta	tct	cga	aat	gag	aat	gca	caa	gtc	cct	ctg	att	ggc	aga	ctg	tta	646
	Val	Ser	Arg	Asn	Glu	Asn	Ala	Gln	Val	Pro	Leu	Ile	Gly	Arg	Leu	Leu	
						165					170				175		
	cgg	gct	gtg	caa	cca	gtt	ttg	gtg	tcc	cgt	gta	gat	ccg	gat	tcc	cga	694
	Arg	Ala	Val	Gln	Pro	Val	Leu	Val	Ser	Arg	Val	Asp	Pro	Asp	Ser	Arg	
20	180					185					190				195		
	aaa	aac	aca	ata	aat	gaa	ata	ata	aag	cga	aca	aca	tca	gga	gga	gaa	742
	Lys	Asn	Thr	Ile	Asn	Glu	Ile	Ile	Lys	Arg	Thr	Thr	Ser	Gly	Gly	Glu	
						200					205				210		
	tgg	ccc	cag	ata	cta	gtt	ttc	cca	gaa	ggg	act	tgt	act	aat	cgt	tcc	790
25	Trp	Pro	Gln	Ile	Leu	Val	Phe	Pro	Glu	Gly	Thr	Cys	Thr	Asn	Arg	Ser	

254/346

	215	220	225	
	tgt ttg att act ttt aaa cca gga gcc ttc att cca gga gtt cca gtg	838		
	Cys Leu Ile Thr Phe Lys Pro Gly Ala Phe Ile Pro Gly Val Pro Val			
	230	235	240	
5	cag cca gtc ctc ctc aga tac cca aac aag ctg gat act gtg acc tgg	886		
	Gln Pro Val Leu Leu Arg Tyr Pro Asn Lys Leu Asp Thr Val Thr Trp			
	245	250	255	
	aca tgg caa gga tat aca ttc att cag ctt tgt atg ctt act ttc tgc	934		
	Thr Trp Gln Gly Tyr Thr Phe Ile Gln Leu Cys Met Leu Thr Phe Cys			
10	260	265	270	275
	cag ctc ttc aca aag gta gaa gtt gag atg ttt ctg ttc ttt tgg gaa	982		
	Gln Leu Phe Thr Lys Val Glu Val Glu Met Phe Leu Phe Phe Trp Glu			
	280	285	290	
	gga agc agc aag cat tgt tta aaa ata tct tcc ttc ttt tgc att ttt	1030		
15	Gly Ser Ser Lys His Cys Leu Lys Ile Ser Ser Phe Phe Cys Ile Phe			
	295	300	305	
	tct ctt cga aga ttt aaa aga aga att aca caa aga act aga act gca	1078		
	Ser Leu Arg Arg Phe Lys Arg Arg Ile Thr Gln Arg Thr Arg Thr Ala			
	310	315	320	
20	cat ttg tta aga ttg tcc ttt taa aattattttc tggtacaagg aaaaaataaa	1132		
	His Leu Leu Arg Leu Ser Phe			
	325	330		
	agattgatta tagtgtcata att	1155		

255/346

<211> 1329

<212> DNA

<213> Homo sapiens

5 <220>

<221> CDS

<222> (71)..(1123)

<400> 115

10 agacctgagc agttgctccg gcggcgctcg gggagggagc cagcagccta ggcctaggc 60
 ccggggccacc atg gcg ctg cct cca ggc cca gcc gcc ctc cgg cac aca 109
 Met Ala Leu Pro Pro Gly Pro Ala Ala Leu Arg His Thr
 1 5 10
 ctg ctg ctc ctg cca gcc ctt ctg agc tca ggt ggg cct ggc acc ccc 157
 15 Leu Leu Leu Leu Pro Ala Leu Leu Ser Ser Gly Gly Pro Gly Thr Pro
 15 20 25
 aga ttg gcc tgg tat ctg gat gga cag ctg cag gag gcc agc acc tca 205
 Arg Leu Ala Trp Tyr Leu Asp Gly Gln Leu Gln Glu Ala Ser Thr Ser
 30 35 40 45
 20 aga ctg ctg agc gtg gga ggg gag gcc ttc tct gga ggc acc agc acc 253
 Arg Leu Leu Ser Val Gly Gly Glu Ala Phe Ser Gly Gly Thr Ser Thr
 50 55 60
 ttc act gtc act gcc cat cgg gcc cag cat gag ctc aac tgc tct ctg 301
 Phe Thr Val Thr Ala His Arg Ala Gln His Glu Leu Asn Cys Ser Leu
 25 65 70 75

256/346

	cag gac ccc aga agt ggc cga tca gcc aac gcc tct gtc atc ctt aat	349
	Gln Asp Pro Arg Ser Gly Arg Ser Ala Asn Ala Ser Val Ile Leu Asn	
	80 85 90	
	gtg caa ttc aag cca gag att gcc caa gtc ggc gcc aag tac cag gaa	397
5	Val Gln Phe Lys Pro Glu Ile Ala Gln Val Gly Ala Lys Tyr Gln Glu	
	95 100 105	
	gct cag ggc cca ggc ctc ctg gtt gtc ctg ttt gcc ctg gtg cgt gcc	445
	Ala Gln Gly Pro Gly Leu Leu Val Val Leu Phe Ala Leu Val Arg Ala	
	110 115 120 125	
10	aac ccg ccg gcc aat gtc acc tgg atc gac cag gat ggg cca gtg act	493
	Asn Pro Pro Ala Asn Val Thr Trp Ile Asp Gln Asp Gly Pro Val Thr	
	130 135 140	
	gtc aac acc tct gac ttc ctg gtg ctg gat gcg cag aac tac ccc tgg	541
	Val Asn Thr Ser Asp Phe Leu Val Leu Asp Ala Gln Asn Tyr Pro Trp	
15	145 150 155	
	ctc acc aac cac acg gtg cag ctg cag ctc cgc agc ctg gca cac aac	589
	Leu Thr Asn His Thr Val Gln Leu Gln Leu Arg Ser Leu Ala His Asn	
	160 165 170	
	ctc tcg gtg gtg gcc acc aat gac gtg ggt gtc acc agt gcg tcg ctt	637
20	Leu Ser Val Val Ala Thr Asn Asp Val Gly Val Thr Ser Ala Ser Leu	
	175 180 185	
	cca gcc cca ggg ctt ctg gct acc cgg gtg gaa gtg cca ctg ctg ggc	685
	Pro Ala Pro Gly Leu Leu Ala Thr Arg Val Glu Val Pro Leu Leu Gly	
	190 195 200 205	
25	att gtt gtg gct gct ggg ctt gca ctg ggc acc ctc gtg ggg ttc agc	733

257/346

Ile Val Val Ala Ala Gly Leu Ala Leu Gly Thr Leu Val Gly Phe Ser
 210 215 220
 acc ttg gtg gcc tgc ctg gtc tgc aga aaa gag aag aaa acc aaa ggc 781
 Thr Leu Val Ala Cys Leu Val Cys Arg Lys Glu Lys Lys Thr Lys Gly
 5 225 230 235
 ccc tcc cgg cac cca tct ctg ata tca agt gac tcc aac aac cta aaa 829
 Pro Ser Arg His Pro Ser Leu Ile Ser Ser Asp Ser Asn Asn Leu Lys
 240 245 250
 ctc aac aac gtg cgc ctg cca cgg gag aac atg tcc ctc ccg tcc aac 877
 10 Leu Asn Asn Val Arg Leu Pro Arg Glu Asn Met Ser Leu Pro Ser Asn
 255 260 265
 ctt cag ctc aat gac ctc act cca gat tcc aga gca gtg aaa cca gca 925
 Leu Gln Leu Asn Asp Leu Thr Pro Asp Ser Arg Ala Val Lys Pro Ala
 270 275 280 285
 15 gag cgg cag atg gct cag aac aac agc cgg cca gag ctt ctg gac ccg 973
 Asp Arg Gln Met Ala Gln Asn Asn Ser Arg Pro Glu Leu Leu Asp Pro
 290 295 300
 gag ccc ggc ggc ctc ctc acc agc caa gca tgt ctc ctc cac cac ggg 1021
 Glu Pro Gly Gly Leu Leu Thr Ser Gln Ala Cys Leu Leu His His Gly
 20 305 310 315
 acc cca gcc ctg acc aac cca tgg ttg cct cat cag cag gaa ggt gcc 1069
 Thr Pro Ala Leu Thr Asn Pro Trp Leu Pro His Gln Gln Glu Gly Ala
 320 325 330
 ctt cct gga gga tgg tcg cca cag gca cat aat tca aca gtg tgg aag 1117
 25 Leu Pro Gly Gly Trp Ser Pro Gln Ala His Asn Ser Thr Val Trp Lys

258/346

335 340 345

ctt tag gggaacatgg agaaagaagg agaccacata ccccaaagtg acctaagaac 1173
Leu

350

5 actttaaaaa gcaacatgta aatgattgga aattaatata gtacagaata tattttttccc 1233
ttgttgagat cttcttttgt aatgtttttc atgttactgc ctaggcggt gctgagcaca 1293
cagcaagttt aataaacttg actgaattca tttaat 1329

<210> 116

10 <211> 1387

<212> DNA

<213> Homo sapiens

<220>

15 <221> CDS

<222> (147)..(488)

<400> 116

cccaaggggc ttctggcagc aggaaggaag ctacacatca gagttgggga cttgtgccct 60

20 ggggctgcct ggcattctggg ggccctctca gagccagggc tctttctggt tgaggctgag 120
actcactggt gtcattcaggc ccctcc atg aat gag aca aac aaa aca ctt gtt 173

Met Asn Glu Thr Asn Lys Thr Leu Val

1 5

ggg cct tcg gag ctc ccc aca gcg tct gct gtg gcc cct ggc cca ggc 221

25 Gly Pro Ser Glu Leu Pro Thr Ala Ser Ala Val Ala Pro Gly Pro Gly

259/346

	10	15	20	25	
	act ggg gct cgg gca tgg cct gtg ctg gta gga ttt gtg ctg ggg gct				269
	Thr Gly Ala Arg Ala Trp Pro Val Leu Val Gly Phe Val Leu Gly Ala				
	30	35	40		
5	gtg gtc ctc tcg ctc ctc att gca ctt gct gcc aaa tgc cac ctc tgc				317
	Val Val Leu Ser Leu Leu Ile Ala Leu Ala Ala Lys Cys His Leu Cys				
	45	50	55		
	cgc cga tac cat gcc agc tac cgg cac cgc cca ctg cct gag aca gga				365
	Arg Arg Tyr His Ala Ser Tyr Arg His Arg Pro Leu Pro Glu Thr Gly				
10	60	65	70		
	agg gga ggc cgc cca cag gtg gct gaa gat gag gat gat gat ggc ttc				413
	Arg Gly Gly Arg Pro Gln Val Ala Glu Asp Glu Asp Asp Asp Gly Phe				
	75	80	85		
	atc gag gac aat tac att cag cct ggg act ggc gag ctg ggg aca gag				461
15	Ile Glu Asp Asn Tyr Ile Gln Pro Gly Thr Gly Glu Leu Gly Thr Glu				
	90	95	100	105	
	ggg agc agg gac cac ttc tcc ctc tga gctcccatct ttagaccctc				508
	Gly Ser Arg Asp His Phe Ser Leu				
	110				
20	cccaactccct ccatgcctga cagcttaagg acagtgggta tgacatgggg gccttgaacc				568
	tcagggacag aggtggctgg ggcttaaagg ttggccaggg atggagtaaa ccccaacttcc				628
	ctgacactag ccagcaaagt gacaatgacc ctctcttgct caataactct caactgttcc				688
	ctgctgttct caggataaag ccaaacaaag gcttgagtgt ggacataagg ccctctgtga				748
	tcatgcctct cggcctcttg gtttcttttc ttgccttccc ctactttact gtcgaaatca				808
25	atgctattct ccctcccacc acttcccatg cagtttcccc aggcaccttt gctcacattg				868

260/346

gtccccctgc ctacgtact cttcccctaa atcctctatg actgtgatgg cctgcctacc 928
tgccagcatt tcaaataatgc ccagatggta acatttgtgc aggtgaaaac cagtccaag 988
cttccttttt tttttttttt cctgagacgg agtctcactc tggtgccag gctggagtgc 1048
aatggcacat ctgggtcac tgcaacctcc gcctcctggg ttcaagcgat tctcctgctt 1108
5 cagcctcctg agtagctggg attacaggca tccgccacca cgcccagcta atttttatat 1168
ttttagtaga gacgaggttt cgccatattg gccaggatgg tctcgaactc ttgacctcag 1228
gtagtccgcc ttcctcggcc tcccaaagtg ctgggattac aggcgtgagc caccatgcc 1288
ggccagcttc ttaatgaaat attttcctat aaataaagtg ggtaatccgg ttataatatg 1348
tttttcacag gaattaataa atctattttc attttgaat 1387

10

<210> 117

<211> 1158

<212> DNA

<213> Homo sapiens

15

<220>

<221> CDS

<222> (130)..(699)

20

<400> 117

aagctgtgga tatggagctg gctgctgcca agtccggggc ccgcgccgct gcctagcgcg 60
tcctggggac tctgtgggga cgcgccccgc gccgcggctc ggggacccgt agagcccggc 120
gctgcgcgc atg gcc ctg ctc tcg cgc ccc gcg ctc acc ctc ctg ctc ctc 171

Met Ala Leu Leu Ser Arg Pro Ala Leu Thr Leu Leu Leu

25

1

5

10

261/346

	ctc atg gcc gct gtt gtc agg tgc cag gag cag gcc cag acc acc gac	219
	Leu Met Ala Ala Val Val Arg Cys Gln Glu Gln Ala Gln Thr Thr Asp	
	15 20 25 30	
	tgg aga gcc acc ctg aag acc atc cgg aac ggc gtt cat aag ata gac	267
5	Trp Arg Ala Thr Leu Lys Thr Ile Arg Asn Gly Val His Lys Ile Asp	
	35 40 45	
	acg tac ctg aac gcc gcc ttg gac ctc ctg gga ggc gag gac ggt ctc	315
	Thr Tyr Leu Asn Ala Ala Leu Asp Leu Leu Gly Gly Glu Asp Gly Leu	
	50 55 60	
10	tgc cag tat aaa tgc agt gac gga tct aag cct ttc cca cgt tat ggt	363
	Cys Gln Tyr Lys Cys Ser Asp Gly Ser Lys Pro Phe Pro Arg Tyr Gly	
	65 70 75	
	tat aaa ccc tcc cca ccg aat gga tgt ggc tct cca ctg ttt ggt gtt	411
	Tyr Lys Pro Ser Pro Pro Asn Gly Cys Gly Ser Pro Leu Phe Gly Val	
15	80 85 90	
	cat ctt aac att ggt atc cct tcc ctg aca aag tgt tgc aac caa cac	459
	His Leu Asn Ile Gly Ile Pro Ser Leu Thr Lys Cys Cys Asn Gln His	
	95 100 105 110	
	gac agg tgc tat gaa acc tgt ggc aaa agc aag aat gac tgt gat gaa	507
20	Asp Arg Cys Tyr Glu Thr Cys Gly Lys Ser Lys Asn Asp Cys Asp Glu	
	115 120 125	
	gaa ttc cag tat tgc ctc tcc aag atc tgc cga gat gta cag aaa aca	555
	Glu Phe Gln Tyr Cys Leu Ser Lys Ile Cys Arg Asp Val Gln Lys Thr	
	130 135 140	
25	cta gga cta act cag cat gtt cag gca tgt gaa aca aca qtg gaq ctc	603

262/346

Leu Gly Leu Thr Gln His Val Gln Ala Cys Glu Thr Thr Val Glu Leu
 145 150 155
 ttg ttt gac agt gtt ata cat tta ggt tgt aaa cca tat ctg gac agc 651
 Leu Phe Asp Ser Val Ile His Leu Gly Cys Lys Pro Tyr Leu Asp Ser
 5 160 165 170
 caa cga gcc gca tgc agg tgt cat tat gaa gaa aaa act gat ctt taa 699
 Gln Arg Ala Ala Cys Arg Cys His Tyr Glu Glu Lys Thr Asp Leu
 175 180 185 190
 aggagatgcc gacagctagt gacagatgaa gatggaagaa cataaccttt gacaaataac 759
 10 taatgtttttt acaacataaa actgtcttat ttttgtgaaa ggattatttt gagaccttaa 819
 aataatttat atcttgatgt taaaacctca aagcaaaaaa agtgaggagg atagtgaggg 879
 gagggcacgc ttgtcttctc aggtatcttc ccagcattg ctcccttact tagtatgcc 939
 aatgtcttga ccaatatcaa aaacaagtgc ttgttttagcg gagaattttg aaaagaggaa 999
 tatataactc aattttcaca accacattta ccaaaaaaag agatcaaata taaaattcat 1059
 15 cataatgtct gttcaacatt atcttatttg gaaaatgggg aaattatcac ttacaagtat 1119
 ttgtttacta tgaaatttta aatacacatt tatgcctag 1158

 <210> 118
 <211> 1106
 20 <212> DNA
 <213> Homo sapiens

 <220>
 <221> CDS
 25 <222> (26) .. (859)

263/346

<400> 118

```

aaccgcgtca ggcggcgacg gagcc atg tcg ccg ctg ctg ggg ctc cgg tcc   52
                                Met Ser Pro Leu Leu Gly Leu Arg Ser
5                                1                                5

gag ctg cag gac acc tgc acc tcg ctg gga ctg atg ctg tcg gtg gtg   100
Glu Leu Gln Asp Thr Cys Thr Ser Leu Gly Leu Met Leu Ser Val Val
10                                15                                20                                25

ctg ctc atg ggg ctg gcc cgc gta gtc gcc cgg cag cag ctg cac agg   148
Leu Leu Met Gly Leu Ala Arg Val Val Ala Arg Gln Gln Leu His Arg
10                                30                                35                                40

ccg gtg gcc cac gcc ttc gtc ctg gag ttt cta gcc acc ttc cag ctc   196
Pro Val Ala His Ala Phe Val Leu Glu Phe Leu Ala Thr Phe Gln Leu
15                                45                                50                                55

tgc tgc tgc acc cac gag ctg caa ctg ctg agc gaa cag cac ccc gcg   244
Cys Cys Cys Thr His Glu Leu Gln Leu Leu Ser Glu Gln His Pro Ala
15                                60                                65                                70

cac ccc acc tgg acg ctg acg ctc gtc tac ttc ttc tcg ctt gtg cat   292
His Pro Thr Trp Thr Leu Thr Leu Val Tyr Phe Phe Ser Leu Val His
20                                75                                80                                85

ggc ctg act ctg gtg ggc acg tcc agc aac ccg tgc ggc gtg atg atg   340
Gly Leu Thr Leu Val Gly Thr Ser Ser Asn Pro Cys Gly Val Met Met
20                                90                                95                                100                                105

cag atg atg ctg ggg ggc atg tcc ccc gag acg ggt gcg gtg agg cta   388
Gln Met Met Leu Gly Gly Met Ser Pro Glu Thr Gly Ala Val Arg Leu
25

```

264/346

	110	115	120	
	ttg gct cag ctg gtt agt gcc ctg tgc agc agg tac tgc aca agc gcc	436		
	Leu Ala Gln Leu Val Ser Ala Leu Cys Ser Arg Tyr Cys Thr Ser Ala			
	125	130	135	
5	ttg tgg agc ttg ggt ctg acc cag tat cac gtc agc gag agg agc ttc	484		
	Leu Trp Ser Leu Gly Leu Thr Gln Tyr His Val Ser Glu Arg Ser Phe			
	140	145	150	
	gct tgc aag aat ccc atc cga gtc gac ttg ctc aaa gcg gtc atc aca	532		
	Ala Cys Lys Asn Pro Ile Arg Val Asp Leu Leu Lys Ala Val Ile Thr			
10	155	160	165	
	gag gcc gtc tgc tcc ttt ctc ttc cac agc gct ctg ctg cac ttc cag	580		
	Glu Ala Val Cys Ser Phe Leu Phe His Ser Ala Leu Leu His Phe Gln			
	170	175	180	185
	gaa gtc cga acc aag ctt cgt atc cac ctg ctg gct gca ctc atc acc	628		
15	Glu Val Arg Thr Lys Leu Arg Ile His Leu Leu Ala Ala Leu Ile Thr			
	190	195	200	
	ttt ttg gtc tat gca gga gga agt cta aca gga gct gta ttt aat cca	676		
	Phe Leu Val Tyr Ala Gly Gly Ser Leu Thr Gly Ala Val Phe Asn Pro			
	205	210	215	
20	gct ttg gca ctt tcg cta cat ttc atg tgt ttt gat gaa gca ttc cct	724		
	Ala Leu Ala Leu Ser Leu His Phe Met Cys Phe Asp Glu Ala Phe Pro			
	220	225	230	
	cag ttt ttt ata gta tac tgg ctg gct cct tct tta ggt ata ttg ttg	772		
	Gln Phe Phe Ile Val Tyr Trp Leu Ala Pro Ser Leu Gly Ile Leu Leu			
25	235	240	245	

265/346

atg att ttg atg ttc agc ttt ttc cat ggc tgc ata aca acc ata caa 820
Met Ile Leu Met Phe Ser Phe Phe His Gly Cys Ile Thr Thr Ile Gln
250 255 260 265
tta ata aaa agg aat aac tgt tcc aaa gac tca gac taa catacaggac 869
5 Leu Ile Lys Arg Asn Asn Cys Ser Lys Asp Ser Asp
270 275
agtccagctg gatgtgataa agattttatc acctcatatg gaaaacaccg gctgcactgg 929
attcatcagt gttaacttcc tttaggaag ctgccttata gttttcatca ctgggacttt 989
aaaaaaaaat tactgtgaaa atgaggtatt ctgtacttct cagttaagac ttgttctttg 1049
10 agtgatgtat taaatgctgc tagaaaagcc tcattacatt aaatataaat caatctt 1106

<210> 119
<211> 1907
<212> DNA
15 <213> Homo sapiens

<220>
<221> CDS
<222> (159)..(983)
20

<400> 119
gttatcctac ccctcccccg tcccagctct acggcgggccg cgcgctccag gccggtcgct 60
ccaccccccg gctcccgga ctgtggactc cagaccctg tctcggccc tgtccgccc 120
gaagcagccc gggactgcgc agcgccccgc gtgccgac atg gga aag tct ctt tct 176
25 Met Gly Lys Ser Leu Ser

266/346

		1	5	
	cat ttg cct ttg cat tca agc aaa gaa gat gct tat gat gga gtc aca	224		
	His Leu Pro Leu His Ser Ser Lys Glu Asp Ala Tyr Asp Gly Val Thr			
	10 15 20			
5	tct gaa aac atg agg aat gga ctg gtt aat agt gaa gtc cat aat gaa	272		
	Ser Glu Asn Met Arg Asn Gly Leu Val Asn Ser Glu Val His Asn Glu			
	25 30 35			
	gat gga aga aat gga gat gtc tct cag ttt cca tat gtg gaa ttt aca	320		
	Asp Gly Arg Asn Gly Asp Val Ser Gln Phe Pro Tyr Val Glu Phe Thr			
10	40 45 50			
	gga aga gat agt gtc acc tgc cct act tgt cag gga aca gga aga att	368		
	Gly Arg Asp Ser Val Thr Cys Pro Thr Cys Gln Gly Thr Gly Arg Ile			
	55 60 65 70			
	cct agg ggg caa gaa aac caa ctg gtg gca ttg att cca tat agt gat	416		
15	Pro Arg Gly Gln Glu Asn Gln Leu Val Ala Leu Ile Pro Tyr Ser Asp			
	75 80 85			
	cag aga tta agg cca aga aga aca aag ctg tat gtg atg gct tct gtg	464		
	Gln Arg Leu Arg Pro Arg Arg Thr Lys Leu Tyr Val Met Ala Ser Val			
	90 95 100			
20	ttt gtc tgt cta ctc ctt tct gga ttg gct gtg ttt ttc ctt ttc cct	512		
	Phe Val Cys Leu Leu Leu Ser Gly Leu Ala Val Phe Phe Leu Phe Pro			
	105 110 115			
	cgc tct atc gac gtg aaa tac att ggt gta aaa tca gcc tat gtc agt	560		
	Arg Ser Ile Asp Val Lys Tyr Ile Gly Val Lys Ser Ala Tyr Val Ser			
25	120 125 130			

267/346

	tat gat gtt cag aag cgt aca att tat tta aat atc aca aac aca cta	608
	Tyr Asp Val Gln Lys Arg Thr Ile Tyr Leu Asn Ile Thr Asn Thr Leu	
	135 140 145 150	
	aat ata aca aac aat aac tat tac tct gtc gaa gtt gaa aac atc act	656
5	Asn Ile Thr Asn Asn Asn Tyr Tyr Ser Val Glu Val Glu Asn Ile Thr	
	155 160 165	
	gcc caa gtt caa ttt tca aaa aca gtt att gga aag gca cgc tta aac	704
	Ala Gln Val Gln Phe Ser Lys Thr Val Ile Gly Lys Ala Arg Leu Asn	
	170 175 180	
10	aac ata acc att att ggt cca ctt gat atg aaa caa att gat tac aca	752
	Asn Ile Thr Ile Ile Gly Pro Leu Asp Met Lys Gln Ile Asp Tyr Thr	
	185 190 195	
	gta cct acc gtt ata gca gag gaa atg agt tat atg tat gat ttc tgt	800
	Val Pro Thr Val Ile Ala Glu Glu Met Ser Tyr Met Tyr Asp Phe Cys	
15	200 205 210	
	act ctg ata tcc atc aaa gtg cat aac ata gta ctc atg atg caa gtt	848
	Thr Leu Ile Ser Ile Lys Val His Asn Ile Val Leu Met Met Gln Val	
	215 220 225 230	
	act gtg aca aca aca tac ttt ggc cac tct gaa cag ata tcc cag gag	896
20	Thr Val Thr Thr Thr Tyr Phe Gly His Ser Glu Gln Ile Ser Gln Glu	
	235 240 245	
	agg tat cag tat gtc gac tgt gga aga aac aca act tat cag ttg ggg	944
	Arg Tyr Gln Tyr Val Asp Cys Gly Arg Asn Thr Thr Tyr Gln Leu Gly	
	250 255 260	
25	cag tct gaa tat tta aat gta ctt cag cca caa cag taa aaactggaag	993

268/346

Gln Ser Glu Tyr Leu Asn Val Leu Gln Pro Gln Gln

265

270

275

agatggattt aaagaagaaa tatctattga tatttcctat actctcaatg aagaggtatt 1053
 tctaataagg agaccttaaa ttgaacaaac cttaaagtta cacttctaag agtacagtta 1113
 5 aaagtatgtg gacctgcagt tcttgtaact ctccactctg tgttaatgat atatttgtac 1173
 taggatcttt tacttgaatc taaatttact ggttgatttc cttctccagc ctatccccta 1233
 cagggaaaag ctgatacttc ccctatagta caataaataa ttatttaaaa gtcataagctc 1293
 cagtcactac tgaaaacata attttggtga taaaataatt tgagaaactt aatttctgaa 1353
 tgtttttata gaaaattact gaaagtctat tactcatgga agacttttaa agaataacct 1413
 10 tttttcctgt ttataaaatt cccattgtta tatggtagta tttcagctac acaatatttt 1473
 agcttttagc tagacattta tagcttttca tttgttgaaa tggtaatcat ctgcatgttt 1533
 ttgtcactta tttcaggtta gtgattgcct aacacttata agccaaaata atctttgcaa 1593
 aattccatac ctaaaatttt gaaagcccct aatgttttca cacatctttc tgtattagtt 1653
 atagttttgt gaaatctttg tgtgatcttc aaacattatc atttaatgta caatactgta 1713
 15 aataaactgt gcatggcttt tatacagctt tagtaaagt caaataaagt ggtacagact 1773
 cattacaaca agtttctcat aaaaatacaa taaataggaa aatgaaattc agaaacccat 1833
 agactgggaa taggttcag ttacagcttg gatctggcat aaaataaatt tgaaataaaa 1893
 tattttgatg ctcc 1907

20 <210> 120

<211> 1816

<212> DNA

<213> Homo sapiens

25 <220>

269/346

<221> CDS

<222> (134)..(1306)

<400> 120

```

5   cttgggctgg agccgccctg ggtgtcagcg gctcggctcc cgcgcacgct ccggccgtcg 60
    cgcagcctcg gcacctgcag gtccgtgcgt ccgcggctg gcgcccctga ctccgtcccc 120
    gccagggagg gcc atg att tcc ctc ccg ggg ccc ctg gtg acc aac ttg    169
          Met Ile Ser Leu Pro Gly Pro Leu Val Thr Asn Leu
                1             5             10
10  ctg cgg ttt ttg ttc ctg ggg ctg agt gcc ctc gcg ccc ccc tcg cgg    217
    Leu Arg Phe Leu Phe Leu Gly Leu Ser Ala Leu Ala Pro Pro Ser Arg
          15             20             25
    gcc cag ctg caa ctg cac ttg ccc gcc aac cgg ttg cag gcg gtg gag    265
    Ala Gln Leu Gln Leu His Leu Pro Ala Asn Arg Leu Gln Ala Val Glu
15      30             35             40
    gga ggg gaa gtg gtg ctt cca gcg tgg tac acc ttg cac ggg gag gtg    313
    Gly Gly Glu Val Val Leu Pro Ala Trp Tyr Thr Leu His Gly Glu Val
          45             50             55             60
    tct tca tcc cag cca tgg gag gtg ccc ttt gtg atg tgg ttc ttc aaa    361
20  Ser Ser Ser Gln Pro Trp Glu Val Pro Phe Val Met Trp Phe Phe Lys
          65             70             75
    cag aaa gaa aag gag gat cag gtg ttg tcc tac atc aat ggg gtc aca    409
    Gln Lys Glu Lys Glu Asp Gln Val Leu Ser Tyr Ile Asn Gly Val Thr
          80             85             90
25  aca agc aaa cct gga gta tcc ttg gtc tac tcc atg ccc tcc cgg aac    457

```

270/346

	Thr	Ser	Lys	Pro	Gly	Val	Ser	Leu	Val	Tyr	Ser	Met	Pro	Ser	Arg	Asn	
				95					100						105		
	ctg	tcc	ctg	cgg	ctg	gag	ggt	ctc	cag	gag	aaa	gac	tct	ggc	ccc	tac	505
	Leu	Ser	Leu	Arg	Leu	Glu	Gly	Leu	Gln	Glu	Lys	Asp	Ser	Gly	Pro	Tyr	
5			110					115							120		
	agc	tgc	tcc	gtg	aat	gtg	caa	gac	aaa	caa	ggc	aaa	tct	agg	ggc	cac	553
	Ser	Cys	Ser	Val	Asn	Val	Gln	Asp	Lys	Gln	Gly	Lys	Ser	Arg	Gly	His	
	125					130					135				140		
	agc	atc	aaa	acc	tta	gaa	ctc	aat	gta	ctg	gtt	cct	cca	gct	cct	cca	601
10	Ser	Ile	Lys	Thr	Leu	Glu	Leu	Asn	Val	Leu	Val	Pro	Pro	Ala	Pro	Pro	
						145					150				155		
	tcc	tgc	cgt	ctc	cag	ggt	gtg	ccc	cat	gtg	ggg	gca	aac	gtg	acc	ctg	649
	Ser	Cys	Arg	Leu	Gln	Gly	Val	Pro	His	Val	Gly	Ala	Asn	Val	Thr	Leu	
				160						165					170		
15	agc	tgc	cag	tct	cca	agg	agt	aag	ccc	gct	gtc	caa	tac	cag	tgg	gat	697
	Ser	Cys	Gln	Ser	Pro	Arg	Ser	Lys	Pro	Ala	Val	Gln	Tyr	Gln	Trp	Asp	
				175						180					185		
	cgg	cag	ctt	cca	tcc	ttc	cag	act	ttc	ttt	gca	cca	gca	tta	gat	gtc	745
	Arg	Gln	Leu	Pro	Ser	Phe	Gln	Thr	Phe	Phe	Ala	Pro	Ala	Leu	Asp	Val	
20			190						195						200		
	atc	cgt	ggg	tct	tta	agc	ctc	acc	aac	ctt	tcg	tct	tcc	atg	gct	gga	793
	Ile	Arg	Gly	Ser	Leu	Ser	Leu	Thr	Asn	Leu	Ser	Ser	Ser	Met	Ala	Gly	
	205					210						215			220		
	gtc	tat	gtc	tgc	aag	gcc	cac	aat	gag	gtg	ggc	act	gcc	caa	tgt	aat	841
25	Val	Tyr	Val	Cys	Lys	Ala	His	Asn	Glu	Val	Gly	Thr	Ala	Gln	Cys	Asn	

271/346

	225	230	235	
	gtg acg ctg gaa gtg agc aca ggg cct gga gct gca gtg gtt gct gga	889		
	Val Thr Leu Glu Val Ser Thr Gly Pro Gly Ala Ala Val Val Ala Gly			
	240	245	250	
5	gct gtt gtg ggt acc ctg gtt gga ctg ggg ttg ctg gct ggg ctg gtc	937		
	Ala Val Val Gly Thr Leu Val Gly Leu Gly Leu Leu Ala Gly Leu Val			
	255	260	265	
	ctc ttg tac cac tgc cgg ggc aag gcc ctg gag gag cca gcc aat gat	985		
	Leu Leu Tyr His Cys Arg Gly Lys Ala Leu Glu Glu Pro Ala Asn Asp			
10	270	275	280	
	atc aag gag gat gcc att gct ccc cgg acc ctg ccc tgg ccc aag agc	1033		
	Ile Lys Glu Asp Ala Ile Ala Pro Arg Thr Leu Pro Trp Pro Lys Ser			
	285	290	295	300
	tca gac aca atc tcc aag aat ggg acc ctt tcc tct gtc acc tcc gca	1081		
15	Ser Asp Thr Ile Ser Lys Asn Gly Thr Leu Ser Ser Val Thr Ser Ala			
	305	310	315	
	cga gcc ctc cgg cca ccc cat ggc cct ccc agg cct ggt gca ttg acc	1129		
	Arg Ala Leu Arg Pro Pro His Gly Pro Pro Arg Pro Gly Ala Leu Thr			
	320	325	330	
20	ccc acg ccc agt ctc tcc agc cag gcc ctg ccc tca cca aga ctg ccc	1177		
	Pro Thr Pro Ser Leu Ser Ser Gln Ala Leu Pro Ser Pro Arg Leu Pro			
	335	340	345	
	acg aca gat ggg gcc cac cct caa cca ata tcc ccc atc cct ggt ggg	1225		
	Thr Thr Asp Gly Ala His Pro Gln Pro Ile Ser Pro Ile Pro Gly Gly			
25	350	355	360	

272/346

gtt tct tcc tct ggc ttg agc cgc atg ggt gct gtg cct gtg atg gtg 1273
 Val Ser Ser Ser Gly Leu Ser Arg Met Gly Ala Val Pro Val Met Val
 365 370 375 380
 cct gcc cag agt caa gct ggc tct ctg gta tga tgaccccacc actcattggc 1326
 5 Pro Ala Gln Ser Gln Ala Gly Ser Leu Val
 385 390
 taaaggattt ggggtctctc cttcctatag gggtcacctc tagcacagag gcctgagtc 1386
 tgggaaagag tcacactcct gacccttagt actctgcccc cacctctctt tactgtggga 1446
 aaaccatctc agtaagacct aagtgtccag gagacagaag gagaagagga agtggatctg 1506
 10 gaattgggag gagcctccac ccaccctga ctctcctta tgaagccagc tgctgaaatt 1566
 agctactcac caagagttag gggcagagac ttccagtcac tgagtctccc agggccccctt 1626
 gatctgtacc ccaccctat ctaacaccac ccttggctcc cactccagct ccctgtattg 1686
 atataacctg tcaggctggc ttggttaggt ttactgggg cagaggatag ggaatctctt 1746
 attaaaacta acatgaaata tgtgttggtt tcatttgcaa atttaaataa agatacataa 1806
 15 tgtttgtatg 1816

<210> 121

<211> 395

<212> PRT

20 <213> Homo sapiens

<400> 121

Met Ser Gly Met Glu Glu Tyr Thr Thr Val Ser Gly Glu Val Leu Gln
 1 5 10 15
 25 Arg Trp Lys Ile Pro Ser Phe Lys Glu Asn Gln Thr Leu Ser Met Gly

273/346

	20	25	30
	Ala Ala Thr Val Gln Ser Arg Gly Gln Tyr Ser Cys Ser Gly Gln Val		
	35	40	45
	Met Tyr Ile Pro Gln Thr Phe Thr Gln Thr Ser Glu Thr Ala Met Val		
5	50	55	60
	Gln Val Gln Glu Leu Phe Pro Pro Pro Val Leu Ser Ala Ile Pro Ser		
	65	70	75 80
	Pro Glu Pro Arg Glu Gly Ser Leu Val Thr Leu Arg Cys Gln Thr Lys		
	85	90	95
10	Leu His Pro Leu Arg Ser Ala Leu Arg Leu Leu Phe Ser Phe His Lys		
	100	105	110
	Asp Gly His Thr Leu Gln Asp Arg Gly Pro His Pro Glu Leu Cys Ile		
	115	120	125
	Pro Gly Ala Lys Glu Gly Asp Ser Gly Leu Tyr Trp Cys Glu Val Ala		
15	130	135	140
	Pro Glu Gly Gly Gln Val Gln Lys Gln Ser Pro Gln Leu Glu Val Arg		
	145	150	155 160
	Val Gln Ala Pro Val Ser Arg Pro Val Leu Thr Leu His His Gly Pro		
	165	170	175
20	Ala Asp Pro Ala Val Gly Asp Met Val Gln Leu Leu Cys Glu Ala Gln		
	180	185	190
	Arg Gly Ser Pro Pro Ile Leu Tyr Ser Phe Tyr Leu Asp Glu Lys Ile		
	195	200	205
	Val Gly Asn His Ser Ala Pro Cys Gly Gly Thr Thr Ser Leu Leu Phe		
25	210	215	220

274/346

Pro Val Lys Ser Glu Gln Asp Ala Gly Asn Tyr Ser Cys Glu Ala Glu
 225 230 235 240
 Asn Ser Val Ser Arg Glu Arg Ser Glu Pro Lys Lys Leu Ser Leu Lys
 245 250 255
 5 Gly Ser Gln Val Leu Phe Thr Pro Ala Ser Asn Trp Leu Val Pro Trp
 260 265 270
 Leu Pro Ala Ser Leu Leu Gly Leu Met Val Ile Ala Ala Ala Leu Leu
 275 280 285
 Val Tyr Val Arg Ser Trp Arg Lys Ala Gly Pro Leu Pro Ser Gln Ile
 10 290 295 300
 Pro Pro Thr Ala Pro Gly Gly Glu Gln Cys Pro Leu Tyr Ala Asn Val
 305 310 315 320
 His His Gln Lys Gly Lys Asp Glu Gly Val Val Tyr Ser Val Val His
 325 330 335
 15 Arg Thr Ser Lys Arg Ser Glu Ala Arg Ser Ala Glu Phe Thr Val Gly
 340 345 350
 Arg Lys Asp Ser Ser Ile Ile Cys Ala Glu Val Arg Cys Leu Gln Pro
 355 360 365
 Ser Glu Val Ser Ser Thr Glu Val Asn Met Arg Ser Arg Thr Leu Gln
 20 370 375 380
 Glu Pro Leu Ser Asp Cys Glu Glu Val Leu Cys
 385 390 395

 <210> 122
 25 <211> 550

275/346

<212> PRT

<213> Homo sapiens

<400> 122

5 Met Ala Phe Ser Lys Leu Leu Glu Gln Ala Gly Gly Val Gly Leu Phe
 1 5 10 15
 Gln Thr Leu Gln Val Leu Thr Phe Ile Leu Pro Cys Leu Met Ile Pro
 20 25 30
 Ser Gln Met Leu Leu Glu Asn Phe Ser Ala Ala Ile Pro Gly His Arg
 10 35 40 45
 Cys Trp Thr His Met Leu Asp Asn Gly Ser Ala Val Ser Thr Asn Met
 50 55 60
 Thr Pro Lys Ala Leu Leu Thr Ile Ser Ile Pro Pro Gly Pro Asn Gln
 65 70 75 80
 15 Gly Pro His Gln Cys Arg Arg Phe Arg Gln Pro Gln Trp Gln Leu Leu
 85 90 95
 Asp Pro Asn Ala Thr Ala Thr Ser Trp Ser Glu Ala Asp Thr Glu Pro
 100 105 110
 Cys Val Asp Gly Trp Val Tyr Asp Arg Ser Val Phe Thr Ser Thr Ile
 20 115 120 125
 Val Ala Lys Trp Asp Leu Val Cys Ser Ser Gln Gly Leu Lys Pro Leu
 130 135 140
 Ser Gln Ser Ile Phe Met Ser Gly Ile Leu Val Gly Ser Phe Ile Trp
 145 150 155 160
 25 Gly Leu Leu Ser Tyr Arg Phe Gly Arg Lys Pro Met Leu Ser Trp Cys

276/346

	165	170	175
	Cys Leu Gln Leu Ala Val Ala Gly Thr Ser Thr Ile Phe Ala Pro Thr		
	180	185	190
	Phe Val Ile Tyr Cys Gly Leu Arg Phe Val Ala Ala Phe Gly Met Ala		
5	195	200	205
	Gly Ile Phe Leu Ser Ser Leu Thr Leu Met Val Glu Trp Thr Thr Thr		
	210	215	220
	Ser Arg Arg Ala Val Thr Met Thr Val Val Gly Cys Ala Phe Ser Ala		
	225	230	235 240
10	Gly Gln Ala Ala Leu Gly Gly Leu Ala Phe Ala Leu Arg Asp Trp Arg		
	245	250	255
	Thr Leu Gln Leu Ala Ala Ser Val Pro Phe Phe Ala Ile Ser Leu Ile		
	260	265	270
	Ser Trp Trp Leu Pro Glu Ser Ala Arg Trp Leu Ile Ile Lys Gly Lys		
15	275	280	285
	Pro Asp Gln Ala Leu Gln Glu Leu Arg Lys Val Ala Arg Ile Asn Gly		
	290	295	300
	His Lys Glu Ala Lys Asn Leu Thr Ile Glu Val Leu Met Ser Ser Val		
	305	310	315 320
20	Lys Glu Glu Val Ala Ser Ala Lys Glu Pro Arg Ser Val Leu Asp Leu		
	325	330	335
	Phe Cys Val Pro Val Leu Arg Trp Arg Ser Cys Ala Met Leu Val Val		
	340	345	350
	Asn Phe Ser Leu Leu Ile Ser Tyr Tyr Gly Leu Val Phe Asp Leu Gln		
25	355	360	365

277/346

Ser Leu Gly Arg Asp Ile Phe Leu Leu Gln Ala Leu Phe Gly Ala Val
 370 375 380
 Asp Phe Leu Gly Arg Ala Thr Thr Ala Leu Leu Leu Ser Phe Leu Gly
 385 390 395 400
 5 Arg Arg Thr Ile Gln Ala Gly Ser Gln Ala Met Ala Gly Leu Ala Ile
 405 410 415
 Leu Ala Asn Met Leu Val Pro Gln Asp Leu Gln Thr Leu Arg Val Val
 420 425 430
 Phe Ala Val Leu Gly Lys Gly Cys Phe Gly Ile Ser Leu Thr Cys Leu
 10 435 440 445
 Thr Ile Tyr Lys Ala Glu Leu Phe Pro Thr Pro Val Arg Met Thr Ala
 450 455 460
 Asp Gly Ile Leu His Thr Val Gly Arg Leu Gly Ala Met Met Gly Pro
 465 470 475 480
 15 Leu Ile Leu Met Ser Arg Gln Ala Leu Pro Leu Leu Pro Pro Leu Leu
 485 490 495
 Tyr Gly Val Ile Ser Ile Ala Ser Ser Leu Val Val Leu Phe Phe Leu
 500 505 510
 Pro Glu Thr Gln Gly Leu Pro Leu Pro Asp Thr Ile Gln Asp Leu Glu
 20 515 520 525
 Ser Gln Lys Ser Thr Ala Ala Gln Gly Asn Arg Gln Glu Ala Val Thr
 530 535 540
 Val Glu Ser Thr Ser Leu
 545 550

25

278/346

<210> 123

<211> 218

<212> PRT

<213> Homo sapiens

5

<400> 123

Met Lys His Thr Leu Ala Leu Leu Ala Pro Leu Leu Gly Leu Gly Leu

1 5 10 15

Gly Leu Ala Leu Ser Gln Leu Ala Ala Gly Ala Thr Asp Cys Lys Phe

10 20 25 30

Leu Gly Pro Ala Glu His Leu Thr Phe Thr Pro Ala Ala Arg Ala Arg

35 40 45

Trp Leu Ala Pro Arg Val Arg Ala Pro Gly Leu Leu Asp Ser Leu Tyr

50 55 60

15 Gly Thr Val Arg Arg Phe Leu Ser Val Val Gln Leu Asn Pro Phe Pro

65 70 75 80

Ser Glu Leu Val Lys Ala Leu Leu Asn Glu Leu Ala Ser Val Lys Val

85 90 95

Asn Glu Val Val Arg Tyr Glu Ala Gly Tyr Val Val Cys Ala Val Ile

20 100 105 110

Ala Gly Leu Tyr Leu Leu Leu Val Pro Thr Ala Gly Leu Cys Phe Cys

115 120 125

Cys Cys Arg Cys His Arg Arg Cys Gly Gly Arg Val Lys Thr Glu His

130 135 140

25 Lys Ala Leu Ala Cys Glu Arg Ala Ala Leu Met Val Phe Leu Leu Leu

279/346

145 150 155 160
 Thr Thr Leu Leu Leu Leu Ile Gly Val Val Cys Ala Phe Val Thr Asn
 165 170 175
 Gln Arg Thr His Glu Gln Met Gly Pro Ser Ile Glu Ala Met Pro Glu
 5 180 185 190
 Thr Leu Leu Ser Leu Trp Gly Leu Val Ser Asp Val Pro Gln Val Ser
 195 200 205
 Thr Val Thr Pro His Pro His Val Pro Leu
 210 215
 10
 <210> 124
 <211> 596
 <212> PRT
 <213> Homo sapiens
 15
 <400> 124
 Met Ala Ala Asn Ser Thr Ser Asp Leu His Thr Pro Gly Thr Gln Leu
 1 5 10 15
 Ser Val Ala Asp Ile Ile Val Ile Thr Val Tyr Phe Ala Leu Asn Val
 20 20 25 30
 Ala Val Gly Ile Trp Ser Ser Cys Arg Ala Ser Arg Asn Thr Val Asn
 35 40 45
 Gly Tyr Phe Leu Ala Gly Arg Asp Met Thr Trp Trp Pro Ile Gly Ala
 50 55 60
 25 Ser Leu Phe Ala Ser Ser Glu Gly Ser Gly Leu Phe Ile Gly Leu Ala

	65	70	75	80
	Gly Ser Gly Ala Ala Gly Gly Leu Ala Val Ala Gly Phe Glu Trp Asn			
	85	90	95	
	Ala Thr Tyr Val Leu Leu Ala Leu Ala Trp Val Phe Val Pro Ile Tyr			
5	100	105	110	
	Ile Ser Ser Glu Ile Val Thr Leu Pro Glu Tyr Ile Gln Lys Arg Tyr			
	115	120	125	
	Gly Gly Gln Arg Ile Arg Met Tyr Leu Ser Val Leu Ser Leu Leu Leu			
	130	135	140	
10	Ser Val Phe Thr Lys Ile Ser Leu Asp Leu Tyr Ala Gly Ala Leu Phe			
	145	150	155	160
	Val His Ile Cys Leu Gly Trp Asn Phe Tyr Leu Ser Thr Ile Leu Thr			
	165	170	175	
	Leu Gly Ile Thr Ala Leu Tyr Thr Ile Ala Gly Gly Leu Ala Ala Val			
15	180	185	190	
	Ile Tyr Thr Asp Ala Leu Gln Thr Leu Ile Met Val Val Gly Ala Val			
	195	200	205	
	Ile Leu Thr Ile Lys Ala Phe Asp Gln Ile Gly Gly Tyr Gly Gln Leu			
	210	215	220	
20	Glu Ala Ala Tyr Ala Gln Ala Ile Pro Ser Arg Thr Ile Ala Asn Thr			
	225	230	235	240
	Thr Cys His Leu Pro Arg Thr Asp Ala Met His Met Phe Arg Asp Pro			
	245	250	255	
	His Thr Gly Asp Leu Pro Trp Thr Gly Met Thr Phe Gly Leu Thr Ile			
25	260	265	270	

281/346

Met Ala Thr Trp Tyr Trp Cys Thr Asp Gln Val Ile Val Gln Arg Ser
 275 280 285
 Leu Ser Ala Arg Asp Leu Asn His Ala Lys Ala Gly Ser Ile Leu Ala
 290 295 300
 5 Ser Tyr Leu Lys Met Leu Pro Met Gly Leu Ile Ile Met Pro Gly Met
 305 310 315 320
 Ile Ser Arg Ala Leu Phe Pro Asp Asp Val Gly Cys Val Val Pro Ser
 325 330 335
 Glu Cys Leu Arg Ala Cys Gly Ala Glu Val Gly Cys Ser Asn Ile Ala
 10 340 345 350
 Tyr Pro Lys Leu Val Met Glu Leu Met Pro Ile Gly Leu Arg Gly Leu
 355 360 365
 Met Ile Ala Val Met Leu Ala Ala Leu Met Ser Ser Leu Thr Ser Ile
 370 375 380
 15 Phe Asn Ser Ser Ser Thr Leu Phe Thr Met Asp Ile Trp Arg Arg Leu
 385 390 395 400
 Arg Pro Arg Ser Gly Glu Arg Glu Leu Leu Leu Val Gly Arg Leu Val
 405 410 415
 Ile Val Ala Leu Ile Gly Val Ser Val Ala Trp Ile Pro Val Leu Gln
 20 420 425 430
 Asp Ser Asn Ser Gly Gln Leu Phe Ile Tyr Met Gln Ser Val Thr Ser
 435 440 445
 Ser Leu Ala Pro Pro Val Thr Ala Val Phe Val Leu Gly Val Phe Trp
 450 455 460
 25 Arg Arg Ala Asn Glu Gln Gly Ala Phe Trp Gly Leu Ile Ala Gly Leu

282/346

465 470 475 480
 Val Val Gly Ala Thr Arg Leu Val Leu Glu Phe Leu Asn Pro Ala Pro
 485 490 495
 Pro Cys Gly Glu Pro Asp Thr Arg Pro Ala Val Leu Gly Ser Ile His
 5 500 505 510
 Tyr Leu His Phe Ala Val Ala Leu Phe Ala Leu Ser Gly Ala Val Val
 515 520 525
 Val Ala Gly Ser Leu Leu Thr Pro Pro Pro Gln Ser Val Gln Ile Glu
 530 535 540
 10 Asn Leu Thr Trp Trp Thr Leu Ala Gln Asp Val Pro Leu Gly Thr Lys
 545 550 555 560
 Ala Gly Asp Gly Gln Thr Pro Gln Lys His Ala Phe Trp Ala Arg Val
 565 570 575
 Cys Gly Phe Asn Ala Ile Leu Leu Met Cys Val Asn Ile Phe Phe Tyr
 15 580 585 590
 Ala Tyr Phe Ala
 595

 <210> 125
 20 <211> 467
 <212> PRT
 <213> Homo sapiens

 <400> 125
 25 Met Trp Arg Cys Pro Leu Gly Leu Leu Leu Leu Leu Pro Leu Ala Gly

283/346

	1		5		10		15
	His	Leu	Ala	Leu	Gly	Ala	Gln
				Gln	Gly	Arg	Gly
					Arg	Arg	Arg
					Glu	Leu	Ala
			20		25		30
	Pro	Gly	Leu	His	Leu	Arg	Gly
				Ile	Arg	Asp	Ala
					Gly	Gly	Arg
5			35		40		45
	Gln	Glu	Gln	Asp	Leu	Cys	Cys
				Arg	Gly	Arg	Ala
					Asp	Asp	Cys
					Ala	Leu	
			50		55		60
	Pro	Tyr	Leu	Gly	Ala	Ile	Cys
				Tyr	Cys	Asp	Leu
					Phe	Cys	Asn
					Arg	Thr	
			65		70		75
							80
10	Val	Ser	Asp	Cys	Cys	Pro	Asp
				Phe	Trp	Asp	Phe
					Cys	Leu	Gly
					Val	Pro	
				85		90	
						95	
	Pro	Pro	Phe	Pro	Pro	Ile	Gln
				Gly	Cys	Met	His
					Gly	Gly	Arg
					Ile	Tyr	
			100		105		110
	Pro	Val	Leu	Gly	Thr	Tyr	Trp
				Asp	Asn	Cys	Asn
					Arg	Cys	Thr
					Cys	Gln	
15			115		120		125
	Glu	Asn	Arg	Gln	Trp	Gln	Cys
				Asp	Gln	Glu	Pro
					Cys	Leu	Val
					Asp	Pro	
			130		135		140
	Asp	Met	Ile	Lys	Ala	Ile	Asn
				Gln	Gly	Asn	Tyr
					Gly	Trp	Gln
					Ala	Gly	
			145		150		155
							160
20	Asn	His	Ser	Ala	Phe	Trp	Gly
				Met	Thr	Leu	Asp
					Glu	Gly	Ile
					Arg	Tyr	
				165		170	
						175	
	Arg	Leu	Gly	Thr	Ile	Arg	Pro
				Ser	Ser	Ser	Val
					Met	Asn	Met
					His	Glu	
			180		185		190
	Ile	Tyr	Thr	Val	Leu	Asn	Pro
				Gly	Glu	Val	Leu
					Pro	Thr	Ala
					Phe	Glu	
25			195		200		205

284/346

Ala Ser Glu Lys Trp Pro Asn Leu Ile His Glu Pro Leu Asp Gln Gly
 210 215 220
 Asn Cys Ala Gly Ser Trp Ala Phe Ser Thr Ala Ala Val Ala Ser Asp
 225 230 235 240
 5 Arg Val Ser Ile His Ser Leu Gly His Met Thr Pro Val Leu Ser Pro
 245 250 255
 Gln Asn Leu Leu Ser Cys Asp Thr His Gln Gln Gln Gly Cys Arg Gly
 260 265 270
 Gly Arg Leu Asp Gly Ala Trp Trp Phe Leu Arg Arg Arg Gly Val Val
 10 275 280 285
 Ser Asp His Cys Tyr Pro Phe Ser Gly Arg Glu Arg Asp Glu Ala Gly
 290 295 300
 Pro Ala Pro Pro Cys Met Met His Ser Arg Ala Met Gly Arg Gly Lys
 305 310 315 320
 15 Arg Gln Ala Thr Ala His Cys Pro Asn Ser Tyr Val Asn Asn Asn Asp
 325 330 335
 Ile Tyr Gln Val Thr Pro Val Tyr Arg Leu Gly Ser Asn Asp Lys Glu
 340 345 350
 Ile Met Lys Glu Leu Met Glu Asn Gly Pro Val Gln Ala Leu Met Glu
 20 355 360 365
 Val His Glu Asp Phe Phe Leu Tyr Lys Gly Gly Ile Tyr Ser His Thr
 370 375 380
 Pro Val Ser Leu Gly Arg Pro Glu Arg Tyr Arg Arg His Gly Thr His
 385 390 395 400
 25 Ser Val Lys Ile Thr Gly Trp Gly Glu Glu Thr Leu Pro Asp Gly Arg

285/346

405 410 415
 Thr Leu Lys Tyr Trp Thr Ala Ala Asn Ser Trp Gly Pro Ala Trp Gly
 420 425 430
 Glu Arg Gly His Phe Arg Ile Val Arg Gly Val Asn Glu Cys Asp Ile
 5 435 440 445
 Glu Ser Phe Val Leu Gly Val Trp Gly Arg Val Gly Met Glu Asp Met
 450 455 460
 Gly His His
 465
 10
 <210> 126
 <211> 476
 <212> PRT
 <213> Homo sapiens
 15
 <400> 126
 Met Ala Gly Ser Asp Thr Ala Pro Phe Leu Ser Gln Ala Asp Asp Pro
 1 5 10 15
 Asp Asp Gly Pro Val Pro Gly Thr Pro Gly Leu Pro Gly Ser Thr Gly
 20 20 25 30
 Asn Pro Lys Ser Glu Glu Pro Glu Val Pro Asp Gln Glu Gly Leu Gln
 35 40 45
 Arg Ile Thr Gly Leu Ser Pro Gly Arg Ser Ala Leu Ile Val Ala Val
 50 55 60
 25 Leu Cys Tyr Ile Asn Leu Leu Asn Tyr Met Asp Arg Phe Thr Val Ala

286/346

	65	70	75	80
	Gly Val Leu Pro Asp Ile Glu Gln Phe Phe Asn Ile Gly Asp Ser Ser			
	85	90	95	
	Ser Gly Leu Ile Gln Thr Val Phe Ile Ser Ser Tyr Met Val Leu Ala			
5	100	105	110	
	Pro Val Phe Gly Tyr Leu Gly Asp Arg Tyr Asn Arg Lys Tyr Leu Met			
	115	120	125	
	Cys Gly Gly Ile Ala Phe Trp Ser Leu Val Thr Leu Gly Ser Ser Phe			
	130	135	140	
10	Ile Pro Gly Glu His Phe Trp Leu Leu Leu Leu Thr Arg Gly Leu Val			
	145	150	155	160
	Gly Val Gly Glu Ala Ser Tyr Ser Thr Ile Ala Pro Thr Leu Ile Ala			
	165	170	175	
	Asp Leu Phe Val Ala Asp Gln Arg Ser Arg Met Leu Ser Ile Phe Tyr			
15	180	185	190	
	Phe Ala Ile Pro Val Gly Ser Gly Leu Gly Tyr Ile Ala Gly Ser Lys			
	195	200	205	
	Val Lys Asp Met Ala Gly Asp Trp His Trp Ala Leu Arg Val Thr Pro			
	210	215	220	
20	Gly Leu Gly Val Val Ala Val Leu Leu Leu Phe Leu Val Val Arg Glu			
	225	230	235	240
	Pro Pro Arg Gly Ala Val Glu Arg His Ser Asp Leu Pro Pro Leu Asn			
	245	250	255	
	Pro Thr Ser Trp Trp Ala Asp Leu Arg Ala Leu Ala Arg Asn Leu Ile			
25	260	265	270	

287/346

Phe Gly Leu Ile Thr Cys Leu Thr Gly Val Leu Gly Val Gly Leu Gly
 275 280 285
 Val Glu Ile Ser Arg Arg Leu Arg His Ser Asn Pro Arg Ala Asp Pro
 290 295 300
 5 Leu Val Cys Ala Thr Gly Leu Leu Gly Ser Ala Pro Phe Leu Phe Leu
 305 310 315 320
 Ser Leu Ala Cys Ala Arg Gly Ser Ile Val Ala Thr Tyr Ile Phe Ile
 325 330 335
 Phe Ile Gly Glu Thr Leu Leu Ser Met Asn Trp Ala Ile Val Ala Asp
 10 340 345 350
 Ile Leu Leu Tyr Val Val Ile Pro Thr Arg Arg Ser Thr Ala Glu Ala
 355 360 365
 Phe Gln Ile Val Leu Ser His Leu Leu Gly Asp Ala Gly Ser Pro Tyr
 370 375 380
 15 Leu Ile Gly Leu Ile Ser Asp Arg Leu Arg Arg Asn Trp Pro Pro Ser
 385 390 395 400
 Phe Leu Ser Glu Phe Arg Ala Leu Gln Phe Ser Leu Met Leu Cys Ala
 405 410 415
 Phe Val Gly Ala Leu Gly Gly Ala Ala Phe Leu Gly Thr Ala Ile Phe
 20 420 425 430
 Ile Glu Ala Asp Arg Arg Arg Ala Gln Leu His Val Gln Gly Leu Leu
 435 440 445
 His Glu Ala Gly Ser Thr Asp Asp Arg Ile Val Val Pro Gln Arg Gly
 450 455 460
 25 Arg Ser Thr Arg Val Pro Val Ala Ser Val Leu Ile

288/346

465

470

475

<210> 127

<211> 449

5 <212> PRT

<213> Homo sapiens

<400> 127

Met Ser Asp Ile Arg His Ser Leu Leu Arg Arg Asp Ala Leu Ser Ala
10 1 5 10 15
Ala Lys Glu Val Leu Tyr His Leu Asp Ile Tyr Phe Ser Ser Gln Leu
 20 25 30
Gln Ser Ala Pro Leu Pro Ile Val Asp Lys Gly Pro Val Glu Leu Leu
 35 40 45
15 Glu Glu Phe Val Phe Gln Val Pro Lys Glu Arg Ser Ala Gln Pro Lys
 50 55 60
Arg Leu Asn Ser Leu Gln Glu Leu Gln Leu Leu Glu Ile Met Cys Asn
 65 70 75 80
Tyr Phe Gln Glu Gln Thr Lys Asp Ser Val Arg Gln Ile Ile Phe Ser
20 85 90 95
Ser Leu Phe Ser Pro Gln Gly Asn Lys Ala Asp Asp Ser Arg Met Ser
 100 105 110
Leu Leu Gly Lys Leu Val Ser Met Ala Val Ala Val Cys Arg Ile Pro
 115 120 125
25 Val Leu Glu Cys Ala Ala Ser Trp Leu Gln Arg Thr Pro Val Val Tyr

289/346

	130		135		140	
	Cys Val Arg Leu Ala Lys Ala Leu Val Asp Asp Tyr Cys Cys Leu Val					
	145		150		155	160
	Pro Gly Ser Ile Gln Thr Leu Lys Gln Ile Phe Ser Ala Ser Pro Arg					
5		165		170		175
	Phe Cys Cys Gln Phe Ile Thr Ser Val Thr Ala Leu Tyr Asp Leu Ser					
		180		185		190
	Ser Asp Asp Leu Ile Pro Pro Met Asp Leu Leu Glu Met Ile Val Thr					
		195		200		205
10	Trp Ile Phe Glu Asp Pro Arg Leu Ile Leu Ile Thr Phe Leu Asn Thr					
		210		215		220
	Pro Ile Ala Ala Asn Leu Pro Ile Gly Phe Leu Glu Leu Thr Pro Leu					
		225		230		235
	Val Gly Leu Ile Arg Trp Cys Val Lys Ala Pro Leu Ala Tyr Lys Arg					
15		245		250		255
	Lys Lys Lys Pro Pro Leu Ser Asn Gly His Val Ser Asn Lys Val Thr					
		260		265		270
	Lys Asp Pro Gly Val Gly Met Asp Arg Asp Ser His Leu Leu Tyr Ser					
		275		280		285
20	Lys Leu His Leu Ser Val Leu Gln Val Leu Met Thr Leu Gln Leu His					
		290		295		300
	Leu Thr Glu Lys Asn Leu Tyr Gly Arg Leu Gly Leu Ile Leu Phe Asp					
		305		310		315
	His Met Val Pro Leu Val Glu Glu Ile Asn Arg Leu Ala Asp Glu Leu					
25		325		330		335

290/346

Asn Pro Leu Asn Ala Ser Gln Glu Ile Glu Leu Ser Leu Asp Arg Leu
340 345 350
Ala Gln Ala Leu Gln Val Ala Met Ala Ser Gly Ala Leu Leu Cys Thr
355 360 365
5 Arg Asp Asp Leu Arg Thr Leu Cys Ser Arg Leu Pro His Asn Asn Leu
370 375 380
Leu Gln Leu Val Ile Ser Gly Pro Val Gln Gln Ser Pro His Ala Ala
385 390 395 400
Leu Pro Pro Gly Phe Tyr Pro His Ile His Thr Pro Pro Leu Gly Tyr
10 405 410 415
Gly Ala Val Pro Ala His Pro Ala Ala His Pro Ala Leu Pro Thr His
420 425 430
Pro Gly His Thr Phe Ile Ser Gly Val Thr Phe Pro Phe Arg Pro Ile
435 440 445
15 Arg

<210> 128

<211> 105

20 <212> PRT

<213> Homo sapiens

<400> 128

Met Arg Arg Ile Ser Leu Thr Ser Ser Pro Val Arg Leu Leu Leu Phe
25 1 5 10 15

291/346

Leu Leu Leu Leu Leu Ile Ala Leu Glu Ile Met Val Gly Gly His Ser
20 25 30
Leu Cys Phe Asn Phe Thr Ile Lys Ser Leu Ser Arg Pro Gly Gln Pro
35 40 45
5 Trp Cys Glu Ala Gln Val Phe Leu Asn Lys Asn Leu Phe Leu Gln Tyr
50 55 60
Asn Ser Asp Asn Asn Met Val Lys Pro Leu Gly Leu Leu Gly Lys Lys
65 70 75 80
Val Asn Ala Thr Ser Thr Trp Gly Glu Asn Pro Asn Ala Gly Arg Ser
10 85 90 95
Gly Ala Arg Pro Gln Asp Ala Pro Leu
100 105

<210> 129
15 <211> 81
<212> PRT
<213> Homo sapiens

<400> 129
20 Met Ser Pro Asp Val Arg Phe Leu Leu Leu Leu Leu Leu Pro Leu
1 5 10 15
Arg Arg Pro Val Pro Val Ala Ala Gly Pro Gly Asp Thr Arg Pro Ala
20 25 30
Leu Leu Ser Phe Glu Ala Pro Val Phe Val Pro Thr Leu Thr Pro Gly
25 35 40 45

292/346

Cys Leu Gln Gln Pro Arg Gly Arg Asn Gly Ala Ser Pro Arg Gly Leu
50 55 60
Leu Pro Gln Pro Leu Asp Gly Thr Ala Ala Ser Pro Val Cys His His
65 70 75 80
5 Val

<210> 130
<211> 552
10 <212> PRT
<213> Homo sapiens

<400> 130
Met Arg Arg Leu Thr Arg Arg Leu Val Leu Pro Val Phe Gly Val Leu
15 1 5 10 15
Trp Ile Thr Val Leu Leu Phe Phe Trp Val Thr Lys Arg Lys Leu Glu
20 20 25 30
Val Pro Thr Gly Pro Glu Val Gln Thr Pro Lys Pro Ser Asp Ala Asp
35 40 45
20 Trp Asp Asp Leu Trp Asp Gln Phe Asp Glu Arg Arg Tyr Leu Asn Ala
50 55 60
Lys Lys Trp Arg Val Gly Asp Asp Pro Tyr Lys Leu Tyr Ala Phe Asn
65 70 75 80
Gln Arg Glu Ser Glu Arg Ile Ser Ser Asn Arg Ala Ile Pro Asp Thr
25 85 90 95

293/346

Arg His Leu Arg Cys Thr Leu Leu Val Tyr Cys Thr Asp Leu Pro Pro
 100 105 110
 Thr Ser Ile Ile Ile Thr Phe His Asn Glu Ala Arg Ser Thr Leu Leu
 115 120 125
 5 Arg Thr Ile Arg Ser Val Leu Asn Arg Thr Pro Thr His Leu Ile Arg
 130 135 140
 Glu Ile Ile Leu Val Asp Asp Phe Ser Asn Asp Pro Asp Asp Cys Lys
 145 150 155 160
 Gln Leu Ile Lys Leu Pro Lys Val Lys Cys Leu Arg Asn Asn Glu Arg
 10 165 170 175
 Gln Gly Leu Val Arg Ser Arg Ile Arg Gly Ala Asp Ile Ala Gln Gly
 180 185 190
 Thr Thr Leu Thr Phe Leu Asp Ser His Cys Glu Val Asn Arg Asp Trp
 195 200 205
 15 Leu Gln Pro Leu Leu His Arg Val Lys Glu Asp Tyr Thr Arg Val Val
 210 215 220
 Cys Pro Val Ile Asp Ile Ile Asn Leu Asp Thr Phe Thr Tyr Ile Glu
 225 230 235 240
 Ser Ala Ser Glu Leu Arg Gly Gly Phe Asp Trp Ser Leu His Phe Gln
 20 245 250 255
 Trp Glu Gln Leu Ser Pro Glu Gln Lys Ala Arg Arg Leu Asp Pro Thr
 260 265 270
 Glu Pro Ile Arg Thr Pro Ile Ile Ala Gly Gly Leu Phe Val Ile Asp
 275 280 285
 25 Lys Ala Trp Phe Asp Tyr Leu Gly Lys Tyr Asp Met Asp Met Asp Ile

294/346

	290	295	300	
	Trp Gly Gly Glu Asn Phe Glu Ile Ser Phe Arg Val Trp Met Cys Gly			
	305	310	315	320
	Gly Ser Leu Glu Ile Val Pro Cys Ser Arg Val Gly His Val Phe Arg			
5	325	330	335	
	Lys Lys His Pro Tyr Val Phe Pro Asp Gly Asn Ala Asn Thr Tyr Ile			
	340	345	350	
	Lys Asn Thr Lys Arg Thr Ala Glu Val Trp Met Asp Glu Tyr Lys Gln			
	355	360	365	
10	Tyr Tyr Tyr Ala Ala Arg Pro Phe Ala Leu Glu Arg Pro Phe Gly Asn			
	370	375	380	
	Val Glu Ser Arg Leu Asp Leu Arg Lys Asn Leu Arg Cys Gln Ser Phe			
	385	390	395	400
	Lys Trp Tyr Leu Glu Asn Ile Tyr Pro Glu Leu Ser Ile Pro Lys Glu			
15	405	410	415	
	Ser Ser Ile Gln Lys Gly Asn Ile Arg Gln Arg Gln Lys Cys Leu Glu			
	420	425	430	
	Ser Gln Arg Gln Asn Asn Gln Glu Thr Pro Asn Leu Lys Leu Ser Pro			
	435	440	445	
20	Cys Ala Lys Val Lys Gly Glu Asp Ala Lys Ser Gln Val Trp Ala Phe			
	450	455	460	
	Thr Tyr Thr Gln Gln Ile Leu Gln Glu Glu Leu Cys Leu Ser Val Ile			
	465	470	475	480
	Thr Leu Phe Pro Gly Ala Pro Val Val Leu Val Leu Cys Lys Asn Gly			
25	485	490	495	

295/346

Asp Asp Arg Gln Gln Trp Thr Lys Thr Gly Ser His Ile Glu His Ile
 500 505 510
 Ala Ser His Leu Cys Leu Asp Thr Asp Met Phe Gly Asp Gly Thr Glu
 515 520 525
 5 Asn Gly Lys Glu Ile Val Val Asn Pro Cys Glu Ser Ser Leu Met Ser
 530 535 540
 Gln His Trp Asp Met Val Ser Ser
 545 550

10 <210> 131
 <211> 1188
 <212> DNA
 <213> Homo sapiens

15 <400> 131
 atgtcagggg tggaagaata caccactgtc tcaggtgaag ttctacagag atggaaaatt 60
 ccttcattta aggaaaacca gactctgtcc atgggagcag caacagtgca gagccgtggc 120
 cagtacagct gctctgggca ggtgatgtat attccacaga cattcacaca aacttcagag 180
 actgccatgg ttcaagtcca agagctgttt ccacctcctg tgctgagtgc catccccctc 240
 20 cctgagcccc gagagggtag cctggtgacc ctgagatgtc agacaaagct gcacccccctg 300
 aggtcagcct tgaggctcct tttctccttc cacaaggacg gccacacctt gcaggacagg 360
 ggccctcacc cagaactctg catcccggga gccaaaggagg gagactctgg gctttactgg 420
 tgtgaggtgg ccctgaggg tggccaggtc cagaagcaga gccccagct ggaggtcaga 480
 gtgcaggctc ctgtatcccg tcctgtgtc actctgcacc acgggectgc tgacctgt 540
 25 gtgggggaca tggtgcagct cctctgtgag gcacagagg gctccccctc gatcctgtat 600

296/346

tccttctacc ttgatgagaa gattgtgggg aaccactcag ctccctgtgg tggaaccacc 660
 tccctcctct tcccagtga gtcagaacag gatgctggga actactcctg cgaggctgag 720
 aacagtgtct ccagagagag gagtgaagccc aagaagctgt ctctgaaggg ttctcaagtc 780
 ttgttcactc ccgccagcaa ctggctgggt ccttggtctc ctgcgagcct gcttggcctg 840
 5 atggttattg ctgctgcact tctggtttat gtgagatcct ggagaaaagc tgggccccctt 900
 ccatcccaga taccaccac agctccaggt ggagagcagt gccactata tgccaacgtg 960
 catcaccaga aagggaaaga tgaaggtggt gtctactctg tgggtgcatag aacctcaaag 1020
 aggagtgaag ccaggtctgc tgagttcacc gtggggagaa aggacagttc tatcatctgt 1080
 gcggaggtga gatgcctgca gcccagtga gtttcatcca cggaggtgaa tatgagaagc 1140
 10 aggactctcc aagaaccct tagcgactgt gaggaggttc tctgctag 1188

<210> 132

<211> 1653

<212> DNA

15 <213> Homo sapiens

<400> 132

atggcgttct cgaagctctt ggagcaagcc ggaggcgtgg gcctcttcca gaccctgcag 60
 gtgctcacct tcatectccc ctgcctcatg ataccttccc agatgctcct ggagaacttc 120
 20 tcagccgcca tcccaggcca ccgatgctgg acacacatgc tggacaatgg ctctgcgggtt 180
 tccacaaaca tgacccccaa ggcccttctg accatctcca tcccgccagg ccccaaccag 240
 gggccccacc agtgccgccg cttccgccag ccacagtggc agctcttgga ccccaatgcc 300
 acggccacca gctggagcga agctgacacg gagccgtgtg tggacggctg ggtctatgac 360
 cgcagcgtct tcacctccac catcgtggcc aagtgggacc tgggtgtgag ctcccagggc 420
 25 ttgaagcccc taagccagtc catcttcatg tccgggatcc tgggtgggctc ctttatctgg 480

297/346

ggcctcctct cctaccggtt tgggaggaag ccgatgctga gctgggtgctg cctgcagttg 540
gccgtggcgg gcaccagcac catcttcgcc ccaacattcg tcctctactg cggcctgcgg 600
ttcgtggccg cttttgggat ggccggcatc tttctgagtt cactgacact gatgggtggag 660
tggaccacga ccagcaggag ggccgtcacc atgacggtgg tgggatgtgc cttcagcgca 720
5 ggcagggcgg cgctgggcgg cctggccttt gcctgcggg actggaggac tctccagctg 780
gcagcatcag tgcccttctt tgccatctcc ctgatatcct ggtggctgcc agaatccgcc 840
cgggtggctga ttattaaggg caaaccagac caagcacttc aggagctcag aaagggtggc 900
aggataaatg gccacaagga ggccaagaac ctgaccatag aggtgctgat gtccagcgtg 960
aaggaggagg tggcctctgc aaaggagccg cggtcggtgc tggacctgtt ctgcgtgcc 1020
10 gtgctccgct ggaggagctg cgccatgctg gtggtgaatt tctctctatt gatctcctac 1080
tatgggctgg tcttcgacct gcagagcctg ggccgtgaca tcttcctcct ccaggccctc 1140
ttcggggccg tggacttcct gggccgggcc accactgccc tcttgctcag tttccttggc 1200
cgccgcacca tccaggcggg tccccaggcc atggccggcc tcgccattct agccaacatg 1260
ctgggtgccg aagatttgca gaccctgcgt gtggtctttg ctgtgctggg aaagggatgt 1320
15 tttgggataa gcctaacctg cctcaccatc tacaaggctg aactctttcc aacgccagt 1380
cggatgacag cagatggcat tctgcataca gtgggccggc tgggggctat gatgggtccc 1440
ctgatcctga tgagccgcca agccctgccc ctgctgcctc ctctcctcta tggcgttacc 1500
tccattgctt ccagcctggg tgtgctgttc ttcctcccgg agaccaggg acttcgcctc 1560
cctgacacta tccaggacct ggagagccag aatcaacag cagcccaggg caaccggcaa 1620
20 gaggccgtca ctgtggaaag tacctcgctc tag 1653

<210> 133

<211> 657

<212> DNA

25 <213> Homo sapiens

298/346

<400> 133

atgaagcaca cactggctct gctggctccc ctgctgggcc tgggcctggg gctggccctg 60
agtcagctgg ctgcaggggc cacagactgc aagttccttg gcccggcaga gcacctgaca 120
5 ttcaccccag cagccagggc ccggtggctg gccctcgag ttcgtgcgcc aggactcctg 180
gactccctct atggcacctg gcgccgttc ctctcgttg tgcagctcaa tcctttccct 240
tcagagttgg taaaggccct actgaatgag ctggcctccg tgaagggtgaa tgagggtggtg 300
cggtagcagg cgggctacgt ggtatgcgt gtgatcgcg gcctctacct gctgctggtg 360
cccactgccg ggctttgctt ctgctgctgc cgctgccacc ggcgctgcgg gggacgagtg 420
10 aagacagagc acaaggcgct ggctgtgag cgcgcggccc tcattggtctt cctgctgctg 480
accacctct tctgctgat tgggtgggtc tgtgcctttg tcaccaacca gcgcacgcat 540
gaacagatgg gcccagcat cgaggccatg cctgagaccc tgctcagcct ctggggcctg 600
gtctctgatg tcccccaagt gagcactgtt acccctcacc ctcatgtgcc cctgtga 657

15 <210> 134

<211> 1791

<212> DNA

<213> Homo sapiens

20 <400> 134

atggccgcca actccaccag cgacctcac actcccggga cgcagctgag cgtggctgac 60
atcatcgtca tcaactgtga ttttgctctg aatgtggccg tgggcatatg gtctcttctg 120
cgggccagta ggaacacggt gaatggctac ttcctggcag gccgggacat gacgtgggtg 180
ccgattggag cctccctctt cgccagcagc gagggctctg gcctcttcat tggactggcg 240
25 ggctcaggcg cggcaggagg tctggccgtg gcaggcttcg agtggaatgc cacgtacgtg 300

299/346

ctgctggcac tggcatgggt gttcgtgcc atctacatct cctcagagat cgtcacctta 360
cctgagtaca ttcagaagcg ctacgggggc cagcggatcc gcatgtacct gtctgtcctg 420
tcctgtctac tgtctgtctt caccaagata tcgctggacc tgtacgcggg ggctctgttt 480
gtgcacatct gcctgggctg gaactttctac ctctccacca tcctcacgct cggcatcaca 540
5 gccctgtaca ccatgcagcg gggcctggct gctgtaatct acacggacgc cctgcagacg 600
ctcatcatgg tggtaggggc tgtcatcctg acaatcaaag cttttgacca gatcggtggt 660
tacgggcagc tggaggcagc ctacgccag gccattccct ccaggaccat tgccaacacc 720
acctgccacc tgccaagtac agacgccatg cacatgtttc gagaccccca cacaggggac 780
ctgccgtgga ccgggatgac ctttggcctg accatcatgg ccacctggta ctggtgcacc 840
10 gaccaggtca tcgtgcagcg atcaactgtca gccggggacc tgaacctatgc caaggcgggc 900
tccatcctgg ccagctacct caagatgctc cccatggggc tgatcataat gccgggcatg 960
atcagccgcy cattgttccc agatgatgtg ggctgcgtgg tgccgtccga gtgcctgcgg 1020
gcctgcgggg ccgaggtcgg ctgctccaac atgcctacc ccaagctggc catggaactg 1080
atgcccacgc gtctgcgggg gctgatgac gcagtgatgc tggcggcgct catgtcgtcg 1140
15 ctgacctcca tcttcaacag cagcagcacc ctcttacta tggacatctg gaggcggctg 1200
cgtccccgct ccggcgagcg ggagctcctg ctggtgggac ggctggatcat agtggcactc 1260
atcggcgtga gtgtggcctg gatcccgctc ctgcaggact ccaacagcgg gcaactcttc 1320
atctacatgc agtcagtgac cagctccctg gccccaccag tgactgcagt ctttgtcctg 1380
ggcgtcttct ggcgacgtgc caacgagcag ggggccttct ggggcctgat agcagggctg 1440
20 gtggtggggg ccacgaggct ggtcctggaa ttctgaacc cagccccacc gtgcggagag 1500
ccagacacgc ggccagccgt cctggggagc atccactacc tgcaacttcgc tgcgccttc 1560
tttgactca gtggtgctgt tgtggtggct ggaagcctgc tgacccacc ccacagagt 1620
gtccagattg agaaccttac ctggtggacc ctggctcagg atgtgcctt gggaactaaa 1680
gcaggtgatg gccaaacacc ccagaaacac gccttctggg cccgtgtctg tggcttcaat 1740
25 gccatcctcc tcatgtgtgt caacatattc ttttatgcct acttcgctg a 1791

300/346

<210> 135

<211> 1404

<212> DNA

5 <213> Homo sapiens

<400> 135

atgtggcgat gtccactggg gctactgctg ttgctgccgc tggctggcca cttggctctg 60
ggtgcccagc agggctcgtgg gcgccgggag ctagcaccgg gtctgcacct gcggggcatc 120
10 cgggacgcgg gaggccggtta ctgccaggag caggacctgt gctgccgcgg ccgtgccgac 180
gactgtgccc tgccctacct gggcgccatc tggtactgtg acctcttctg caaccgcacg 240
gtctccgact gctgccctga cttctgggac ttctgcctcg gcgtgccacc cccttttccc 300
ccgatccaag gatgtatgca tggaggctgt atctatccag tcttgggaac gtactgggac 360
aactgtaacc gttgcacctg ccaggagaac aggcagtggc agtgtgacca agaaccatgc 420
15 ctggtggatc cagacatgat caaagccatc aaccagggca actatggctg gcaggctggg 480
aaccacagcg ccttctgggg catgacctg gatgagggca ttctgtaccg cctgggcacc 540
atccgcccac cttcctcggc catgaacatg catgaaattt atacagtgtg gaaccaggg 600
gaggtgcttc ccacagcctt cgaggcctct gagaagtggc ccaacctgat tcatgagcct 660
cttgaccaag gcaactgtgc aggtccttg gccttctcca cagcagctgt ggcatccgat 720
20 cgtgtctcaa tccattctct gggacacatg acgcctgtcc tgtcgcccca gaacctgctg 780
tcttgtgaca cccaccagca gcagggtgc gcgggtgggc gtctcgatgg tgctgggtgg 840
ttcctgcgtc gccgaggggt ggtgtctgac cactgctacc ccttctcggg ccgtgaacga 900
gacgaggctg gccctgcgcc cccctgtatg atgcacagcc gagccatggg tcggggcaag 960
cgccaggcca ctgcccactg ccccaacagc tatgttaata acaatgacat ctaccaggtc 1020
25 actcctgtct accgcctcgg ctccaacgac aaggagatca tgaaggagct gatggagaat 1080

301/346

ggccctgtcc aagccctcat ggaggtgcat gaggacttct tcctatacaa gggaggcatc 1140
 tacagccaca cgccagttag ccttgggagg ccagagagat accgccggca tgggaccac 1200
 tcagtcaaga tcacaggatg gggagaggag acgctgccag atggaaggac gctcaaatac 1260
 tggactgcgg ccaactcctg gggcccagcc tggggcgaga ggggccactt ccgcatcgtg 1320
 5 cgcgcgctca atgagtgcga catcgagagc ttctgtgctgg gcgtctgggg ccgctggggc 1380
 atggaggaca tgggtcatca ctga 1404

<210> 136

<211> 1431

10 <212> DNA

<213> Homo sapiens

<400> 136

atggccgggt ccgacaccgc gcccttcctc agccaggcgg atgaccggga cgacgggcca 60
 15 gtgcctggca ccccggggtt gccagggtcc acggggaacc cgaagtccga ggagcccgag 120
 gtcccggaac aggaggggct gcagcgcatc accggcctgt ctcccgccg ttcggtctc 180
 atagtggcgg tgctgtgcta catcaatctc ctgaactaca tggaccgctt caccgtggct 240
 gggtccttc ccgacatcga gcagtcttc aacatcgggg acagtagctc tgggtcatc 300
 cagaccgtgt tcatctccag ttacatggtg ttggcacctg tgtttggcta cctgggtgac 360
 20 aggtacaatc ggaagtatct catgtgcggg ggcatcgctt tctggtcctt ggtgacactg 420
 gggtcacctt tcatccccg agagcatttc tggctgctcc tcctgaccg gggcctggtg 480
 ggggtcgggg aggccagtta ttccaccatc gcgccactc tcattgccga cctctttgtg 540
 gccgaccagc ggagccggat gtcagcatc ttctactttg ccattccggt gggcagtgg 600
 ctgggtctaca ttgcaggctc caaagtgaag gatatggctg gagactggca ctgggtctc 660
 25 aggggtgacac cgggtctagg agtggtggcc gttctgctgc tgttctggt agtgccggag 720

302/346

ccgccaaggg gagccgtgga ggcgcactca gatttgccac cctgaaccc cacctcgtgg 780
tgggcagatc tgagggctct ggcaagaaat ctcacttttg gactcatcac ctgcctgacc 840
ggagtcctgg gtgtgggcct ggggtgtggag atcagccgcc ggctccgcca ctccaacccc 900
cgggctgata ccttgtctg tgccactggc ctcctgggct ctgcaccctt cctcttcctg 960
5 tcccttgctt ggcgccgtgg tagcatcgtg gccacttata ttttcatctt cattggagag 1020
acctcctgt ccatgaactg ggccatcgtg gccgacattc tgctgtacgt ggtgatccct 1080
acccgacgct ccaccgccga ggccttccag atcgtgctgt ccacactgct ggggtgatgct 1140
gggagccctt acctcattgg cctgatctct gaccgcctgc gccggaactg gccccctcc 1200
ttcttgctcg agttccgggc tctgcagttc tcgtcatgac tctgcgcgtt tgttggggca 1260
10 ctgggcgggc cagccttcct gggcacgcc atcttcattg aggcgaccg ccggcgggca 1320
cagctgcacg tgcagggcct gctgcacgaa gcagggtcca cagacgaccg gattgtgggtg 1380
ccccagcggg gccgctccac ccgcgtgcc gtggccagtg tgctcatctg a 1431

<210> 137

15 <211> 1350

<212> DNA

<213> Homo sapiens

<400> 137

20 atgagcgaca tccgccactc gctgctgcgc cgcgatgcgc tgagcgccgc caaggaggtg 60
ttgtaccacc tggacatcta cttcagcagc cagctgcaga gcgcgcgcgt gccatcgtg 120
gacaagggcc ccgtggagct gctggaggag ttcgtgttcc aggtgcccga ggagcgagc 180
gcgcagccca agagactgaa ttcccttcag gagcttcaac ttcttgaaat catgtgcaat 240
tatttccagg agcaaaccga ggactctgtt cggcagatta ttttttcata ctttttcagc 300
25 cctcaaggga acaaagccga tgacagccgg atgagcttgt tgggaaaact ggtctccatg 360

303/346

gcggtggctg tgtgtcgaat cccggtggtg gagtgtgctg cctcctggct tcagcggacg 420
cccgtggttt actgtgtgag gttagccaag gccctttag atgactactg ctgtttggtg 480
ccgggatcca ttcagacgct gaagcagata ttcagtgcc a gccgagatt ctgctgccag 540
ttcatcacct ccgttaccgc gctctatgac ctgtcatcag atgacctcat tccacctatg 600
5 gacttgcttg aaatgattgt cacctggatt tttgaggacc caaggttgat totcatcact 660
tttttaaata ctccgattgc ggccaatctg ccaataggat tcttagagct caccocgctc 720
gttggttgga tccgctgggtg cgtgaaggca cccctggctt ataaaaggaa aaagaagccc 780
cccttatcca atggccatgt cagcaacaag gtcacaaagg acccgggctg ggggatggac 840
agagactccc acctcttgta ctcaaaactc cacctcagcg tctgcaagt gctcatgacg 900
10 ctgcagctgc acctgaccga gaagaatctg tatgggcgcc tggggctgat cctcttcgac 960
cacatggtcc cgctggtaga ggagatcaac aggttggcgc atgaactgaa cccctcaac 1020
gcctcccagg agattgagct ctgctggac cggtggcgc aggtctgca ggtggccatg 1080
gcctcaggag ctctgctgtg cacgagagat gacctgagaa ccttgtgctc caggctgccc 1140
cataataacc tctccagct ggtgatctcg ggtcccgctc agcagtcgcc tcacgcgcg 1200
15 ctccccccg ggttctacct ccacatccac acgccccgc tgggctacgg ggctgtccc 1260
gccaccccc cgccacccc cgcctgccc acgaccccc gccacacct catctccggc 1320
gtgaccttc ccttcaggcc catccgctag 1350

<210> 138

20 <211> 318

<212> DNA

<213> Homo sapiens

<400> 138

25 atgcgaagaa tatccctgac ttctagccct gtgcgccttc tttgtttct gctgttgcta 60

304/346

ctaatagcct tggagatcat ggttggtggt cactctcttt gottcaactt cactataaaa 120
tcattgtcca gacctggaca gccctggtgt gaagcgcagg tcttcttgaa taaaaatctt 180
ttccttcagt acaacagtga caacaacatg gtcaaacctc tgggcctcct ggggaagaag 240
gtaaatgcc aacagcacttg gggagaaaac ccaaacgctg ggagaagtgg ggcgagacct 300
5 caggatgctc ctttgtga 318

<210> 139

<211> 246

<212> DNA

10 <213> Homo sapiens

<400> 139

atgagccctg atgtgcgctt tctgctcctg ctctgctcc tgccccttcg gaggcctgtg 60
ccagtggcag ctggggcccg agacaccagg ccggcactgc tctctttcga ggcaccogtg 120
15 tttgtgccga cgctgactcc cggttgtctg cagcagccac gtggccgaaa tggagcctct 180
ccacgggggc tccttcccca gccctggat ggcacagcag cctctcctgt ctgtcaccac 240
gtgtga 246

<210> 140

20 <211> 1659

<212> DNA

<213> Homo sapiens

<400> 140

25 atgcggcgcc tgactcgctg gctggttctg ccagtcttcg ggggtgctctg gatcacgggtg 60

305/346

ctgctgttct tctgggtaac caagaggaag ttggaggtgc cgacgggacc tgaagtgcag 120
accctaagc cttcggacgc tgactgggac gacctgtggg accagtttga tgagcggcgg 180
tatctgaatg ccaaaaagtg gcgcgttggg gacgacccct ataagctgta tgctttcaac 240
cagcgggaga gtgagcggat ctccagcaat cgggccatcc cggacactcg ccatctgaga 300
5 tgcacactgc tgggtgtattg cacggacctt ccaccacta gcatcatcat caccttcac 360
aacgaggccc gctccacgct gtcaggacc atccgcagtg tattaaaccg caccctacg 420
catctgatcc gggaaatcat attagtggat gacttcagca atgaccctga tgactgtaaa 480
cagctcatca agttgcccaa ggtgaaatgc ttgcgcaata atgaacggca aggtctggtc 540
cgggtcccga ttccggggcg tgacatcgcc cagggcacca ctctgacttt cctcgacagc 600
10 cactgtgagg tgaacagga ctggctccag cctctgttgc acagggtaa agaggactac 660
acgcgggtgg tgtgccctgt gatcgatata attaacctgg acaccttcac ctacatcgag 720
tctgcctcgg agctcagagg ggggtttgac tggagcctcc acttcagtg ggagcagctc 780
tcccagagc agaaggctcg gcgcctggac ccacggagc ccatcaggac tcctatcata 840
gctggagggc tcttcgtgat cgacaaagt ttggttgatt acctggggaa atatgata 900
15 gacatggaca tctgggggtg ggagaacttt gaaatctcct tccagtggtg gatgtgcggg 960
ggcagcctag agatcgtccc ctgcagccga gtggggcacg tcttcggaa gaagcacc 1020
tacgttttcc ctgatggaaa tgccaacacg tatataaaga acaccaagcg gacagctgaa 1080
gtgtggatgg atgaatacaa gcaatactat tacgctgccc ggccattcgc cctggagagg 1140
cccttcggga atgttgagag cagattggac ctgaggaaga atctgcgctg ccagagcttc 1200
20 aagtgttacc tggagaatat ctaccctgaa ctccagcatcc ccaaggagtc ctccatccag 1260
aagggaata tccgacagag acagaagtgc ctggaatctc aaaggcagaa caaccaagaa 1320
acccaaacc taaagttgag ccctgtgcc aaggtaaag gcgaagatgc aaagtcccag 1380
gtatgggcct tcacatacac ccagcagatc ctccaggagg agctgtgcct gtcagtcac 1440
accttgttcc ctggcgcccc agtggttctt gtcctttgca agaattgaga tgaccgacag 1500
25 caatggacca aaactggttc ccacatcgag cacatagcat ccacctctg cctcgataca 1560

306/346

gatatgttcg gtgatggcac cgagaacggc aaggaaatcg tcgtcaacc atgtgagtc 1620

tcactcatga gccagcactg ggacatggtg agctcttga 1659

<210> 141

5 <211> 1961

<212> DNA

<213> Homo sapiens

<220>

10 <221> CDS

<222> (185)..(1372)

<400> 141

acacacccac aggacctgca gctgaacgaa gttgaagaca actcaggaga tctgttgaa 60

15 agagaacgat agaggaaaat atatgaatgt tgccatcttt agttccctgt gttgggaaaa 120

ctgtctggct gtacctcaa gcctggccaa accctgtgtt tgaaggagat gccctgactc 180

tgcg atg tca ggg atg gaa gaa tac acc act gtc tca ggt gaa gtt cta 229

Met Ser Gly Met Glu Glu Tyr Thr Thr Val Ser Gly Glu Val Leu

1 5 10 15

20 cag aga tgg aaa att cct tca ttt aag gaa aac cag act ctg tcc atg 277

Gln Arg Trp Lys Ile Pro Ser Phe Lys Glu Asn Gln Thr Leu Ser Met

20 25 30

gga gca gca aca gtg cag agc cgt ggc cag tac agc tgc tct ggg cag 325

Gly Ala Ala Thr Val Gln Ser Arg Gly Gln Tyr Ser Cys Ser Gly Gln

25 35 40 45

307/346

gtg atg tat att cca cag aca ttc aca caa act tca gag act gcc atg 373
 Val Met Tyr Ile Pro Gln Thr Phe Thr Gln Thr Ser Glu Thr Ala Met
 50 55 60
 gtt caa gtc caa gag ctg ttt cca cct cct gtg ctg agt gcc atc ccc 421
 5 Val Gln Val Gln Glu Leu Phe Pro Pro Pro Val Leu Ser Ala Ile Pro
 65 70 75
 tct cct gag ccc cga gag ggt agc ctg gtg acc ctg aga tgt cag aca 469
 Ser Pro Glu Pro Arg Glu Gly Ser Leu Val Thr Leu Arg Cys Gln Thr
 80 85 90 95
 10 aag ctg cac ccc ctg agg tca gcc ttg agg ctc ctt ttc tcc ttc cac 517
 Lys Leu His Pro Leu Arg Ser Ala Leu Arg Leu Leu Phe Ser Phe His
 100 105 110
 aag gac ggc cac acc ttg cag gac agg ggc cct cac cca gaa ctc tgc 565
 Lys Asp Gly His Thr Leu Gln Asp Arg Gly Pro His Pro Glu Leu Cys
 15 115 120 125
 atc ccg gga gcc aag gag gga gac tct ggg ctt tac tgg tgt gag gtg 613
 Ile Pro Gly Ala Lys Glu Gly Asp Ser Gly Leu Tyr Trp Cys Glu Val
 130 135 140
 gcc cct gag ggt ggc cag gtc cag aag cag agc ccc cag ctg gag gtc 661
 20 Ala Pro Glu Gly Gly Gln Val Gln Lys Gln Ser Pro Gln Leu Glu Val
 145 150 155
 aga gtg cag gct cct gta tcc cgt cct gtg ctc act ctg cac cac ggg 709
 Arg Val Gln Ala Pro Val Ser Arg Pro Val Leu Thr Leu His His Gly
 160 165 170 175
 25 cct gct gac cct gct gtg ggg gac atg gtg cag ctc ctc tgt gag gca 757

	Pro	Ala	Asp	Pro	Ala	Val	Gly	Asp	Met	Val	Gln	Leu	Leu	Cys	Glu	Ala	
						180				185						190	
	cag	agg	ggc	tcc	cct	ccg	atc	ctg	tat	tcc	ttc	tac	ctt	gat	gag	aag	805
	Gln	Arg	Gly	Ser	Pro	Pro	Ile	Leu	Tyr	Ser	Phe	Tyr	Leu	Asp	Glu	Lys	
5						195				200						205	
	att	gtg	ggg	aac	cac	tca	gct	ccc	tgt	ggg	gga	acc	acc	tcc	ctc	ctc	853
	Ile	Val	Gly	Asn	His	Ser	Ala	Pro	Cys	Gly	Gly	Thr	Thr	Ser	Leu	Leu	
						210				215						220	
	ttc	cca	gtg	aag	tca	gaa	cag	gat	gct	ggg	aac	tac	tcc	tgc	gag	gct	901
10	Phe	Pro	Val	Lys	Ser	Glu	Gln	Asp	Ala	Gly	Asn	Tyr	Ser	Cys	Glu	Ala	
						225				230						235	
	gag	aac	agt	gtc	tcc	aga	gag	agg	agt	gag	ccc	aag	aag	ctg	tct	ctg	949
	Glu	Asn	Ser	Val	Ser	Arg	Glu	Arg	Ser	Glu	Pro	Lys	Lys	Leu	Ser	Leu	
	240					245				250						255	
15	aag	ggg	tct	caa	gtc	ttg	ttc	act	ccc	gcc	agc	aac	tgg	ctg	gtt	cct	997
	Lys	Gly	Ser	Gln	Val	Leu	Phe	Thr	Pro	Ala	Ser	Asn	Trp	Leu	Val	Pro	
						260				265						270	
	tgg	ctt	cct	gcg	agc	ctg	ctt	ggc	ctg	atg	gtt	att	gct	gct	gca	ctt	1045
	Trp	Leu	Pro	Ala	Ser	Leu	Leu	Gly	Leu	Met	Val	Ile	Ala	Ala	Ala	Leu	
20						275				280						285	
	ctg	gtt	tat	gtg	aga	tcc	tgg	aga	aaa	gct	ggg	ccc	ctt	cca	tcc	cag	1093
	Leu	Val	Tyr	Val	Arg	Ser	Trp	Arg	Lys	Ala	Gly	Pro	Leu	Pro	Ser	Gln	
						290				295						300	
	ata	cca	ccc	aca	gct	cca	ggg	gga	gag	cag	tgc	cca	cta	tat	gcc	aac	1141
25	Ile	Pro	Pro	Thr	Ala	Pro	Gly	Gly	Glu	Gln	Cys	Pro	Leu	Tyr	Ala	Asn	

309/346

	305	310	315	
	gtg cat cac cag aaa ggg aaa gat gaa ggt gtt gtc tac tct gtg gtg	1189		
	Val His His Gln Lys Gly Lys Asp Glu Gly Val Val Tyr Ser Val Val			
	320	325	330	335
5	cat aga acc tca aag agg agt gaa gcc agg tct gct gag ttc acc gtg	1237		
	His Arg Thr Ser Lys Arg Ser Glu Ala Arg Ser Ala Glu Phe Thr Val			
	340	345	350	
	ggg aga aag gac agt tct atc atc tgt gcg gag gtg aga tgc ctg cag	1285		
	Gly Arg Lys Asp Ser Ser Ile Ile Cys Ala Glu Val Arg Cys Leu Gln			
10	355	360	365	
	ccc agt gag gtt tca tcc acg gag gtg aat atg aga agc agg act ctc	1333		
	Pro Ser Glu Val Ser Ser Thr Glu Val Asn Met Arg Ser Arg Thr Leu			
	370	375	380	
	caa gaa ccc ctt agc gac tgt gag gag gtt ctc tgc tag tgatggtggt	1382		
15	Gln Glu Pro Leu Ser Asp Cys Glu Glu Val Leu Cys			
	385	390	395	
	ctcctatcaa cacacgcca cccccagtct ccagtgtctc tcaggaagac agtgggggtcc	1442		
	tcaactcttt ctgtgggtcc ttcagttccc aagcccagca tcacagagcc ccctgagccc	1502		
	ttgtcctggt caggagcacc tgaacctgg gttcttttct tagcagaaga ccaaccaatg	1562		
20	gaatgggaag ggagatgctc ccaccaacac acacacttag gttcaatcag tgacactgga	1622		
	cacataagcc acagatgtct tctttccata caagcatgtt agttcgcccc aatatacata	1682		
	tatatatgaa atagtcatgt gccgcataac aacatttcag tcagtgatag actgcataca	1742		
	caacagtggt cccataagac tgtaatggag tttaaaaatt cctactgcct agtgatatca	1802		
	tagttgcctt aacatcataa cacaacacat ttctcacgcg tttgtggtga tgctggtaca	1862		
25	aacaagctac agcgccgcta gtcatacata aatatagcac atacaattat gtacagtaca	1922		

310/346

ctatacttga taatgataat aaacaactat gttactggt 1961

<210> 142

<211> 2194

5 <212> DNA

<213> Homo sapiens

<220>

<221> CDS

10 <222> (58)..(1710)

<400> 142

aatcggttcc aaacagcagt taggtcagca gtccgctcag ccgaggcagc tctgttc 57

atg gcg ttc tcg aag ctc ttg gag caa gcc gga ggc gtg ggc ctc ttc 105

15 Met Ala Phe Ser Lys Leu Leu Glu Gln Ala Gly Gly Val Gly Leu Phe

1 5 10 15

cag acc ctg cag gtg ctc acc ttc atc ctc ccc tgc ctc atg ata cct 153

Gln Thr Leu Gln Val Leu Thr Phe Ile Leu Pro Cys Leu Met Ile Pro

20 25 30

20 tcc cag atg ctc ctg gag aac ttc tca gcc gcc atc cca ggc cac cga 201

Ser Gln Met Leu Leu Glu Asn Phe Ser Ala Ala Ile Pro Gly His Arg

35 40 45

tgc tgg aca cac atg ctg gac aat ggc tct gcg gtt tcc aca aac atg 249

Cys Trp Thr His Met Leu Asp Asn Gly Ser Ala Val Ser Thr Asn Met

25 50 55 60

311/346

	acc ccc aag gcc ctt ctg acc atc tcc atc ccg cca ggc ccc aac cag	297
	Thr Pro Lys Ala Leu Leu Thr Ile Ser Ile Pro Pro Gly Pro Asn Gln	
	65 70 75 80	
	ggg ccc cac cag tgc cgc cgc ttc cgc cag cca cag tgg cag ctc ttg	345
5	Gly Pro His Gln Cys Arg Arg Phe Arg Gln Pro Gln Trp Gln Leu Leu	
	85 90 95	
	gac ccc aat gcc acg gcc acc agc tgg agc gaa gct gac acg gag ccg	393
	Asp Pro Asn Ala Thr Ala Thr Ser Trp Ser Glu Ala Asp Thr Glu Pro	
	100 105 110	
10	tgt gtg gac ggc tgg gtc tat gac cgc agc gtc ttc acc tcc acc atc	441
	Cys Val Asp Gly Trp Val Tyr Asp Arg Ser Val Phe Thr Ser Thr Ile	
	115 120 125	
	gtg gcc aag tgg gac ctg gtg tgc agc tcc cag ggc ttg aag ccc cta	489
	Val Ala Lys Trp Asp Leu Val Cys Ser Ser Gln Gly Leu Lys Pro Leu	
15	130 135 140	
	agc cag tcc atc ttc atg tcc ggg atc ctg gtg ggc tcc ttt atc tgg	537
	Ser Gln Ser Ile Phe Met Ser Gly Ile Leu Val Gly Ser Phe Ile Trp	
	145 150 155 160	
	ggc ctc ctc tcc tac cgg ttt ggg agg aag ccg atg ctg agc tgg tgc	585
20	Gly Leu Leu Ser Tyr Arg Phe Gly Arg Lys Pro Met Leu Ser Trp Cys	
	165 170 175	
	tgc ctg cag ttg gcc gtg gcg ggc acc agc acc atc ttc gcc cca aca	633
	Cys Leu Gln Leu Ala Val Ala Gly Thr Ser Thr Ile Phe Ala Pro Thr	
	180 185 190	
25	ttc gtc atc tac tgc gcc ctg ccg ttc gtg gcc gct ttt ggg atg gcc	681

312/346

	Phe Val Ile Tyr Cys Gly Leu Arg Phe Val Ala Ala Phe Gly Met Ala	
	195	200 205
	ggc atc ttt ctg agt tca ctg aca ctg atg gtg gag tgg acc acg acc	729
	Gly Ile Phe Leu Ser Ser Leu Thr Leu Met Val Glu Trp Thr Thr Thr	
5	210	215 220
	agc agg agg gcg gtc acc atg acg gtg gtg gga tgt gcc ttc agc gca	777
	Ser Arg Arg Ala Val Thr Met Thr Val Val Gly Cys Ala Phe Ser Ala	
	225	230 235 240
	ggc cag gcg gcg ctg ggc ggc ctg gcc ttt gcc ctg cgg gac tgg agg	825
10	Gly Gln Ala Ala Leu Gly Gly Leu Ala Phe Ala Leu Arg Asp Trp Arg	
	245	250 255
	act ctc cag ctg gca gca tca gtg ccc ttc ttt gcc atc tcc ctg ata	873
	Thr Leu Gln Leu Ala Ala Ser Val Pro Phe Phe Ala Ile Ser Leu Ile	
	260	265 270
15	tcc tgg tgg ctg cca gaa tcc gcc cgg tgg ctg att att aag ggc aaa	921
	Ser Trp Trp Leu Pro Glu Ser Ala Arg Trp Leu Ile Ile Lys Gly Lys	
	275	280 285
	cca gac caa gca ctt cag gag ctc aga aag gtg gcc agg ata aat ggc	969
	Pro Asp Gln Ala Leu Gln Glu Leu Arg Lys Val Ala Arg Ile Asn Gly	
20	290	295 300
	cac aag gag gcc aag aac ctg acc ata gag gtg ctg atg tcc agc gtg	1017
	His Lys Glu Ala Lys Asn Leu Thr Ile Glu Val Leu Met Ser Ser Val	
	305	310 315 320
	aag gag gag gtg gcc tct gca aag gag ccg cgg tcg gtg ctg gac ctg	1065
25	Lys Glu Glu Val Ala Ser Ala Lys Glu Pro Arg Ser Val Leu Asp Leu	

313/346

	325	330	335	
	ttc tgc gtg ccc gtg ctc cgc tgg agg agc tgc gcc atg ctg gtg gtg	1113		
	Phe Cys Val Pro Val Leu Arg Trp Arg Ser Cys Ala Met Leu Val Val			
	340	345	350	
5	aat ttc tct cta ttg atc tcc tac tat ggg ctg gtc ttc gac ctg cag	1161		
	Asn Phe Ser Leu Leu Ile Ser Tyr Tyr Gly Leu Val Phe Asp Leu Gln			
	355	360	365	
	agc ctg ggc cgt gac atc ttc ctc ctc cag gcc ctc ttc ggg gcc gtg	1209		
	Ser Leu Gly Arg Asp Ile Phe Leu Leu Gln Ala Leu Phe Gly Ala Val			
10	370	375	380	
	gac ttc ctg ggc cgg gcc acc act gcc ctc ttg ctc agt ttc ctt ggc	1257		
	Asp Phe Leu Gly Arg Ala Thr Thr Ala Leu Leu Leu Ser Phe Leu Gly			
	385	390	395	400
	cgc cgc acc atc cag gcg ggt tcc cag gcc atg gcc ggc ctc gcc att	1305		
15	Arg Arg Thr Ile Gln Ala Gly Ser Gln Ala Met Ala Gly Leu Ala Ile			
	405	410	415	
	cta gcc aac atg ctg gtg ccg caa gat ttg cag acc ctg cgt gtg gtc	1353		
	Leu Ala Asn Met Leu Val Pro Gln Asp Leu Gln Thr Leu Arg Val Val			
	420	425	430	
20	ttt gct gtg ctg gga aag gga tgt ttt ggg ata agc cta acc tgc ctc	1401		
	Phe Ala Val Leu Gly Lys Gly Cys Phe Gly Ile Ser Leu Thr Cys Leu			
	435	440	445	
	acc atc tac aag gct gaa ctc ttt cca acg cca gtg cgg atg aca gca	1449		
	Thr Ile Tyr Lys Ala Glu Leu Phe Pro Thr Pro Val Arg Met Thr Ala			
25	450	455	460	

314/346

gat ggc att ctg cat aca gtg ggc cgg ctg ggg gct atg atg ggt ccc 1497
 Asp Gly Ile Leu His Thr Val Gly Arg Leu Gly Ala Met Met Gly Pro
 465 470 475 480
 ctg atc ctg atg agc cgc caa gcc ctg ccc ctg ctg cct cct ctc ctc 1545
 5 Leu Ile Leu Met Ser Arg Gln Ala Leu Pro Leu Leu Pro Pro Leu Leu
 485 490 495
 tat ggc gtt atc tcc att gct tcc agc ctg gtt gtg ctg ttc ttc ctc 1593
 Tyr Gly Val Ile Ser Ile Ala Ser Ser Leu Val Val Leu Phe Phe Leu
 500 505 510
 10 ccg gag acc cag gga ctt ccg ctc cct gac act atc cag gac ctg gag 1641
 Pro Glu Thr Gln Gly Leu Pro Leu Pro Asp Thr Ile Gln Asp Leu Glu
 515 520 525
 agc cag aaa tca aca gca gcc cag ggc aac cgg caa gag gcc gtc act 1689
 Ser Gln Lys Ser Thr Ala Ala Gln Gly Asn Arg Gln Glu Ala Val Thr
 15 530 535 540
 gtg gaa agt acc tcg ctc tag aaattgtgcc tgcattggagc ccctttagtc 1740
 Val Glu Ser Thr Ser Leu
 545 550
 aaagactcct ggaaaggagt tgcctcttct ccaatcagag cgtggaggcg agttgggcga 1800
 20 cttcaagggc ctggcatggc agaggccagg cagccgtggc cgagtggaca gcgtggccgt 1860
 ctgctgtggc tgaaggcagc ttccacagct cactcctctt ctccctgcc tgatcagatt 1920
 cccacctta cccgggccct acaggagcct gtgcagatgg ccatgcccaa ccaataacga 1980
 gacggttccc ctccctttcc ctgccagget catgtcttta caccttcaact cagccacgcc 2040
 aaccagagac tgggttccaa tctcacccca ccacatacag agccctcatc tgtgaaatga 2100
 25 gaatgatcac gtgaccacc cccagggca ggtatcaggg tgaactgatc ttagcaccgg 2160

315/346

ccaaataaat ggaacctgct gagagagctg ccag 2194

<210> 143

<211> 2753

5 <212> DNA

<213> Homo sapiens

<220>

<221> CDS

10 <222> (109)..(765)

<400> 143

aggttttgag agctgtggag agagggacag aggctggaga aggatgtatg gcctgccctg 60

ggcttgctctg ttccctctctg agcctgagcc ccttaccttc ctgacccc atg aag cac 117

15 Met Lys His

1

aca ctg gct ctg ctg gct ccc ctg ctg ggc ctg ggc ctg ggg ctg gcc 165

Thr Leu Ala Leu Leu Ala Pro Leu Leu Gly Leu Gly Leu Gly Leu Ala

5 10 15

20 ctg agt cag ctg gct gca ggg gcc aca gac tgc aag ttc ctt ggc ccg 213

Leu Ser Gln Leu Ala Ala Gly Ala Thr Asp Cys Lys Phe Leu Gly Pro

20 25 30 35

gca gag cac ctg aca ttc acc cca gca gcc agg gcc cgg tgg ctg gcc 261

Ala Glu His Leu Thr Phe Thr Pro Ala Ala Arg Ala Arg Trp Leu Ala

25 40 45 50

316/346

	cct cga gtt cgt gcg cca gga ctc ctg gac tcc ctc tat ggc acc gtg	309
	Pro Arg Val Arg Ala Pro Gly Leu Leu Asp Ser Leu Tyr Gly Thr Val	
	55 60 65	
	cgc cgc ttc ctc tcg gtg gtg cag ctc aat cct ttc cct tca gag ttg	357
5	Arg Arg Phe Leu Ser Val Val Gln Leu Asn Pro Phe Pro Ser Glu Leu	
	70 75 80	
	gta aag gcc cta ctg aat gag ctg gcc tcc gtg aag gtg aat gag gtg	405
	Val Lys Ala Leu Leu Asn Glu Leu Ala Ser Val Lys Val Asn Glu Val	
	85 90 95	
10	gtg cgg tac gag gcg ggc tac gtg gta tgc gct gtg atc gcg ggc ctc	453
	Val Arg Tyr Glu Ala Gly Tyr Val Val Cys Ala Val Ile Ala Gly Leu	
	100 105 110 115	
	tac ctg ctg ctg gtg ccc act gcc ggg ctt tgc ttc tgc tgc tgc cgc	501
	Tyr Leu Leu Leu Val Pro Thr Ala Gly Leu Cys Phe Cys Cys Cys Arg	
15	120 125 130	
	tgc cac cgg cgc tgc ggg gga cga gtg aag aca gag cac aag gcg ctg	549
	Cys His Arg Arg Cys Gly Gly Arg Val Lys Thr Glu His Lys Ala Leu	
	135 140 145	
	gcc tgt gag cgc gcg gcc ctc atg gtc ttc ctg ctg ctg acc acc ctc	597
20	Ala Cys Glu Arg Ala Ala Leu Met Val Phe Leu Leu Leu Thr Thr Leu	
	150 155 160	
	ttg ctg ctg att ggt gtg gtc tgt gcc ttt gtc acc aac cag cgc acg	645
	Leu Leu Leu Ile Gly Val Val Cys Ala Phe Val Thr Asn Gln Arg Thr	
	165 170 175	
25	cat gaa cag atg ggc ccc agc atc gag gcc atg cct gag acc ctg ctc	693

317/346

His Glu Gln Met Gly Pro Ser Ile Glu Ala Met Pro Glu Thr Leu Leu
 180 185 190 195
 agc ctc tgg ggc ctg gtc tct gat gtc ccc caa gtg agc act gtt acc 741
 Ser Leu Trp Gly Leu Val Ser Asp Val Pro Gln Val Ser Thr Val Thr
 5 200 205 210
 cct cac cct cat gtg ccc ctg tga gcaactgggcc cgggcaggac agagccgagt 795
 Pro His Pro His Val Pro Leu
 215
 gggccctcga tggcccataa ccagcgcatac tgaaagccgc ctctctctccc gcccttgcct 855
 10 gagagtcgac caccctcagg gtggatgcc a taggggcagg gaagggggcca gggagagaag 915
 ggcgtaagga ctgtgggtga ccaggaaggg cagcctcagg gccttgtgtt tgccaggag 975
 ctgcaggccg tggcacagca attctccctg cccagggagc aagtctcaga ggagctggat 1035
 ggtgttgggtg tgagcattgg gagcgcgata cactcagc tcaggagctc cgtgtacccc 1095
 ttgctggcgg ccgtgggcag tttgggccag gtccctgcagg tctccgtgca ccacctgcaa 1155
 15 accttgaatg ctacagtggg agagctgcaa gccgggcagc aggacctgga gccagccatc 1215
 cgggaacacc gggaccgcct ccttgagctg ctgcaggagg ccaggtgcc a gggagattgt 1275
 gcagggggccc tgagctgggc ccgcaccctg gagctgggtg ctgacttcag ccaggtgccc 1335
 tctgtggacc atgtcctgca ccagctaaaa ggtgtccccg aggccaactt ctccagcatg 1395
 gtccaggagg agaacagcac cttcaacgcc ctccagccc tggctgcat gcagacatcc 1455
 20 agcgtgggtg aagagctgaa gaaggcagt gccagcagc cggaaggggt gaggacactg 1515
 gctgaagggt tcccgggctt ggaggcagct tcccgtggg ccaggcact gcaggaggtg 1575
 gaggagagca gccgcccta cctgcaggag gtgcagagat acgagaccta caggtggatc 1635
 gtgggctgag tgctgtgctc cgtggctcta ttcgtgggtg tctgcaacct gctgggcctc 1695
 aatctgggca tctggggcct gtctgccagg gacgacccca gccaccaga agccaagggc 1755
 25 gaggtggag cccgttcct catggctata ccaacaagct acggcaggag ttgcagagcc 1815

318/346

tgaaagtaga caCacagagc ctggacctgc tgagctcagc cgeccgccgg gacctggagg 1875
 ccctgcagag cagtgggctt cagcgcatcc actaccccca cttcctcggt cagatccaga 1935
 ggcccgtggt gaagaccagc atggagcagc tggcccagga gctgcaagga ctggcccagg 1995
 cccaagacaa ttctgtgctg gggcagcggc tgcaggagga ggccaagga ctcagaaacc 2055
 5 ttcaccagga gaaggtcgtc ccccagcaga gccttgtggc aaagctcaac ctcagcgtca 2115
 gggccctgga gtcctctgcc ccgaatctcc agctggagac ctcagatgtc ctagccaatg 2175
 tcacctacct gaaaggagag ctgcctgcct gggcagccag gatcctgagg aatgtgagtg 2235
 agtgtttctt ggcccgggag atgggctaact tctcccagta cgtggcctgg gtgagagagg 2295
 aggtgactca gcgcattgcc acctgccagc ccctctccgg agccctggac aacagccgtg 2355
 10 tgatcctgtg tgacatgatg gctgaccctt ggaatgcctt ctggttctgc ctggcatggt 2415
 gcaccttctt cctgatcccc agcatcatct ttgccgtcaa gacctcaaa tacttccgtc 2475
 ctatccggaa acgcctcagc tccaccagct ctgaggagac tcagctcttc cacatcccc 2535
 gggttacctc cctgaagctg tagggccttg tgggagtgat ctggtggcca gaacaggatt 2595
 ttgcacggcc ccttttatcc tgcgcatgtg gcctagggtc atccccagcc catccctgtg 2655
 15 tcagccctga gtgctggaca ctgcgttcca gaaatgagga agaggagaga gaagagatgg 2715
 acagacctca gatocattaa agtgttctca cttccctg 2753

<210> 144

<211> 2085

20 <212> DNA

<213> Homo sapiens

<220>

<221> CDS

25 <222> (42)..(1832)

319/346

<400> 144

agtcctcgg gctcatacct agtgcctgcg gcaggacagc c atg gcc gcc aac tcc 56

Met Ala Ala Asn Ser

5

1

5

acc agc gac ctc cac act ccc ggg acg cag ctg agc gtg gct gac atc 104

Thr Ser Asp Leu His Thr Pro Gly Thr Gln Leu Ser Val Ala Asp Ile

10

15

20

atc gtc atc act gtg tat ttt gct ctg aat gtg gcc gtg ggc ata tgg 152

10

Ile Val Ile Thr Val Tyr Phe Ala Leu Asn Val Ala Val Gly Ile Trp

25

30

35

tcc tct tgt cgg gcc agt agg aac acg gtg aat ggc tac ttc ctg gca 200

Ser Ser Cys Arg Ala Ser Arg Asn Thr Val Asn Gly Tyr Phe Leu Ala

40

45

50

15

ggc cgg gac atg acg tgg tgg ccg att gga gcc tcc ctc ttc gcc agc 248

Gly Arg Asp Met Thr Trp Trp Pro Ile Gly Ala Ser Leu Phe Ala Ser

55

60

65

agc gag ggc tct ggc ctc ttc att gga ctg gcg ggc tca ggc gcg gca 296

Ser Glu Gly Ser Gly Leu Phe Ile Gly Leu Ala Gly Ser Gly Ala Ala

20

70

75

80

85

gga ggt ctg gcc gtg gca ggc ttc gag tgg aat gcc acg tac gtg ctg 344

Gly Gly Leu Ala Val Ala Gly Phe Glu Trp Asn Ala Thr Tyr Val Leu

90

95

100

ctg gca ctg gca tgg gtg ttc gtg ccc atc tac atc tcc tca gag atc 392

25

Leu Ala Leu Ala Trp Val Phe Val Pro Ile Tyr Ile Ser Ser Glu Ile

320/346

	105	110	115	
	gtc acc tta cct gag tac att cag aag cgc tac ggg ggc cag cgg atc	440		
	Val Thr Leu Pro Glu Tyr Ile Gln Lys Arg Tyr Gly Gly Gln Arg Ile			
	120	125	130	
5	cgc atg tac ctg tct gtc ctg tcc ctg cta ctg tct gtc ttc acc aag	488		
	Arg Met Tyr Leu Ser Val Leu Ser Leu Leu Leu Ser Val Phe Thr Lys			
	135	140	145	
	ata tcg ctg gac ctg tac gcg ggg gct ctg ttt gtg cac atc tgc ctg	536		
	Ile Ser Leu Asp Leu Tyr Ala Gly Ala Leu Phe Val His Ile Cys Leu			
10	150	155	160	165
	ggc tgg aac ttc tac ctc tcc acc atc ctc acg ctc ggc atc aca gcc	584		
	Gly Trp Asn Phe Tyr Leu Ser Thr Ile Leu Thr Leu Gly Ile Thr Ala			
	170	175	180	
	ctg tac acc atc gca ggg ggc ctg gct gct gta atc tac acg gac gcc	632		
15	Leu Tyr Thr Ile Ala Gly Gly Leu Ala Ala Val Ile Tyr Thr Asp Ala			
	185	190	195	
	ctg cag acg ctc atc atg gtg gtg ggg gct gtc atc ctg aca atc aaa	680		
	Leu Gln Thr Leu Ile Met Val Val Gly Ala Val Ile Leu Thr Ile Lys			
	200	205	210	
20	gct ttt gac cag atc ggt ggt tac ggg cag ctg gag gca gcc tac gcc	728		
	Ala Phe Asp Gln Ile Gly Gly Tyr Gly Gln Leu Glu Ala Ala Tyr Ala			
	215	220	225	
	cag gcc att ccc tcc agg acc att gcc aac acc acc tgc cac ctg cca	776		
	Gln Ala Ile Pro Ser Arg Thr Ile Ala Asn Thr Thr Cys His Leu Pro			
25	230	235	240	245

321/346

	cgt aca gac gcc atg cac atg ttt cga gac ccc cac aca ggg gac ctg	824
	Arg Thr Asp Ala Met His Met Phe Arg Asp Pro His Thr Gly Asp Leu	
	250 255 260	
	ccg tgg acc ggg atg acc ttt ggc ctg acc atc atg gcc acc tgg tac	872
5	Pro Trp Thr Gly Met Thr Phe Gly Leu Thr Ile Met Ala Thr Trp Tyr	
	265 270 275	
	tgg tgc acc gac cag gtc atc gtg cag cga tca ctg tca gcc cgg gac	920
	Trp Cys Thr Asp Gln Val Ile Val Gln Arg Ser Leu Ser Ala Arg Asp	
	280 285 290	
10	ctg aac cat gcc aag gcg ggc tcc atc ctg gcc agc tac ctc aag atg	968
	Leu Asn His Ala Lys Ala Gly Ser Ile Leu Ala Ser Tyr Leu Lys Met	
	295 300 305	
	ctc ccc atg ggc ctg atc ata atg ccg ggc atg atc agc cgc gca ttg	1016
	Leu Pro Met Gly Leu Ile Ile Met Pro Gly Met Ile Ser Arg Ala Leu	
15	310 315 320 325	
	ttc cca gat gat gtg ggc tgc gtg gtg ccg tcc gag tgc ctg cgg gcc	1064
	Phe Pro Asp Asp Val Gly Cys Val Val Pro Ser Glu Cys Leu Arg Ala	
	330 335 340	
	tgc ggg gcc gag gtc ggc tgc tcc aac atc gcc tac ccc aag ctg gtc	1112
20	Cys Gly Ala Glu Val Gly Cys Ser Asn Ile Ala Tyr Pro Lys Leu Val	
	345 350 355	
	atg gaa ctg atg ccc atc ggt ctg cgg ggg ctg atg atc gca gtg atg	1160
	Met Glu Leu Met Pro Ile Gly Leu Arg Gly Leu Met Ile Ala Val Met	
	360 365 370	
25	ctg gcg gcg ctc atg tcg tcg ctg acc tcc atc ttc aac agc agc agc	1208

322/346

Leu Ala Ala Leu Met Ser Ser Leu Thr Ser Ile Phe Asn Ser Ser Ser
 375 380 385
 acc ctc ttc act atg gac atc tgg agg cgg ctg cgt ccc cgc tcc ggc 1256
 Thr Leu Phe Thr Met Asp Ile Trp Arg Arg Leu Arg Pro Arg Ser Gly
 5 390 395 400 405
 gag cgg gag ctc ctg ctg gtg gga cgg ctg gtc ata gtg gca ctc atc 1304
 Glu Arg Glu Leu Leu Leu Val Gly Arg Leu Val Ile Val Ala Leu Ile
 410 415 420
 ggc gtg agt gtg gcc tgg atc ccc gtc ctg cag gac tcc aac agc ggg 1352
 10 Gly Val Ser Val Ala Trp Ile Pro Val Leu Gln Asp Ser Asn Ser Gly
 425 430 435
 caa ctc ttc atc tac atg cag tca gtg acc agc tcc ctg gcc cca cca 1400
 Gln Leu Phe Ile Tyr Met Gln Ser Val Thr Ser Ser Leu Ala Pro Pro
 440 445 450
 15 gtg act gca gtc ttt gtc ctg ggc gtc ttc tgg cga cgt gcc aac gag 1448
 Val Thr Ala Val Phe Val Leu Gly Val Phe Trp Arg Arg Ala Asn Glu
 455 460 465
 cag ggg gcc ttc tgg ggc ctg ata gca ggg ctg gtg gtg ggg gcc acg 1496
 Gln Gly Ala Phe Trp Gly Leu Ile Ala Gly Leu Val Val Gly Ala Thr
 20 470 475 480 485
 agg ctg gtc ctg gaa ttc ctg aac cca gcc cca ccg tgc gga gag cca 1544
 Arg Leu Val Leu Glu Phe Leu Asn Pro Ala Pro Pro Cys Gly Glu Pro
 490 495 500
 gac acg cgg cca gcc gtc ctg ggg agc atc cac tac ctg cac ttc gct 1592
 25 Asp Thr Arg Pro Ala Val Leu Gly Ser Ile His Tyr Leu His Phe Ala

323/346

	505	510	515	
	gtc gcc ctc ttt gca ctc agt ggt gct gtt gtg gtg gct gga agc ctg	1640		
	Val Ala Leu Phe Ala Leu Ser Gly Ala Val Val Val Ala Gly Ser Leu			
	520	525	530	
5	ctg acc cca ccc cca cag agt gtc cag att gag aac ctt acc tgg tgg	1688		
	Leu Thr Pro Pro Pro Gln Ser Val Gln Ile Glu Asn Leu Thr Trp Trp			
	535	540	545	
	acc ctg gct cag gat gtg ccc ttg gga act aaa gca ggt gat ggc caa	1736		
	Thr Leu Ala Gln Asp Val Pro Leu Gly Thr Lys Ala Gly Asp Gly Gln			
10	550	555	560	565
	aca ccc cag aaa cac gcc ttc tgg gcc cgt gtc tgt ggc ttc aat gcc	1784		
	Thr Pro Gln Lys His Ala Phe Trp Ala Arg Val Cys Gly Phe Asn Ala			
	570	575	580	
	atc ctc ctc atg tgt gtc aac ata ttc ttt tat gcc tac ttc gcc tga	1832		
15	Ile Leu Leu Met Cys Val Asn Ile Phe Phe Tyr Ala Tyr Phe Ala			
	585	590	595	
	cactgccatc ctggacagaa aggcaggagc tctgagtcct caggtccacc catttcctc	1892		
	atggggatcc cgaagcccca agaggggcag attcccctca cagctgcaca gcagctcggg	1952		
	gccaagaac tggccaagcc agcaaagcgg gagccctgaa aaattagggg ggaaatggga	2012		
20	gaaaataatg tgacatttca aaaacagcac caaagcagtc agcattggaa ggaaaattag	2072		
	atttctgacg gac	2085		

<210> 145

<211> 2208

25 <212> DNA

324/346

<213> Homo sapiens

<220>

<221> CDS

5 <222> (100)..(1503)

<400> 145

```

cttgactttg agcgtccggc ggtcgcagag ccaggaggcg gaggcgcgcg ggccagcctg 60
ggccccagcc cacaccttca ccaggggcca ggagccacc atg tgg cga tgt cca    114
10                                     Met Trp Arg Cys Pro
                                     1             5

ctg ggg cta ctg ctg ttg ctg ccg ctg gct ggc cac ttg gct ctg ggt    162
Leu Gly Leu Leu Leu Leu Leu Pro Leu Ala Gly His Leu Ala Leu Gly
                                     10             15             20

15 gcc cag cag ggt cgt ggg cgc cgg gag cta gca ccg ggt ctg cac ctg    210
Ala Gln Gln Gly Arg Gly Arg Arg Glu Leu Ala Pro Gly Leu His Leu
                                     25             30             35

cgg ggc atc cgg gac gcg gga ggc cgg tac tgc cag gag cag gac ctg    258
Arg Gly Ile Arg Asp Ala Gly Gly Arg Tyr Cys Gln Glu Gln Asp Leu
20                                     40             45             50

tgc tgc cgc ggc cgt gcc gac gac tgt gcc ctg ccc tac ctg ggc gcc    306
Cys Cys Arg Gly Arg Ala Asp Asp Cys Ala Leu Pro Tyr Leu Gly Ala
                                     55             60             65

atc tgt tac tgt gac ctc ttc tgc aac cgc acg gtc tcc gac tgc tgc    354
25 Ile Cys Tyr Cys Asp Leu Phe Cys Asn Arg Thr Val Ser Asp Cys Cys

```

325/346

	70	75	80	85	
	cct gac ttc tgg gac ttc tgc ctc ggc gtg cca ccc cct ttt ccc ccg				402
	Pro Asp Phe Trp Asp Phe Cys Leu Gly Val Pro Pro Pro Phe Pro Pro				
		90	95	100	
5	atc caa gga tgt atg cat gga ggt cgt atc tat cca gtc ttg gga acg				450
	Ile Gln Gly Cys Met His Gly Gly Arg Ile Tyr Pro Val Leu Gly Thr				
		105	110	115	
	tac tgg gac aac tgt aac cgt tgc acc tgc cag gag aac agg cag tgg				498
	Tyr Trp Asp Asn Cys Asn Arg Cys Thr Cys Gln Glu Asn Arg Gln Trp				
10		120	125	130	
	cag tgt gac caa gaa cca tgc ctg gtg gat cca gac atg atc aaa gcc				546
	Gln Cys Asp Gln Glu Pro Cys Leu Val Asp Pro Asp Met Ile Lys Ala				
		135	140	145	
	atc aac cag ggc aac tat ggc tgg cag gct ggg aac cac agc gcc ttc				594
15	Ile Asn Gln Gly Asn Tyr Gly Trp Gln Ala Gly Asn His Ser Ala Phe				
		150	155	160	165
	tgg ggc atg acc ctg gat gag ggc att cgc tac cgc ctg ggc acc atc				642
	Trp Gly Met Thr Leu Asp Glu Gly Ile Arg Tyr Arg Leu Gly Thr Ile				
		170	175	180	
20	cgc cca tct tcc tcg gtc atg aac atg cat gaa att tat aca gtg ctg				690
	Arg Pro Ser Ser Ser Val Met Asn Met His Glu Ile Tyr Thr Val Leu				
		185	190	195	
	aac cca ggg gag gtg ctt ccc aca gcc ttc gag gcc tct gag aag tgg				738
	Asn Pro Gly Glu Val Leu Pro Thr Ala Phe Glu Ala Ser Glu Lys Trp				
25		200	205	210	

326/346

	ccc aac ctg att cat gag cct ctt gac caa ggc aac tgt gca ggc tcc	786
	Pro Asn Leu Ile His Glu Pro Leu Asp Gln Gly Asn Cys Ala Gly Ser	
	215 220 225	
	tgg gcc ttc tcc aca gca gct gtg gca tcc gat cgt gtc tca atc cat	834
5	Trp Ala Phe Ser Thr Ala Ala Val Ala Ser Asp Arg Val Ser Ile His	
	230 235 240 245	
	tct ctg gga cac atg acg cct gtc ctg tcg ccc cag aac ctg ctg tct	882
	Ser Leu Gly His Met Thr Pro Val Leu Ser Pro Gln Asn Leu Leu Ser	
	250 255 260	
10	tgt gac acc cac cag cag cag ggc tgc cgc ggt ggg cgt ctc gat ggt	930
	Cys Asp Thr His Gln Gln Gln Gly Cys Arg Gly Gly Arg Leu Asp Gly	
	265 270 275	
	gcc tgg tgg ttc ctg cgt cgc cga ggg gtg gtg tct gac cac tgc tac	978
	Ala Trp Trp Phe Leu Arg Arg Arg Gly Val Val Ser Asp His Cys Tyr	
15	280 285 290	
	ccc ttc tcg ggc cgt gaa cga gac gag gct ggc cct gcg ccc ccc tgt	1026
	Pro Phe Ser Gly Arg Glu Arg Asp Glu Ala Gly Pro Ala Pro Pro Cys	
	295 300 305	
	atg atg cac agc cga gcc atg ggt cgg ggc aag cgc cag gcc act gcc	1074
20	Met Met His Ser Arg Ala Met Gly Arg Gly Lys Arg Gln Ala Thr Ala	
	310 315 320 325	
	cac tgc ccc aac agc tat gtt aat aac aat gac atc tac cag gtc act	1122
	His Cys Pro Asn Ser Tyr Val Asn Asn Asn Asp Ile Tyr Gln Val Thr	
	330 335 340	
25	cct gtc tac cgc ctc ggc tcc aac gac aag gag atc atg aag gag ctg	1170

327/346

Pro Val Tyr Arg Leu Gly Ser Asn Asp Lys Glu Ile Met Lys Glu Leu
 345 350 355
 atg gag aat ggc cct gtc caa gcc ctc atg gag gtg cat gag gac ttc 1218
 Met Glu Asn Gly Pro Val Gln Ala Leu Met Glu Val His Glu Asp Phe
 5 360 365 370
 ttc cta tac aag gga ggc atc tac agc cac acg cca gtg agc ctt ggg 1266
 Phe Leu Tyr Lys Gly Gly Ile Tyr Ser His Thr Pro Val Ser Leu Gly
 375 380 385
 agg cca gag aga tac cgc cgg cat ggg acc cac tca gtc aag atc aca 1314
 10 Arg Pro Glu Arg Tyr Arg Arg His Gly Thr His Ser Val Lys Ile Thr
 390 395 400 405
 gga tgg gga gag gag acg ctg cca gat gga agg acg ctc aaa tac tgg 1362
 Gly Trp Gly Glu Glu Thr Leu Pro Asp Gly Arg Thr Leu Lys Tyr Trp
 410 415 420
 15 act gcg gcc aac tcc tgg ggc cca gcc tgg ggc gag agg ggc cac ttc 1410
 Thr Ala Ala Asn Ser Trp Gly Pro Ala Trp Gly Glu Arg Gly His Phe
 425 430 435
 cgc atc gtg cgc ggc gtc aat gag tgc gac atc gag agc ttc gtg ctg 1458
 Arg Ile Val Arg Gly Val Asn Glu Cys Asp Ile Glu Ser Phe Val Leu
 20 440 445 450
 ggc gtc tgg ggc cgc gtg ggc atg gag gac atg ggt cat cac tga 1503
 Gly Val Trp Gly Arg Val Gly Met Glu Asp Met Gly His His
 455 460 465
 ggctgcgggc accacgcggg gtccggcctg ggatccaggc taagggccgg cggaagaggc 1563
 25 cccaatgggg cggtgacccc agcctcgccc gacagagccc ggggcgcagg cgggcgccag 1623

328/346

ggcgctaattc ccggcgcgggg ttccgctgac gcagcgcccc gcctgggagc cgcgggcagg 1683
cgagactggc ggagccccca gacctcccag tggggacggg gcagggcctg gcctgggaag 1743
agcacagctg cagatcccag gcctctggcg cccccactca agactaccaa agccaggaca 1803
cctcaagtct ccagccccac taccacaccc cactcctgta ttotTTTTTT ttttttttta 1863
5 gacagggctc tgctccgttg cccaggttg agtgacgtg cccatcaggg ctcaactgtaa 1923
cctccgactc ctgggttcaa gtgaccctcc cacctcagcc tctcaagtag ctgggactac 1983
aggtgcacca ccacacctgg ctaatttttg tattttttgt aaagaggggg gtctcaactgt 2043
gttgcccagg ctggtctcga actcctgggc tcaagcggtc cacctgcctc cgctcccaa 2103
agtgtcggga ttgcaggcat gagccactgc acccagccct gtattcttat tcttcagata 2163
10 tttatttttc ttttcaactgt tttaaaataa aaccaaagta ttgat 2208

<210> 146

<211> 2044

<212> DNA

15 <213> Homo sapiens

<220>

<221> CDS

<222> (371)..(1801)

20

<400> 146

gaccggcttt aagcaacatg gcggctgccg tgggtgcagc cccgggctga ggcacagcaa 60
gtgcagcggg ctctacccc gggtaggggg tggcctccgc gtgggatcgt gccctcttca 120
gcccgtcct gtccccgaca tcacgtgtat tccgcacgtc ccctccgcgc tgtgtgtcta 180
25 ctgagacggg gaggcgtgac agggcccggg tcccttctca gtggtgctct gtgcttcagg 240

329/346

```

gcaagctccc cgctctccggg cgcaacttccc tcgcctgtgt tcgggtccatc etccttttctc 300
cagcctcctc ccctcgcagg tgggacgctc ggtgggaccg gagcgcgggc gggcgcggcc 360
ccccgggacc atg gcc ggg tcc gac acc gcg ccc ttc ctc agc cag gcg      409

      Met Ala Gly Ser Asp Thr Ala Pro Phe Leu Ser Gln Ala

5          1          5          10

gat gac ccg gac gac ggg cca gtg cct ggc acc ccg ggg ttg cca ggg      457
Asp Asp Pro Asp Asp Gly Pro Val Pro Gly Thr Pro Gly Leu Pro Gly

      15          20          25

tcc acg ggg aac ccg aag tcc gag gag ccc gag gtc ccg gac cag gag      505
10 Ser Thr Gly Asn Pro Lys Ser Glu Glu Pro Glu Val Pro Asp Gln Glu

      30          35          40          45

ggg ctg cag cgc atc acc ggc ctg tct ccc ggc cgt tcg gct ctc ata      553
Gly Leu Gln Arg Ile Thr Gly Leu Ser Pro Gly Arg Ser Ala Leu Ile

      50          55          60

15 gtg gcg gtg ctg tgc tac atc aat ctc ctg aac tac atg gac cgc ttc      601
Val Ala Val Leu Cys Tyr Ile Asn Leu Leu Asn Tyr Met Asp Arg Phe

      65          70          75

acc gtg gct ggc gtc ctt ccc gac atc gag cag ttc ttc aac atc ggg      649
Thr Val Ala Gly Val Leu Pro Asp Ile Glu Gln Phe Phe Asn Ile Gly

20          80          85          90

gac agt agc tct ggg ctc atc cag acc gtg ttc atc tcc agt tac atg      697
Asp Ser Ser Ser Gly Leu Ile Gln Thr Val Phe Ile Ser Ser Tyr Met

      95          100          105

gtg ttg gca cct gtg ttt ggc tac ctg ggt gac agg tac aat cgg aag      745
25 Val Leu Ala Pro Val Phe Gly Tyr Leu Gly Asp Arg Tyr Asn Arg Lys

```

330/346

	110	115	120	125	
	tat ctc atg tgc ggg ggc att gcc ttc tgg tcc ctg gtg aca ctg ggg	793			
	Tyr Leu Met Cys Gly Gly Ile Ala Phe Trp Ser Leu Val Thr Leu Gly				
	130	135	140		
5	tca tcc ttc atc ccc gga gag cat ttc tgg ctg ctc ctc ctg acc cgg	841			
	Ser Ser Phe Ile Pro Gly Glu His Phe Trp Leu Leu Leu Leu Thr Arg				
	145	150	155		
	ggc ctg gtg ggg gtc ggg gag gcc agt tat tcc acc atc gcg ccc act	889			
	Gly Leu Val Gly Val Gly Glu Ala Ser Tyr Ser Thr Ile Ala Pro Thr				
10	160	165	170		
	ctc att gcc gac ctc ttt gtg gcc gac cag cgg agc cgg atg ctc agc	937			
	Leu Ile Ala Asp Leu Phe Val Ala Asp Gln Arg Ser Arg Met Leu Ser				
	175	180	185		
	atc ttc tac ttt gcc att ccg gtg ggc agt ggt ctg ggc tac att gca	985			
15	Ile Phe Tyr Phe Ala Ile Pro Val Gly Ser Gly Leu Gly Tyr Ile Ala				
	190	195	200	205	
	ggc tcc aaa gtg aag gat atg gct gga gac tgg cac tgg gct ctg agg	1033			
	Gly Ser Lys Val Lys Asp Met Ala Gly Asp Trp His Trp Ala Leu Arg				
	210	215	220		
20	gtg aca ccg ggt cta gga gtg gtg gcc gtt ctg ctg ctg ttc ctg gta	1081			
	Val Thr Pro Gly Leu Gly Val Val Ala Val Leu Leu Leu Phe Leu Val				
	225	230	235		
	gtg cgg gag ccg cca agg gga gcc gtg gag cgc cac tca gat ttg cca	1129			
	Val Arg Glu Pro Pro Arg Gly Ala Val Glu Arg His Ser Asp Leu Pro				
25	240	245	250		

331/346

	ccc ctg aac ccc acc tcg tgg tgg gca gat ctg agg gct ctg gca aga	1177
	Pro Leu Asn Pro Thr Ser Trp Trp Ala Asp Leu Arg Ala Leu Ala Arg	
	255 260 265	
	aat ctc atc ttt gga ctc atc acc tgc ctg acc gga gtc ctg ggt gtg	1225
5	Asn Leu Ile Phe Gly Leu Ile Thr Cys Leu Thr Gly Val Leu Gly Val	
	270 275 280 285	
	ggc ctg ggt gtg gag atc agc cgc cgg ctc cgc cac tcc aac ccc cgg	1273
	Gly Leu Gly Val Glu Ile Ser Arg Arg Leu Arg His Ser Asn Pro Arg	
	290 295 300	
10	gct gat ccc ctg gtc tgt gcc act ggc ctc ctg ggc tct gca ccc ttc	1321
	Ala Asp Pro Leu Val Cys Ala Thr Gly Leu Leu Gly Ser Ala Pro Phe	
	305 310 315	
	ctc ttc ctg tcc ctt gcc tgc gcc cgt ggt agc atc gtg gcc act tat	1369
	Leu Phe Leu Ser Leu Ala Cys Ala Arg Gly Ser Ile Val Ala Thr Tyr	
15	320 325 330	
	att ttc atc ttc att gga gag acc ctc ctg tcc atg aac tgg gcc atc	1417
	Ile Phe Ile Phe Ile Gly Glu Thr Leu Leu Ser Met Asn Trp Ala Ile	
	335 340 345	
	gtg gcc gac att ctg ctg tac gtg gtg atc cct acc cga cgc tcc acc	1465
20	Val Ala Asp Ile Leu Leu Tyr Val Val Ile Pro Thr Arg Arg Ser Thr	
	350 355 360 365	
	gcc gag gcc ttc cag atc gtg ctg tcc cac ctg ctg ggt gat gct ggg	1513
	Ala Glu Ala Phe Gln Ile Val Leu Ser His Leu Leu Gly Asp Ala Gly	
	370 375 380	
25	agc ccc tac ctc att ggc ctg atc tct gac cgc ctg cgc cgg aac tgg	1561

332/346

Ser Pro Tyr Leu Ile Gly Leu Ile Ser Asp Arg Leu Arg Arg Asn Trp
 385 390 395
 ccc ccc tcc ttc ttg tcc gag ttc cgg gct ctg cag ttc tcg ctc atg 1609
 Pro Pro Ser Phe Leu Ser Glu Phe Arg Ala Leu Gln Phe Ser Leu Met
 5 400 405 410
 ctc tgc gcg ttt gtt ggg gca ctg ggc ggc gca gcc ttc ctg ggc acc 1657
 Leu Cys Ala Phe Val Gly Ala Leu Gly Gly Ala Ala Phe Leu Gly Thr
 415 420 425
 gcc atc ttc att gag gcc gac cgc cgg cgg gca cag ctg cac gtg cag 1705
 10 Ala Ile Phe Ile Glu Ala Asp Arg Arg Arg Ala Gln Leu His Val Gln
 430 435 440 445
 ggc ctg ctg cac gaa gca ggg tcc aca gac gac cgg att gtg gtg ccc 1753
 Gly Leu Leu His Glu Ala Gly Ser Thr Asp Asp Arg Ile Val Val Pro
 450 455 460
 15 cag cgg ggc cgc tcc acc cgc gtg ccc gtg gcc agt gtg ctc atc tga 1801
 Gln Arg Gly Arg Ser Thr Arg Val Pro Val Ala Ser Val Leu Ile
 465 470 475
 gaggtgccg ctcacctacc tgcacatctg ccacagctgg ccttgggccc accccacgaa 1861
 gggcctgggc ctaaccctt ggcctggccc agcttccaga gggaccctgg gccgtgtgcc 1921
 20 agtcccaga cactacatgg gtagctcagg ggaggaggtg ggggtccagg agggggatcc 1981
 ctctccacag gggcagcccc aagggtctcg tgctatttgt aacggaataa aattttagc 2041
 cag 2044
 <210> 147
 25 <211> 2176

333/346

<212> DNA

<213> Homo sapiens

<220>

5 <221> CDS

<222> (263) .. (1612)

<400> 147

```

ttcggccgct gttcggctgc gcggcggcag ctcccggcgg ctccctggcgg cgccgcagtc 60
10 ggaccttcgg gcgcctgctg gccggcggca gcagcgatgg cccoctgagc aggcagggag 120
caggcgggcgg caggcgggca agcgggcggg tgccgcagcc caggcccggg tcg'gcctct 180
ttgtttccac gggtagcggc gcagtcccgg gccccggg'cg gaagt'gagac gcgctcg'g'cg 240
cggggggccgc ggcggccgca cc atg agc gac atc cgc cac tcg ctg ctg cgc 292

Met Ser Asp Ile Arg His Ser Leu Leu Arg
15          1          5          10

cgc gat gcg ctg agc gcc gcc aag gag gtg ttg tac cac ctg gac atc 340
Arg Asp Ala Leu Ser Ala Ala Lys Glu Val Leu Tyr His Leu Asp Ile

          15          20          25

tac ttc agc agc cag ctg cag agc gcg ccg ctg ccc atc gtg gac aag 388
20 Tyr Phe Ser Ser Gln Leu Gln Ser Ala Pro Leu Pro Ile Val Asp Lys

          30          35          40

ggc ccc gtg gag ctg ctg gag gag ttc gtg ttc cag gtg ccc aag gag 436
Gly Pro Val Glu Leu Leu Glu Glu Phe Val Phe Gln Val Pro Lys Glu

          45          50          55

25 cgc agc gcg cag ccc aag aga ctg aat tcc ctt cag gag ctt caa ctt 484

```

334/346

	Arg	Ser	Ala	Gln	Pro	Lys	Arg	Leu	Asn	Ser	Leu	Gln	Glu	Leu	Gln	Leu	
	60						65					70					
	ctt	gaa	atc	atg	tgc	aat	tat	ttc	cag	gag	caa	acc	aag	gac	tct	gtt	532
	Leu	Glu	Ile	Met	Cys	Asn	Tyr	Phe	Gln	Glu	Gln	Thr	Lys	Asp	Ser	Val	
5	75					80					85				90		
	cgg	cag	att	att	ttt	tca	tcc	ctt	ttc	agc	cct	caa	ggg	aac	aaa	gcc	580
	Arg	Gln	Ile	Ile	Phe	Ser	Ser	Leu	Phe	Ser	Pro	Gln	Gly	Asn	Lys	Ala	
					95					100				105			
	gat	gac	agc	cgg	atg	agc	ttg	ttg	gga	aaa	ctg	gtc	tcc	atg	gcg	gtg	628
10	Asp	Asp	Ser	Arg	Met	Ser	Leu	Leu	Gly	Lys	Leu	Val	Ser	Met	Ala	Val	
					110					115				120			
	gct	gtg	tgt	cga	atc	ccg	gtg	ttg	gag	tgt	gct	gcc	tcc	tgg	ctt	cag	676
	Ala	Val	Cys	Arg	Ile	Pro	Val	Leu	Glu	Cys	Ala	Ala	Ser	Trp	Leu	Gln	
					125					130				135			
15	cgg	acg	ccc	gtg	gtt	tac	tgt	gtg	agg	tta	gcc	aag	gcc	ctt	gta	gat	724
	Arg	Thr	Pro	Val	Val	Tyr	Cys	Val	Arg	Leu	Ala	Lys	Ala	Leu	Val	Asp	
					140					145				150			
	gac	tac	tgc	tgt	ttg	gtg	ccg	gga	tcc	att	cag	acg	ctg	aag	cag	ata	772
	Asp	Tyr	Cys	Cys	Leu	Val	Pro	Gly	Ser	Ile	Gln	Thr	Leu	Lys	Gln	Ile	
20	155				160					165				170			
	ttc	agt	gcc	agc	ccg	aga	ttc	tgc	tgc	cag	ttc	atc	acc	tcc	gtt	acc	820
	Phe	Ser	Ala	Ser	Pro	Arg	Phe	Cys	Cys	Gln	Phe	Ile	Thr	Ser	Val	Thr	
					175					180				185			
	gcg	ctc	tat	gac	ctg	tca	tca	gat	gac	ctc	att	cca	cct	atg	gac	ttg	868
25	Ala	Leu	Tyr	Asp	Leu	Ser	Ser	Asp	Asp	Leu	Ile	Pro	Pro	Met	Asp	Leu	

335/346

	190	195	200	
	ctt gaa atg att gtc acc tgg att ttt gag gac cca agg ttg att ctc	916		
	Leu Glu Met Ile Val Thr Trp Ile Phe Glu Asp Pro Arg Leu Ile Leu			
	205	210	215	
5	atc act ttt tta aat act ccg att gcg gcc aat ctg cca ata gga ttc	964		
	Ile Thr Phe Leu Asn Thr Pro Ile Ala Ala Asn Leu Pro Ile Gly Phe			
	220	225	230	
	tta gag ctc acc ccg ctc gtt gga ttg atc cgc tgg tgc gtg aag gca	1012		
	Leu Glu Leu Thr Pro Leu Val Gly Leu Ile Arg Trp Cys Val Lys Ala			
10	235	240	245	250
	ccc ctg gct tat aaa agg aaa aag aag ccc ccc tta tcc aat ggc cat	1060		
	Pro Leu Ala Tyr Lys Arg Lys Lys Lys Pro Pro Leu Ser Asn Gly His			
	255	260	265	
	gtc agc aac aag gtc aca aag gac ccg ggc gtg ggg atg gac aga gac	1108		
15	Val Ser Asn Lys Val Thr Lys Asp Pro Gly Val Gly Met Asp Arg Asp			
	270	275	280	
	tcc cac ctc ttg tac tca aaa ctc cac ctc agc gtc ctg caa gtg ctc	1156		
	Ser His Leu Leu Tyr Ser Lys Leu His Leu Ser Val Leu Gln Val Leu			
	285	290	295	
20	atg acg ctg cag ctg cac ctg acc gag aag aat ctg tat ggg cgc ctg	1204		
	Met Thr Leu Gln Leu His Leu Thr Glu Lys Asn Leu Tyr Gly Arg Leu			
	300	305	310	
	ggg ctg atc ctc ttc gac cac atg gtc ccg ctg gta gag gag atc aac	1252		
	Gly Leu Ile Leu Phe Asp His Met Val Pro Leu Val Glu Glu Ile Asn			
25	315	320	325	330

336/346

agg ttg gcg gat gaa ctg aac ccc ctc aac gcc tcc cag gag att gag 1300
 Arg Leu Ala Asp Glu Leu Asn Pro Leu Asn Ala Ser Gln Glu Ile Glu
 335 340 345
 ctc tcg ctg gac cgg ctg gcg cag gct ctg cag gtg gcc atg gcc tca 1348
 5 Leu Ser Leu Asp Arg Leu Ala Gln Ala Leu Gln Val Ala Met Ala Ser
 350 355 360
 gga gct ctg ctg tgc acg aga gat gac ctg aga acc ttg tgc tcc agg 1396
 Gly Ala Leu Leu Cys Thr Arg Asp Asp Leu Arg Thr Leu Cys Ser Arg
 365 370 375
 10 ctg ccc cat aat aac ctc ctc cag ctg gtg atc tcg ggt ccc gtg cag 1444
 Leu Pro His Asn Asn Leu Leu Gln Leu Val Ile Ser Gly Pro Val Gln
 380 385 390
 cag tcg cct cac gcc gcg ctc ccc ccg ggg ttc tac ccc cac atc cac 1492
 Gln Ser Pro His Ala Ala Leu Pro Pro Gly Phe Tyr Pro His Ile His
 15 395 400 405 410
 acg ccc ccg ctg ggc tac ggg gct gtc ccg gcc cac ccc gcc gcc cac 1540
 Thr Pro Pro Leu Gly Tyr Gly Ala Val Pro Ala His Pro Ala Ala His
 415 420 425
 ccc gcc ctg ccc acg cac ccc ggc cac acc ttc atc tcc ggc gtg acc 1588
 20 Pro Ala Leu Pro Thr His Pro Gly His Thr Phe Ile Ser Gly Val Thr
 430 435 440
 ttt ccc ttc agg ccc atc cgc tag gctggcccggt gtgtgccttc tgcgctctcg 1642
 Phe Pro Phe Arg Pro Ile Arg
 445 450
 25 ctggacgaag cctttcgaga tggaaggggt ggccggactc ccagaagaga acctcgggga 1702

337/346

aggggtcggg cagccccctcc ccgccggcag aaccgtcttg gtgtcacgga gtccaggtgc 1762
ttcccacccg gtgcgattct ttgacatgca gattggatgg tggaggggaag agtccagcct 1822
ctgccgagag cctgctgcgt gcatttttaa aagatgccga tcctgggagc ctctgttctc 1882
tgcgcatthc agacacagcc tgtgtggcga ggagtgtgac ggcaggagcc acgggtgcaa 1942
5 gcccggtgtgt ctggcctctt tcctcgtgaa gacgatgtgt ccccgccaga aaaagtgggc 2002
tccttctgca gccccgtgag ctgagcccag gctgcgtagt gaccacaagc ttatgtgcag 2062
cactgctcag ggaggctgtc aggaattccc ctcacctcgg aaaggaactt ctcagtttta 2122
ttgggggtgt ctaaatttcc tttcatatgt tcaaataaat ttttctaaac agtc 2176

10 <210> 148
<211> 1363
<212> DNA
<213> Homo sapiens

15 <220>
<221> CDS
<222> (16)..(333)

<400> 148

20 gttactctcc acagt atg cga aga ata tcc ctg act tct agc cct gtg cgc 51
Met Arg Arg Ile Ser Leu Thr Ser Ser Pro Val Arg
1 5 10
ctt ctt ttg ttt ctg ctg ttg cta cta ata gcc ttg gag atc atg gtt 99
Leu Leu Leu Phe Leu Leu Leu Leu Ile Ala Leu Glu Ile Met Val
25 15 20 25

338/346

ggt ggt cac tct ctt tgc ttc aac ttc act ata aaa tca ttg tcc aga 147
 Gly Gly His Ser Leu Cys Phe Asn Phe Thr Ile Lys Ser Leu Ser Arg
 30 35 40
 cct gga cag ccc tgg tgt gaa gcg cag gtc ttc ttg aat aaa aat ctt 195
 5 Pro Gly Gln Pro Trp Cys Glu Ala Gln Val Phe Leu Asn Lys Asn Leu
 45 50 55 60
 ttc ctt cag tac aac agt gac aac aac atg gtc aaa cct ctg ggc ctc 243
 Phe Leu Gln Tyr Asn Ser Asp Asn Asn Met Val Lys Pro Leu Gly Leu
 65 70 75
 10 ctg ggg aag aag gta aat gcc acc agc act tgg gga gaa aac cca aac 291
 Leu Gly Lys Lys Val Asn Ala Thr Ser Thr Trp Gly Glu Asn Pro Asn
 80 85 90
 gct ggg aga agt ggg gcg aga cct cag gat gct cct ttg tga 333
 Ala Gly Arg Ser Gly Ala Arg Pro Gln Asp Ala Pro Leu
 15 95 100 105
 catcaaacc cagataaaga ccagtgatcc ttccactctg caagtcgaga tgttttgtca 393
 acgtgaagca gaacggtgca ctggtgcatc ctggcagttc gccaccaatg gagagaaatc 453
 cctcctcttt gacgcaatga acatgacctg gacagtaatt aatcatgaag ccagtaagat 513
 caaggagaca tggaagaaag acagagggct ggaaaagtat ttcaggaagc tctcaaaggg 573
 20 agactgcgat cactggctca gggaattctt agggcactgg gaggcaatgc cagaaccgac 633
 aggcagaaga tccacctaga ggtgatacca cggcggcgca gagttgttca cctgtggtcc 693
 tcgatcgctg acagccttgg ctcccactgc tgtgtgttcc ctgagtcaag tggaggcgga 753
 gcctgcaatg agcggagatc gcgcctctgc attccagtct tggcaacaga gcaagactcc 813
 gtctcaaaaa aaaaaatttt ttttcagtac atatttttta aaagataggg ctgggcacag 873
 25 cagctcacat ctataatccc aacactttgg gaggcctagg caggaggatc acttgagccc 933

339/346

aggaatctga agctgcagtg agcctttgct cgtgagattg tggacctatg atcctaccac 993
 cagcccacct ggttctaaca cccctcctc tatgtgtgag agggagagaa gaaaagtgag 1053
 ggagaaaaga gagataagca aagaacagag aggaaaaatg gaaaataaga ggaaattggg 1113
 ggaattaaac agaggggagg gcatggatcc ccgggagtta gaagagtagc agcttgtgga 1173
 5 ttactacgca gtggaggaag aagagttggt ggaaattatt tgagaggtag tataatcatt 1233
 tgtgaggcag ttttctgcat tcaccatttc tcacagacta agttactcat aagcaaactg 1293
 gcaattcaca ttacactgaa attcttcctt aatacatcat ttgcattgga ataaagtacg 1353
 gttttcaaac 1363

10 <210> 149
 <211> 1043
 <212> DNA
 <213> Homo sapiens

15 <220>
 <221> CDS
 <222> (227) .. (472)

<400> 149

20 cagtcgtctt cacaggcgac catagaccac acataactaac agtcgtcttc acaggcgacc 60
 gcgcaccaca gataactaaca gtcgtcttca caggcgaccg tagaccacac atactaacag 120
 tcgtcttcac aggcgaccac gcaccacaca cactaacagt cgtcttcaca ggcgaccgcg 180
 caccacacac actaacggac gtgcccgcaca tcttcacagg cacagc atg agc cct 235

Met Ser Pro

25

1

340/346

gat gtg cgc ttt ctg ctc ctg ctc ctg ctc ctg ccc ctt cgg agg cct 283
 Asp Val Arg Phe Leu Leu Leu Leu Leu Leu Leu Pro Leu Arg Arg Pro
 5 10 15
 gtg cca gtg gca gct ggg ccc gga gac acc agg ccg gca ctg ctc tct 331
 5 Val Pro Val Ala Ala Gly Pro Gly Asp Thr Arg Pro Ala Leu Leu Ser
 20 25 30 35
 ttc gag gca ccc gtg ttt gtg ccg acg ctg act ccc ggt tgt ctg cag 379
 Phe Glu Ala Pro Val Phe Val Pro Thr Leu Thr Pro Gly Cys Leu Gln
 40 45 50
 10 cag cca cgt ggc cga aat gga gcc tct cca cgg ggg ctc ctt ccc cag 427
 Gln Pro Arg Gly Arg Asn Gly Ala Ser Pro Arg Gly Leu Leu Pro Gln
 55 60 65
 ccc ctg gat ggc aca gca gcc tct cct gtc tgt cac cac gtg tga 472
 Pro Leu Asp Gly Thr Ala Ala Ser Pro Val Cys His His Val
 15 70 75 80
 cctgctccct tagtcttcag ccgctcatcc acgtctgcag gggcatctaa ctctgtccca 532
 gggatatccca gaccctggct cagcggccag gctctccatt caggctccat cgtccacctc 592
 agaccatctc gggtttgctg gtcttctgga ctagcgcagc cagaaagaac ccaggaagga 652
 agoctcacgt ctgacacaag aaccttcggt gctaaccgga gggcgggtatg tgcattcctca 712
 20 gcacctgccc atccggcacc atcctctgat ccagggactg tgagcaacag ggccccgtgg 772
 ccaggacatc tctcaccctc cagttaaaat ctcgccagtt gagtctgccc atgaaagtag 832
 gtgctgaact gcccaataaa tccacaagta agagttgcaa gaaggagcca aaaagggtcg 892
 agctgaatga ctcatatatg aaataatttg ataattaata taaataggaa atttaaagtc 952
 tccagctgag tgacagaaaa caccttaaaa agctcaagag agaggaaagg aagaaaataa 1012
 25 acctataatt gcaaaataaa agcattgaaa g 1043

341/346

<210> 150

<211> 2435

<212> DNA

5 <213> Homo sapiens

<220>

<221> CDS

<222> (357) .. (2015)

10

<400> 150

tagtttccct atcggcggca gcgggcaagg cggcggcggc ggcgggcgga gccgcggtgg 60
cggcgtgggg aacatctcgg cagccaccgc gcttctcccg ctggagcggg cgtccagctt 120
ggctgccctc ggtccttccc tgccacgttt cgggtcgccc tgcaccccc acccaggctc 180
15 gcttctcttc gaagcgggaa ggcgccttg caggatcctg ccgcccctcc aaccggatcc 240
tgggtctaga gctccccaga gcgaggcgct cgccaggact cctgccccgc caaccctgac 300
cgccgggggg tgccccggg acgtagcgcc gcggagagga agcggcaaag gggacc atg 359

Met

1

20 cgg cgc ctg act cgt cgg ctg gtt ctg cca gtc ttc ggg gtg ctc tgg 407

Arg Arg Leu Thr Arg Arg Leu Val Leu Pro Val Phe Gly Val Leu Trp

5

10

15

atc acg gtg ctg ctg ttc ttc tgg gta acc aag agg aag ttg gag gtg 455

Ile Thr Val Leu Leu Phe Phe Trp Val Thr Lys Arg Lys Leu Glu Val

25

20

25

30

342/346

	ccg acg gga cct gaa gtg cag acc cct aag cct tcg gac gct gac tgg	503
	Pro Thr Gly Pro Glu Val Gln Thr Pro Lys Pro Ser Asp Ala Asp Trp	
	35 40 45	
	gac gac ctg tgg gac cag ttt gat gag cgg cgg tat ctg aat gcc aaa	551
5	Asp Asp Leu Trp Asp Gln Phe Asp Glu Arg Arg Tyr Leu Asn Ala Lys	
	50 55 60 65	
	aag tgg cgc gtt ggt gac gac ccc tat aag ctg tat gct ttc aac cag	599
	Lys Trp Arg Val Gly Asp Asp Pro Tyr Lys Leu Tyr Ala Phe Asn Gln	
	70 75 80	
10	cgg gag agt gag cgg atc tcc agc aat cgg gcc atc ccg gac act cgc	647
	Arg Glu Ser Glu Arg Ile Ser Ser Asn Arg Ala Ile Pro Asp Thr Arg	
	85 90 95	
	cat ctg aga tgc aca ctg ctg gtg tat tgc acg gac ctt cca ccc act	695
	His Leu Arg Cys Thr Leu Leu Val Tyr Cys Thr Asp Leu Pro Pro Thr	
15	100 105 110	
	agc atc atc atc acc ttc cac aac gag gcc cgc tcc acg ctg ctc agg	743
	Ser Ile Ile Ile Thr Phe His Asn Glu Ala Arg Ser Thr Leu Leu Arg	
	115 120 125	
	acc atc cgc agt gta tta aac cgc acc cct acg cat ctg atc cgg gaa	791
20	Thr Ile Arg Ser Val Leu Asn Arg Thr Pro Thr His Leu Ile Arg Glu	
	130 135 140 145	
	atc ata tta gtg gat gac ttc agc aat gac cct gat gac tgt aaa cag	839
	Ile Ile Leu Val Asp Asp Phe Ser Asn Asp Pro Asp Asp Cys Lys Gln	
	150 155 160	
25	ctc atc aag ttg ccc aag gtg aaa tgc ttg cgc aat aat gaa cgg caa	887

343/346

Leu Ile Lys Leu Pro Lys Val Lys Cys Leu Arg Asn Asn Glu Arg Gln
 165 170 175
 ggt ctg gtc cgg tcc cgg att cgg ggc gct gac atc gcc cag ggc acc 935
 Gly Leu Val Arg Ser Arg Ile Arg Gly Ala Asp Ile Ala Gln Gly Thr
 5 180 185 190
 act ctg act ttc ctc gac agc cac tgt gag gtg aac agg gac tgg ctc 983
 Thr Leu Thr Phe Leu Asp Ser His Cys Glu Val Asn Arg Asp Trp Leu
 195 200 205
 cag cct ctg ttg cac agg gtc aaa gag gac tac acg cgg gtg gtg tgc 1031
 10 Gln Pro Leu Leu His Arg Val Lys Glu Asp Tyr Thr Arg Val Val Cys
 210 215 220 225
 cct gtg atc gat atc att aac ctg gac acc ttc acc tac atc gag tct 1079
 Pro Val Ile Asp Ile Ile Asn Leu Asp Thr Phe Thr Tyr Ile Glu Ser
 230 235 240
 15 gcc tcg gag ctc aga ggg ggg ttt gac tgg agc ctc cac ttc cag tgg 1127
 Ala Ser Glu Leu Arg Gly Gly Phe Asp Trp Ser Leu His Phe Gln Trp
 245 250 255
 gag cag ctc tcc cca gag cag aag gct cgg cgc ctg gac ccc acg gag 1175
 Glu Gln Leu Ser Pro Glu Gln Lys Ala Arg Arg Leu Asp Pro Thr Glu
 20 260 265 270
 ccc atc agg act cct atc ata gct gga ggg ctc ttc gtg atc gac aaa 1223
 Pro Ile Arg Thr Pro Ile Ile Ala Gly Gly Leu Phe Val Ile Asp Lys
 275 280 285
 gct tgg ttt gat tac ctg ggg aaa tat gat atg gac atg gac atc tgg 1271
 25 Ala Trp Phe Asp Tyr Leu Gly Lys Tyr Asp Met Asp Met Asp Ile Trp

344/346

	290	295	300	305	
	ggg gag aac ttt gaa atc tcc ttc cga gtg tgg atg tgc ggg ggc	1319			
	Gly Gly Glu Asn Phe Glu Ile Ser Phe Arg Val Trp Met Cys Gly Gly				
		310	315	320	
5	agc cta gag atc gtc ccc tgc agc cga gtg ggg cac gtc ttc cgg aag	1367			
	Ser Leu Glu Ile Val Pro Cys Ser Arg Val Gly His Val Phe Arg Lys				
		325	330	335	
	aag cac ccc tac gtt ttc cct gat gga aat gcc aac acg tat ata aag	1415			
	Lys His Pro Tyr Val Phe Pro Asp Gly Asn Ala Asn Thr Tyr Ile Lys				
10		340	345	350	
	aac acc aag cgg aca gct gaa gtg tgg atg gat gaa tac aag caa tac	1463			
	Asn Thr Lys Arg Thr Ala Glu Val Trp Met Asp Glu Tyr Lys Gln Tyr				
		355	360	365	
	tat tac gct gcc cgg cca ttc gcc ctg gag agg ccc ttc ggg aat gtt	1511			
15	Tyr Tyr Ala Ala Arg Pro Phe Ala Leu Glu Arg Pro Phe Gly Asn Val				
		370	375	380	385
	gag agc aga ttg gac ctg agg aag aat ctg cgc tgc cag agc ttc aag	1559			
	Glu Ser Arg Leu Asp Leu Arg Lys Asn Leu Arg Cys Gln Ser Phe Lys				
		390	395	400	
20	tgg tac ctg gag aat atc tac cct gaa ctc agc atc ccc aag gag tcc	1607			
	Trp Tyr Leu Glu Asn Ile Tyr Pro Glu Leu Ser Ile Pro Lys Glu Ser				
		405	410	415	
	tcc atc cag aag ggc aat atc cga cag aga cag aag tgc ctg gaa tct	1655			
	Ser Ile Gln Lys Gly Asn Ile Arg Gln Arg Gln Lys Cys Leu Glu Ser				
25		420	425	430	

345/346

caa agg cag aac aac caa gaa acc cca aac cta aag ttg agc ccc tgt 1703
 Gln Arg Gln Asn Asn Gln Glu Thr Pro Asn Leu Lys Leu Ser Pro Cys
 435 440 445
 gcc aag gtc aaa ggc gaa gat gca aag tcc cag gta tgg gcc ttc aca 1751
 5 Ala Lys Val Lys Gly Glu Asp Ala Lys Ser Gln Val Trp Ala Phe Thr
 450 455 460 465
 tac acc cag cag atc ctc cag gag gag ctg tgc ctg tca gtc atc acc 1799
 Tyr Thr Gln Gln Ile Leu Gln Glu Glu Leu Cys Leu Ser Val Ile Thr
 470 475 480
 10 ttg ttc cct ggc gcc cca gtg gtt ctt gtc ctt tgc aag aat gga gat 1847
 Leu Phe Pro Gly Ala Pro Val Val Leu Val Leu Cys Lys Asn Gly Asp
 485 490 495
 gac cga cag caa tgg acc aaa act ggt tcc cac atc gag cac ata gca 1895
 Asp Arg Gln Gln Trp Thr Lys Thr Gly Ser His Ile Glu His Ile Ala
 15 500 505 510
 tcc cac ctc tgc ctc gat aca gat atg ttc ggt gat ggc acc gag aac 1943
 Ser His Leu Cys Leu Asp Thr Asp Met Phe Gly Asp Gly Thr Glu Asn
 515 520 525
 ggc aag gaa atc gtc gtc aac cca tgt gag tcc tca ctc atg agc cag 1991
 20 Gly Lys Glu Ile Val Val Asn Pro Cys Glu Ser Ser Leu Met Ser Gln
 530 535 540 545
 cac tgg gac atg gtg agc tct tga ggaccctgc cagaagcagc aagggccatg 2045
 His Trp Asp Met Val Ser Ser
 550
 25 gggtggtgct tccctggacc agaacagact ggaaactggg cagcaagcag cctgcaacca 2105

346/346

cctcagacat cctggactgg gaggtggagg cagagccccc caggacagga gcaactgtct 2165
cagggaggac agaggaaaac atcacaagcc aatggggctc aaagacaaat cccacatggt 2225
ctcaaggccg ttaagttcca gtcctggcca gtcattccct gattggtatc tggagacaga 2285
aacctaattg gaagtgttta ttgttccttt tcctacaaag gaagcagtct ctggaggcca 2345
5 gaaagaaaag ccttcttttt cactaggcca ggactacatt gagagatgaa gaatggaggt 2405
tgttttccaaa agaaataaag agaaacttag 2435